# **MACHEREY-NAGEL**




# Safety Data Sheet

## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

| REF: 920040               | VISOCOLOR HE Iron         | Page: 1/7 |
|---------------------------|---------------------------|-----------|
| Printing date: 02.06.2020 | Date of issue: 15.03.2019 |           |

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

| 1.1  | Product identifier   |  |
|------|--|--|
|      | REF<br>Product name  | 920040<br>VISOCOLOR HE Iron  |
|      | REACH Registration number(<br>A registration number for th<br>the substance or its use is e  | e substance(s) does not exist because the annual tonnage does not require registration or  |
|      |  | 1 x 100 mL Fe-1<br>2 x 23 g Fe-2   |
| 1.2  | Relevant identified uses<br>Product for analytical use.<br>Exposure Scenario Cla   | of the substance or mixture and uses advised against<br>assification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0<br>o is integrated into sections 1-16. |
| 1.3  | Details of the supplier of the supplier of the Manufactured by:<br>MACHEREY-NAGEL GmbH & Neumann-Neander-Str. 6-8, 5<br>Tel.: +49 2421 969 0 | & Co. KG   |
| 1.4  | Emergency telephone nur<br>Information not necessary.  | mber   |
|      | You find our current versions of SDS   | (22 languages) in Internet: http://www.mn-net.com/SDS  |
| SECT | ION 2: Hazard identifica   | ation  |
| 2.0  | Classification of the comp   | olete product  |
| 2.1  | Classification of the subs<br>100 mL Fe-1  | tance or mixture   |
|      | O'an daarad  | Do not need labelling as hazardous   |
|      | Signal word<br>No hazard class   | -  |
|      |  |  |
|      | 23 g Fe-2  |  |
|      | Signal word  | Do not need labelling as hazardous<br>-  |
|      | No hazard class  |  |
| 2.2  | Label elements   |  |
|      | <b>100 mL Fe-1</b><br>Do not need labelling  | a as hazardous   |



MACHEREY-NAGE **(MN)** ISO 9001 CERTIFIED

Tel.: +49 24 21 969-0 +49 24 21 969-199 Fax: Version: M V 4.12.0 E-mail: info@mn-net.com

DE/international:

CH: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 E-mail: sales-ch@mn-net.com

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany FR: Tel.: +33 388 68 22 68 Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com

US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com



## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

| REF: 920040               | VISOCOLOR HE Iron         | Page: 2/7 |
|---------------------------|---------------------------|-----------|
| Printing date: 02.06.2020 | Date of issue: 15.03.2019 |           |

### 23 g Fe-2

Do not need labelling as hazardous Signal word: -

#### 2.3 Other hazards

### Possible hazards from physicochemical properties

According to our current status of knowledge and experience we state, that this product does not contain any substances, which - in accordance with EC regulations 1272/2008/EC, 1907/2006/EC and German Regulations for Hazardous goods - have to be declared as dangerous goods, either because of their applied concentration or because of their total amount in anyone kit. An individual package has considerably less hazardous potential. The property H314 "Causes severe skin burns and eye damage." of some salts is not applicable, because the mixture is buffered to pH >3-4 (see GHS Directive 1272/2008/EC Annex I, chapter 3.2.3.1.2.). ---

Information pertaining to particular risks to human and possible symptoms

Information pertaining to particular risks to the environment

Other hazards

## SECTION 3: Composition/information on ingredients

#### 3.1 Substances or 3.2 Mixtures

|         |   | -  |       |                              |
|---------|---|--|-------|------------------------------|
| 100 mL  |   | e <i>derivate</i><br>No criteria for classification or na<br>listed<br>< 1.00 %<br>The criteria for classification are   |       | CAS No.: -                   |
|         | Chemical: acetat<br>Classification:<br>Formula:<br>TSCA Inventory:<br>KE No.:<br>Concentration:<br>acc. CLP (GHS):  | e buffer solution<br>No criteria for classification or na<br>CH <sub>3</sub> COOH/K/Na•H <sub>2</sub> O<br>all listed<br>listed<br>45 - <60 %<br>The criteria for classification are                   |       | CAS No.: -                   |
| 23 g Fe |   | scorbic acid<br>No criteria for classification or na<br>C6 H8 O6<br>vitamin C<br>listed<br>exempt, Annex IV<br>200-066-2<br>CI7650000<br>KE-01947<br>20 - <30 %<br>The criteria for classification are | MFCD: | CAS No.: 50-81-7<br>00064328 |
|         | Chemical: sodiur.<br>Classification:<br>Formula:<br>Pseudonym:<br>TSCA Inventory:<br>REACH Reg. No.:<br>EC No.:<br>RTECS:<br>KE No.:<br>Concentration:<br>acc. CLP (GHS): | n chloride<br>No criteria for classification or na<br>NaCl<br>salt<br>listed<br>exempt, Annex V<br>231-598-3<br>VZ4725000<br>KE-31387<br>50 - <80 %<br>The criteria for classification are             |       | CAS No.: 7647-14-5           |

ACHEREY-NAGE (MN> ISO 9001 CERTIFIEI

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: US: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

www.mn-net.com

Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

# MACHEREY-NAGEL



# Safety Data Sheet

## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

| REF: 920040               | VISOCOLOR HE Iron         | Page: 3/7 |
|---------------------------|---------------------------|-----------|
| Printing date: 02.06.2020 | Date of issue: 15.03.2019 |           |

#### 3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

- - -

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately.

- 4.1.1 After SKIN Contact Not necessary
- 4.1.2 After EYE Contact Not necessary
- 4.1.3 After INHALATION of vapours Not necessary.
- 4.1.4 After ORAL Intake Not necessary. -

#### 4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed No additionally recommendations. ---

## SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.2 Special hazards arising from the substance or mixture None

#### 5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic.

#### 5.4 Additional information

## SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Do not breathe vapours. Not necessary.
- 6.2 **Environmental precautions** not necessary
- 6.3 Methods and material for containment and cleaning up Clean working area with water. Flush used water into drains.
- Reference to other sections 6.4

## SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

#### 7.2 Conditions for safe storage, including any incompatibilities The original product package of MACHEREY-NAGEL allows a safe storage. Storage class (VCI): 12 Water hazard class (DE): 1



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com www.mn-net.com



## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

| REF: 9  | 920040                                       |  | VISOCOLOR HE Iron                               | Page: 4/7                                       |
|---------|--|--|---|---|
| Printin | g date: 02.06.2020                           |  | Date of issue: 15.03.2019                       |   |
| 7.2.1   |  | ts for stock rooms and co<br>product packages tightly cl | ntainers<br>osed during handling and storage.   |   |
| 7.3     | <b>Specific end u</b><br>Product for analyti | • •  |   |   |
| SEC     | FION 8: Expos                                | sure controls/pers                                       | sonal protection                                |   |
| 8.1     | Control parameters                           |  |   |   |
|         | <b>100 mL Fe-1</b><br>Chemical:              | triazine derivate  |   | CAS No.: -                                      |
|         | Chemical:                                    | acetate buffer solution                                  |   | CAS No.: -                                      |
|         | <b>23 g Fe-2</b><br>Chemical:                | L(+)-ascorbic acid                                       |   | CAS No.: 50-81-7                                |
|         | Chemical:                                    | sodium chloride  |   | CAS No.: 7647-14-5                              |
| 8.2     | Exposure con<br>Not necessary.Go             |  | n system in the room, floor resistant to chemic | als with floor drainage and washing facilities. |
| 8.2.1   | Respiratory                                  |  |   |   |
| 8.2.2   | Hand protect<br>Not necessary                |  |   |   |
| 8.2.3   | Eye protection                               |  |   |   |
| 8.2.4   | Skin protecti<br>Not necessar                |  |   |   |
| 8.2.5   | Personal hyg                                 |  |   |   |
| SEC     | TION 9: Physic                               | cal and chemical   | properties                                      |   |
| 9.1     | •  |  | chemical properties                             |   |
|         |  |  |   |   |

| <b>100 mL Fe-1</b><br>Appearance: liquid<br>pH:       | Colour: slightly yellow 4-6 | Odor: acetic   |
|---|-----------------------------|----------------|
| <b>23 g Fe-2</b><br>Appearance: powder (solid)<br>pH: | Colour: colourless<br>5-6   | Odor: odorless |

#### 9.2 Other information

Data for the other parameters of the mixtures are not available, because no registration and no chemical safety report is required. **Relevant Properties of Substance Group** 

## **SECTION 10: Stability and reactivity**

- 10.1 Reactivity None
- 10.2 **Chemical stability** 
  - No known instability.
- 10.3 Possibility of hazardous reactions None.



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 +49 24 21 969-199 Fax: Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

www.mn-net.com



## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

| REF: 9   |  | VISOCOLOR HE Iron  | Page: 5/7                                       |  |  |
|----------|--|--|---|--|--|
| Printing | g date: 02.06.2020   | Date of issue: 15.03.2019  |   |  |  |
| 10.4     | Conditions to avoid<br>Not known   |  |   |  |  |
| 0.5      | Incompatible materials<br>Not known.   |  |   |  |  |
| 0.6      | Hazardous decomposition<br>In the original package all parts/a<br>period under recommended cond  | I reagents are safety and separated stored. Decomp                   | ositions are not observed during the expiration |  |  |
| SECI     | ION 11: Toxicological  | nformation   |   |  |  |
| 11.1     | Information on toxicological effects<br>Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available. |  |   |  |  |
|          | 100 mL Fe-1  |  |   |  |  |
|          | Chemical: triazine<br>TSCA Inventory:  | <i>derivate</i><br>listed  | CAS No.: -                                      |  |  |
|          | Chemical: acetate<br>TSCA Inventory:<br>Korea Exist.Chem.Inventory:  | <i>buffer solution</i><br>all listed<br>listed                       | CAS No.: -                                      |  |  |
|          | 23 g Fe-2  |  |   |  |  |
|          | Chemical: L(+)-as<br>TSCA Inventory:<br>Korea Exist.Chem.Inventory:<br>LD50 <sub>orl rat</sub> :<br>LD50 <sub>ivn mus</sub> :                                    | <i>corbic acid</i><br>listed<br>KE-01947<br>11900 mg/kg<br>518 mg/kg | CAS No.: 50-81-7                                |  |  |
|          | Chemical: sodium<br>TSCA Inventory:<br>Korea Exist.Chem.Inventory:<br>LD50 <sub>orl rat</sub> :<br>LD50 <sub>drm rbt</sub> :                                     | <i>chloride</i><br>listed<br>KE-31387<br>3000 mg/kg<br>10 g/kg       | CAS No.: 7647-14-5                              |  |  |
| SECI     | FION 12: Ecological info   | ormation   |   |  |  |
| 12.1     | Toxicity   |  |   |  |  |
|          | Following information is valid f   | or pure substances.  |   |  |  |
|          | <b>100 mL Fe-1</b><br>Chemical: <i>tria</i><br>Storage class (VCI):  | nzine derivate<br>12-13  | CAS No.: -                                      |  |  |
|          | Chemical: ac<br>Storage class (VCI):   | etate buffer solution<br>12  | CAS No.: -                                      |  |  |
|          |  | +)-ascorbic acid   | CAS No.: 50-81-7                                |  |  |
|          | Water hazard class (DÈ<br>Storage class (VCI):   |  |   |  |  |
|          | Chemical: so<br>Water hazard class (DE<br>Storage class (VCI):   | dium chloride<br>: 1<br>12-13  | CAS No.: 7647-14-5                              |  |  |

### 12.2 Persistence and degradability

Storage class (VCI):

www.mn-net.com

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany MACHEREY-NAGE US: DE/international: CH: FR: **(MN)** Tel.: +41 62 388 55 00 Tel.: +49 24 21 969-0 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 ISO 9001 CERTIFIED +49 24 21 969-199 +41 62 388 55 05 Fax: Fax: Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

1 12-13



## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

| REF: 920040               | VISOCOLOR HE Iron         | Page: 6/7 |
|---------------------------|---------------------------|-----------|
| Printing date: 02.06.2020 | Date of issue: 15.03.2019 |           |

not necessary

- 12.3 **Bioaccumulative potential** not necessarv
- 12.4 Mobility in soil not necessary
- 12.5 Results of PBT and vPvB assessment no data available
- 12.6 Other adverse effects no additional data available

### SECTION 13: Disposal considerations

Not necessary.

13.1 Waste treatment methods

> GENERAL: Empty solids into municipal waste, empty liquids diluted into drains. Normally it is possible to empty small amounts (diluted!) into drains

### **SECTION 14: Transport information**

14.1 - 14.4 Not necessary

- 14.5 Environmental hazards none
- 14.6 Special precautions for user not necessarv
- 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code not applicable

## **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013 German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung -GefStoffV), revised on November 2010, according to Directive 98/24/EC MN Leaflet/User manual, also see www.mn-net.com Look for your country-specific regulations.
- 15.2 Chemical safety assessment

## SECTION 16: Other information

#### 16.1 List of H and P phrases

- 16.1.1 List of relevant H phrases
- 16.1.2 List of relevant P phrases
- 16.2 Training advice

Regular safety training.

16.3 **Recommended restriction on use** None

#### 16.4 **Further information**

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR US: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 920040

Printing date: 02.06.2020

**VISOCOLOR HE Iron** Date of issue: 15.03.2019 Page: 7/7

#### 16.5 Sources of key data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress Regulation 669/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress Regulation 1480/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress TRGS 900, German engineering rules governing limits in air at work, updated 03/2019 SUVA .CH, Limits in air at work 2009, revised on 01.2009 KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

### **Revisions/Updates**

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Version: MV 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

www.mn-net.com