

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985043

NANOCOLOR Hardness 20

Page: 1/7

Printing date: 02.06.2020

Date of issue: 15.03.2019

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

REF 985043  
Product name NANOCOLOR Hardness 20

REACH Registration number(s): see SECTION 3.1/3.2 or  
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

20 x 6 mL Hardness 20 (R0)  
1 x 5 mL Hardness 20 (R3)  
1 x 20x 5 mg NANOFIX Hardness 20 (R2)

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACH, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0  
The exposure scenario is integrated into sections 1-16.

#### Uses advised against

not described

### 1.3 Details of the supplier of the safety data sheet

#### Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG  
Neumann-Neander-Str. 6-8, 52355 Dueren, GERMANY  
Tel.: +49 2421 969 0

E-mail: [sds@mn-net.com](mailto:sds@mn-net.com) ([msds@mn-net.com](mailto:msds@mn-net.com))

### 1.4 Emergency telephone number

Information not necessary.

You find our current versions of SDS (22 languages) in Internet:

<http://www.mn-net.com/SDS>

## SECTION 2: Hazard identification

### 2.0 Classification of the complete product

#### 2.1 Classification of the substance or mixture

##### 6 mL Hardness 20 (R0)

Signal word Do not need labelling as hazardous  
-

No hazard class

##### 5 mL Hardness 20 (R3)

Signal word Do not need labelling as hazardous  
-

No hazard class

##### 20x 5 mg NANOFIX Hardness 20 (R2)

Signal word Do not need labelling as hazardous  
-

No hazard class

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985043

NANOCOLOR Hardness 20

Page: 2/7

Printing date: 02.06.2020

Date of issue: 15.03.2019

## 2.2 Label elements

### 6 mL Hardness 20 (R0)

Do not need labelling as hazardous  
Signal word: -

### 5 mL Hardness 20 (R3)

Do not need labelling as hazardous  
Signal word: -

### 20x 5 mg NANOFIX Hardness 20 (R2)

Do not need labelling as hazardous  
Signal word: -

## 2.3 Other hazards

### Possible hazards from physicochemical properties

According to our current status of knowledge and experience we state, that this product does not contain any substances, which - in accordance with EC regulations 1272/2008/EC, 1907/2006/EC and German Regulations for Hazardous goods - have to be declared as dangerous goods, either because of their applied concentration or because of their total amount in anyone kit. An individual package has considerably less hazardous potential. ---

### Information pertaining to particular risks to human and possible symptoms

---

### Information pertaining to particular risks to the environment

---

### Other hazards

---

## SECTION 3: Composition/information on ingredients

### 3.1 Substances or 3.2 Mixtures

#### 6 mL Hardness 20 (R0)

Chemical:	<i>sodium tetraborate</i>	CAS No.:	12267-73-1
Classification:	H319, Eye Irrit. 2, H360FD, Repr. 1B		
Formula:	Na <sub>2</sub> B <sub>4</sub> O <sub>7</sub>		
TSCA Inventory:	not listed		
REACH Reg. No.:	01-2119490790-32-xxxx		
<b>SVHC listed:</b>	<b>listed (18/06/2010)</b>		
EC No.:	215-540-4	Indice No.:	005-011-00-4
RTECS:	ED4588000		
KE No.:	KE-33255		
Concentration:	1 - <4.5 %	Correlation factor:	x 0.215 (= %B)
The classification refers to weight percent of the metal (according to CLP Regulation 2008/1272/EC Annex VI, 1.1.3.2 Note 1)			
acc. CLP (GHS):	The criteria for classification are not fulfilled.		

#### 5 mL Hardness 20 (R3)

Chemical:	<i>ethylendioxybis(ethylennitrilo)-tetraacetic acid (Titriplex® VI)</i>	CAS No.:	67-42-5
Classification:	No criteria for classification or naming of chemical not required.		
Formula:	C <sub>14</sub> H <sub>24</sub> N <sub>2</sub> O <sub>10</sub>		
Pseudonym:	3,12-bis(carboxymethyl)-6,9-dioxa-3,12-diazatetradecanedioic acid		
TSCA Inventory:	listed		
EC No.:	200-651-2		
RTECS:	AH3760000	MFCD:	0004291
Concentration:	< 10.00 %		
acc. CLP (GHS):	The criteria for classification are not fulfilled.		

#### 20x 5 mg NANOFIX Hardness 20 (R2)

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985043

NANOCOLOR Hardness 20

Page: 3/7

Printing date: 02.06.2020

Date of issue: 15.03.2019

Chemical:	<i>Phthalein purple (phthalein complexon)</i>	CAS No.:	2411-89-4
Classification:	No criteria for classification or naming of chemical not required.		
Formula:	C <sub>32</sub> H <sub>32</sub> N <sub>2</sub> O <sub>12</sub>		
Pseudonym:	N,N'-[(3-oxo-1(3H)-isobenzofuranylidene)bis[(6-hydroxy-5-methyl-3,1-phenylene)methylene]]bis[N-(carboxymethyl)-glycine		
TSCA Inventory:	listed	MFCID:	00005911
EC No.:	219-318-8		
Concentration:	< 1.00 %		
acc. CLP (GHS):	The criteria for classification are not fulfilled.		

### 3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

---

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately.

#### 4.1.1 After SKIN Contact

Not necessary.

#### 4.1.2 After EYE Contact

Not necessary.

#### 4.1.3 After INHALATION of vapours

Not necessary. ---

#### 4.1.4 After ORAL Intake

Not necessary. ---

### 4.2 Most important symptoms and effects, both acute and delayed

---

### 4.3 Indication of any immediate medical attention and special treatment needed

No additionally recommendations. ---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

### 5.2 Special hazards arising from the substance or mixture

None.

### 5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic.

### 5.4 Additional information

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Not necessary.

### 6.2 Environmental precautions

not necessary

### 6.3 Methods and material for containment and cleaning up

Clean working area with water. Flush used water into drains.

### 6.4 Reference to other sections

---

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985043

NANOCOLOR Hardness 20

Page: 4/7

Printing date: 02.06.2020

Date of issue: 15.03.2019

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product. Use a safety bottle when shaking test tubes.

### 7.2 Conditions for safe storage, including any incompatibilities

The original product package of MACHEREY-NAGEL allows a safe storage.

Storage class (VCI): 6.1D

Water hazard class (DE): 2

### 7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage.

### 7.3 Specific end use(s)

Product for analytical use.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### 6 mL Hardness 20 (R0)

Chemical: *sodium tetraborate*

CAS No.: 12267-73-1

TRGS 900 (DE): [B] 0.5 mg/m<sup>3</sup>  
E/e respirable

Short-term exposure factor: 2 (I), Y  
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: [als B][MAK] 0,8e\*/[STEL] 0,8e\* mg/m<sup>3</sup>

NIOSH: not listed ppm

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed ppm

#### 5 mL Hardness 20 (R3)

Chemical: *ethylendioxybis(ethylennitrilo)-tetraacetic acid (Titriplex® VI)*

CAS No.: 67-42-5

#### 20x 5 mg NANOFIX Hardness 20 (R2)

Chemical: *Phthalein purple (phthalein complexon)*

CAS No.: 2411-89-4

### 8.2 Exposure controls

Not necessary. Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities.

#### 8.2.1 Respiratory protection

Not necessary.

#### 8.2.2 Hand protection

Not necessary.

#### 8.2.3 Eye protection

Not necessary.

#### 8.2.4 Skin protection

Not necessary.

#### 8.2.5 Personal hygiene

Information not necessary.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### 6 mL Hardness 20 (R0)

Appearance: liquid

Colour: colourless

Odor: odorless

pH:

9,5-10,5

Specific gravity:

1,03 g/cm<sup>3</sup>

#### 5 mL Hardness 20 (R3)

Appearance: liquid

Colour: colourless

Odor: odorless

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985043

NANOCOLOR Hardness 20

Page: 5/7

Printing date: 02.06.2020

Date of issue: 15.03.2019

pH: 8-10  
 Specific gravity: 1,0 g/cm<sup>3</sup>  
 Solubility in water: 0-100 %

### 20x 5 mg NANOFIX Hardness 20 (R2)

Appearance: liquid Colour: red Odor: odorless  
 pH: 7-9

## 9.2 Other information

Data for the other parameters of the mixtures are not available, because no registration and no chemical safety report is required.

### Relevant Properties of Substance Group

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

None

### 10.2 Chemical stability

No known instability.

### 10.3 Possibility of hazardous reactions

None.

### 10.4 Conditions to avoid

Not known. Observe labeled storage temperature. ---

### 10.5 Incompatible materials

Not known.

### 10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

#### 6 mL Hardness 20 (R0)

Chemical:	<i>sodium tetraborate</i>	CAS No.: 12267-73-1
TSCA Inventory:	not listed	California Proposition 65 List: not listed
Australia NICNAS:	not listed	Canada CEPA 1999: not listed
Japan CSCL/PRTR:	PRTR: ≥1,0%B class I, Japan PDSCL: not listed	
Japan ISHL:	not listed	
South Korea TCCA:	not listed	
Korea Exist.Chem.Inventory:	KE-33255	
LD50 <sub>orl rat</sub> :	2660 mg/kg	
LD50 <sub>drm rbt</sub> :	>2000 mg/kg	
EU carcinogen:	R <sub>D</sub> 1B, R <sub>F</sub> 1B	

#### 5 mL Hardness 20 (R3)

Chemical:	<i>ethylendioxybis(ethylennitrilo)-tetraacetic acid (Titriplex® VI)</i>	CAS No.: 67-42-5
TSCA Inventory:	listed	
LD50 <sub>orl rat</sub> :	3587 mg/kg	

#### 20x 5 mg NANOFIX Hardness 20 (R2)

Chemical:	<i>Phthalein purple (phthalein complexon)</i>	CAS No.: 2411-89-4
TSCA Inventory:	listed	

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985043

NANOCOLOR Hardness 20

Page: 6/7

Printing date: 02.06.2020

Date of issue: 15.03.2019

## SECTION 12: Ecological information

### 12.1 Toxicity

Following information is valid for pure substances.

#### 6 mL Hardness 20 (R0)

Chemical:	<i>sodium tetraborate</i>	CAS No.:	12267-73-1
LC50 <sub>fish/96h</sub> :	74 mg/L		
EC50 <sub>daphnia/48h</sub> :	242 <sub>24h</sub> mg/L		
IC50 <sub>scenedesmus quadricauda/72h</sub> :	EC10/96h: 24 mg/L		
Water hazard class (DE):	1	WGK No.:	0037
Storage class (VCI):	6.1 D		

#### 5 mL Hardness 20 (R3)

Chemical:	<i>ethylendioxybis(ethylenitrilo)-tetraacetic acid (Titriplex® VI)</i>	CAS No.:	67-42-5
Water hazard class (DE):	2		
Storage class (VCI):	12-13		

#### 20x 5 mg NANOFIX Hardness 20 (R2)

Chemical:	<i>Phthalein purple (phthalein complexon)</i>	CAS No.:	2411-89-4
Water hazard class (DE):	2		

### 12.2 Persistence and degradability

not necessary

### 12.3 Bioaccumulative potential

not necessary

### 12.4 Mobility in soil

not necessary

### 12.5 Results of PBT and vPvB assessment

no data available

### 12.6 Other adverse effects

no additional data available

## SECTION 13: Disposal considerations

Not necessary.

### 13.1 Waste treatment methods

GENERAL: Empty solids into municipal waste, empty liquids diluted into drains.

## SECTION 14: Transport information

14.1 - 14.4 Not necessary

### 14.5 Environmental hazards

none

### 14.6 Special precautions for user

not necessary

### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013  
 German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung - GefStoffV), revised on November 2010, according to Directive 98/24/EC  
 MN Leaflet/User manual, also see [www.mn-net.com](http://www.mn-net.com)  
 Look for your country-specific regulations.

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985043

NANOCOLOR Hardness 20

Page: 7/7

Printing date: 02.06.2020

Date of issue: 15.03.2019

## 15.2 Chemical safety assessment

---

## SECTION 16: Other information

### 16.1 List of H and P phrases

16.1.1 List of relevant H phrases

16.1.2 List of relevant P phrases

### 16.2 Training advice

Regular safety training.

### 16.3 Recommended restriction on use

None

### 16.4 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.  
MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

### 16.5 Sources of key data

Regulation 790/2009/EU adaptation of CLP regulation 1272/2008/EU to technical and scientific progress  
Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS  
Regulation 487/2013/EU, 4<sup>th</sup> adaptation of CLP regulation to technical and scientific progress  
Regulation 669/2018/EU, 4<sup>th</sup> adaptation of CLP regulation to technical and scientific progress  
Regulation 1480/2018/EU, 4<sup>th</sup> adaptation of CLP regulation to technical and scientific progress  
TRGS 900, German engineering rules governing limits in air at work, updated 03/2019  
SUVA .CH, Limits in air at work 2009, revised on 01.2009  
KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

#### Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU