

Safety data sheet according to 1907/2006/EC, Article 31

Page 1/8 Printing date 25.05.2023 Revision: 25.05.2023 Version number 9.10 (replaces version 9.09)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

· Trade name: Potassium Permanganate 0.02 mol/l (0.1N)

· Article number: 1529

• Registration number A registration number is not available for this substance as it is a mixture.

• **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.

• Application of the substance / the mixture Chemical analytics Laboratory chemicals

 1.3 Details of the supplier of the safety data sheet
 Manufacturer/Supplier: PANREAC QUIMICA S.L.U.
 C/Garraf 2
 Polígono Pla de la Bruguera
 E-08211 Castellar del Vallès (Barcelona)

Tel. (+34) 937 489 400 Fax. (+34) 937 489 401 e-mail: product.safety@itwreagents.com

• Further information obtainable from: email: product.safety@panreac.com

· 1.4 Emergency telephone number:

Single telephone number for emergency calls: 112 (EU) Tel.: (+34) 937 489 499

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture
Classification according to Regulation (EC) No 1272/2008
Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.
2.2 Label elements
Labelling according to Regulation (EC) No 1272/2008
The product is classified and labelled according to the CLP regulation.
Hazard pictograms Void
Signal word Void
Hazard statements
H412 Harmful to aquatic life with long lasting effects.
Precautionary statements

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

EU

Safety data sheet according to 1907/2006/EC, Article 31

Page 2/8

(Contd. of page 1)

Trade name: Potassium Permanganate 0.02 mol/l (0.1N)

2.3 Other hazards

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** aqeous solution

Dangerous components:

· J· · · · · · ·		
CAS: 7722-64-7	potassium permanganate	≥1-<2.5%
EINECS: 231-760-3	Ox. Sol. 2, H272; Repr. 2, H361d; STOT RE 2, H373; Skin	
Index number: 025-002-00-9	Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400	
Reg.nr.: 01-2119480139-34-XXX	(M=10); Aquatic Chronic 1, H410 (M=10); Acute Tox. 4,	
-	H302	

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

make victim drink water (maximum of 2 drinking glasses)

If symptoms persist consult doctor.

- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture Non-combustible.
- 5.3 Advice for firefighters
- Protective equipment: Wear self-contained respiratory protective device.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Contain escaping vapours with water.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Avoid substance contact.

Do not inhale steams/aerosols.

(Contd. on page 3)

Trade name: Potassium Permanganate 0.02 mol/l (0.1N)

· 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Clean up affected area.
- 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling No special precautions are necessary if used correctly.

· Information about fire - and explosion protection: The product is not flammable.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• **Requirements to be met by storerooms and receptacles:** Prevent any seepage into the ground. • **Information about storage in one common storage facility:** Not required.

• Further information about storage conditions: Keep container sealed.

· Recommended storage temperature: Room Temperature

· Storage class: 12

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

• Appropriate engineering controls No further data; see section 7.

- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

· Respiratory protection:

Not necessary if room is well-ventilated.

Use suitable respiratory protective device only when aerosol or mist is formed.

Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

(Contd. of page 2)

Page 3/8

Page 4/8

Trade name: Potassium Permanganate 0.02 mol/l (0.1N)

 For the permanent contact gloves made of the fernish Nitrile rubber, NBR Recommended thickness of the material: ≥ 0.11 mm Value for the permeation: Level ≥ 480 min As protection from splashes gloves made of the Nitrile rubber, NBR Recommended thickness of the material: ≥ 0.11 mm Value for the permeation: Level ≥ 480 min Eye/face protection Safety glasses Body protection: Protective clothing should be selected specifically f quantity of the hazourdous substances handled. 	n following materials are suitable:
SECTION 9: Physical and chemical prop	perties
· 9.1 Information on basic physical and chemical	nronerties
· General Information	hioheiriga
· Physical state	Fluid
· Colour:	Violet
· Odour:	Odourless
· Odour threshold:	Not determined.
· Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	Undetermined.
range	~100 °C
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable.
[•] Decomposition temperature:	Not determined.
· pH	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Not determined.
 Partition coefficient n-octanol/water (log value) 	Not determined.
· Vapour pressure at 20 °C:	23 hPa
Density and/or relative density	
· Density at 20 °C:	~1 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
9.2 Other information	
· Appearance:	
· Form:	Fluid
· Important information on protection of health	
and environment, and on safety.	
· Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
· Water:	98.0 %
Solids content:	0.3-2 %
	(Contd. on page 5) EU
	E0

Trade name: Potassium Permanganate 0.02 mol/l (0.1N)

		(Contd. of page
· Change in condition		
Evaporation rate	Not determined.	
Information with regard to physical ha	zard	
classes		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flamm	nable	
gases in contact with water	Void	
Öxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- 10.6 Hazardous decomposition products: In the event of fire: See chapter 5

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- LD/LC50 values relevant for classification:

Quantitative data on the toxicological effect of this product are not available.

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · After inhalation: No irritant effect.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- \cdot Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- \cdot STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 6)

EU

Page 5/8

(Contd. of page 5)

Trade name: Potassium Permanganate 0.02 mol/l (0.1N)

· 11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

Harmful to aquatic organisms

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Chemicals must be disposed of in compliance with the respective national regulations. Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

· Recommendation:

Disposal must be made according to official regulations.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport informati	on	
 14.1 UN number or ID number ADR, ADN, IMDG, IATA 	Void	
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
		(Contd. on pag

EU -

Page 7/8

Trade name: Potassium Permanganate 0.02 mol/l (0.1N)

		(Contd. of page 6)
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
 14.7 Maritime transport in bulk according instruments 	g to IMO Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

• REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

 DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

7722-64-7 potassium permanganate

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

7722-64-7 potassium permanganate

· National regulations:

· Other regulations, limitations and prohibitive regulations

• Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H272 May intensify fire; oxidiser.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H318 Causes serious eye damage.
- H361d Suspected of damaging the unborn child.

(Contd. on page 8)

2B

2

Safety data sheet according to 1907/2006/EC, Article 31

L1070	(Contd. of pa
	May cause damage to organs through prolonged or repeated exposure.
	Very toxic to aquatic life.
	Very toxic to aquatic life with long lasting effects.
	f previous version: 13.01.2023
· Versio	on number of previous version: 9.09
Abbrev	viations and acronyms:
ADR: Ad	ccord relatif au transport international des marchandises dangereuses par route (European Agreement Concernin
	onal Carriage of Dangerous Goods by Road)
	nternational Maritime Code for Dangerous Goods
	ternational Air Transport Association
	lobally Harmonised System of Classification and Labelling of Chemicals : European Inventory of Existing Commercial Chemical Substances
	: European List of Notified Chemical Substances
	nemical Abstracts Service (division of the American Chemical Society)
	thal concentration, 50 percent
	ethal dose, 50 percent
PBT: Pe	rsistent, Bioaccumulative and Toxic
	Substances of Very High Concern
	ery Persistent and very Bioaccumulative
	2: Oxidizing solids – Category 2
	ox. 4: Acute toxicity – Category 4
	rr. 1C: Skin corrosion/irritation – Category 1C
	n. 1: Serious eye damage/eye irritation – Category 1 Reproductive toxicity – Category 2
	E 2: Specific target organ toxicity (repeated exposure) – Category 2
	Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
	Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
	Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3
	compared to the previous version altered.