

according to Regulation (EC) No 1907/2006

27430-42 Sodium Hydroxide, 1,54N

Revision date: 14.02.2018

Product code: 2743042

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

27430-42 Sodium Hydroxide, 1,54N

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: Street:	HACH LANGE GmbH Willstätterstr. 11
Place:	D-40549 Düsseldorf
Telephone:	+49 (0)211 5288-383
e-mail:	SDS@hach.com
Internet:	www.de.hach.com
Responsible Department:	HACH LANGE Ltd.
	5, Pacific Way
	Salford Manchester M50 1DL - United Kingdom
	Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
	e-Mail: info-uk@hach.com
	HACH LANGE Ltd.
	Unit 1, Chestnut Road Western Industrial Estate
	IRL-Dublin 12
	Tel. +353 (0)1 4602522
	e-Mail: info-ie@hach.com
<u>1.4. Emergency telephone</u> number:	Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Skin corrosion/irritation: Skin Corr. 1B Serious eye damage/eye irritation: Eye Irrit. 2 Hazard Statements: Causes severe skin burns and eye damage.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

sodium hydroxide; caustic soda

Signal word:





Danger

Hazard statements

H314

Causes severe skin burns and eye damage.

Precautionary statements

P264 Wash thoroughly after handling.



according to Regulation (EC) No 1907/2006

27430-42 Sodium Hydroxide, 1,54N Product code: 2743042 Revision date: 14.02.2018 Page 2 of 9 P280 Wear protective gloves/protective clothing/eye protection/face protection. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P301+P330+P331 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P310 Immediately call a POISON CENTER/doctor. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			
	EC No	Index No	REACH No	
	Classification according	g to Regulation (EC) No. 1272/2008 [0	CLP]	
7732-18-5	Water			> 90 %
	231-791-2			
1310-73-2	sodium hydroxide; caustic soda			1-10 %
	215-185-5	011-002-00-6		
	Skin Corr. 1A; H314			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately. Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air.

If symptoms persist, call a physician.

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes. Consult a physician.

After contact with eyes

Rinse immediately with plenty of water for at least 15 minutes. Call a physician immediately.

After ingestion

Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person. Call a physician immediately.

<u>4.2. Most important symptoms and effects, both acute and delayed</u> No known effect.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.



according to Regulation (EC) No 1907/2006

27430-42 Sodium Hydroxide, 1,54N

Revision date: 14.02.2018

Product code: 2743042

Page 3 of 9

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

None known.

5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste.

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes. Do not breathe vapours or spray mist. Use only in well-ventilated areas.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep at temperatures between 10 and 25 °C. Keep container tightly closed in a dry and well-ventilated place.

Hints on joint storage

Do not store near acids.

Further information on storage conditions

Keep locked up or in an area accessible only to qualified or authorised persons.

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1310-73-2	Sodium hydroxide	-	2		STEL (15 min)	WEL



according to Regulation (EC) No 1907/2006

27430-42 Sodium Hydroxide, 1,54N

Revision date: 14.02.2018

Product code: 2743042

Page 4 of 9

Additional advice on limit values

None known.

8.2. Exposure controls

Appropriate engineering controls

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Protective and hygiene measures

Wash hands before breaks and at the end of workday.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Skin protection

Avoid contact with skin, eyes and clothing.

Respiratory protection

Ensure adequate ventilation, especially in confined areas. Breathing apparatus only if aerosol or dust is formed. Recommended Filter type: ABEK-filter

Environmental exposure controls

Should not be released into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour:	liquid colourless	
Odour:	odourless	
pH-Value (at 20 °C):		> 13
Changes in the physical state		
Melting point:		not applicable
Initial boiling point and boiling range:		100 °C
Sublimation point:		no data available
Softening point:		no data available
Pour point:		no data available
:		no data available
Flash point:		not applicable
Flammability		
Solid:		not applicable
Gas:		not applicable
Explosive properties not applicable		
Lower explosion limits:		not applicable
Upper explosion limits:		not applicable
Ignition temperature:		no data available
Auto-ignition temperature		



according to Regulation (EC) No 1907/2006

27430-42 Sodium Hydroxide, 1,54N				
Revision date: 14.02.2018	Product code: 2743042	Page 5 of 9		
Solid: Gas:	no data available no data available			
Decomposition temperature:	no data available			
Oxidizing properties no data available				
Vapour pressure:	no data available			
Vapour pressure:	no data available			
Density (at 20 °C): Bulk density:	1,165 g/cm³ no data available			
Water solubility:	soluble			
Solubility in other solvents no data available				
Partition coefficient:	no data available			
Viscosity / dynamic:	no data available			
Viscosity / kinematic:	no data available			
Flow time:	no data available			
Vapour density:	no data available			
Evaporation rate:	no data available			
Solvent separation test:	no data available			
Solvent content:	no data available			
9.2. Other information				
Solid content:	no data available			
no data available				

SECTION 10: Stability and reactivity

10.1. Reactivity

Toxic gases may be released if in contact with the following: Metals, Light metals

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Reacts with the following substances: Strong acids, Aluminium, Zinc. Halogenated hydrocarbons

10.4. Conditions to avoid

Extremes of temperature and direct sunlight.

10.5. Incompatible materials

Metals, Light metals

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No toxicology information is available.

Acute toxicity

No data is available on the product itself.



according to Regulation (EC) No 1907/2006

27430-42 Sodium Hydroxide, 1,54N

Revision date: 14.02.2018

Product code: 2743042

Page 6 of 9

Irritation and corrosivity

The product causes burns of eyes, skin and mucous membranes.

Sensitising effects

No known effect.

Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

No toxicology information is available.

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

No data is available on the product itself.

CAS No	Chemical name				
	Aquatic toxicity	Dose	[h] [d] Species	Source	Method
1310-73-2	sodium hydroxide; caustic soda				
	Acute fish toxicity	LC50 45,4 mg/l	96 h Onchorhynchus mykiss		

12.2. Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Other adverse effects

No information available.

Further information

Do not flush into surface water or sanitary sewer system.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

In accordance with local and national regulations.

Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of used product



according to Regulation (EC) No 1907/2006

27430-42 Sodium Hydroxide, 1,54N

Revision date: 14.02.2018

Product code: 2743042

Page 7 of 9

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

Land transport (ADR/RID)	
<u>14.1. UN number:</u>	UN1824
14.2. UN proper shipping name:	SODIUM HYDROXIDE SOLUTION
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8
	B
Classification code:	C5
Limited quantity:	1L
Transport category: Hazard No:	2 80
Tunnel restriction code:	E
Other applicable information (land transp	- ort)
Excepted Quantities: E2	,
Inland waterways transport (ADN)	
Other applicable information (inland wate Not tested	erways transport)
Marine transport (IMDG)	
<u>14.1. UN number:</u>	UN1824
14.2. UN proper shipping name:	SODIUM HYDROXIDE SOLUTION
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8
	B A A A A A A A A A A A A A A A A A A A
Marine pollutant:	
Special Provisions:	-
Limited quantity:	1 L
EmS:	F-A, S-B
Other applicable information (marine tran Excepted Quantities: E2	isport)
Air transport (ICAO-TI/IATA-DGR)	
<u>14.1. UN number:</u>	UN1824
14.2. UN proper shipping name:	SODIUM HYDROXIDE SOLUTION

HACH	Safety Data Sheet	HACH LANGE GmbH
	-	
Be Right [™]	according to Regulation (EC) No 1907/2006	
	27430-42 Sodium Hydroxide, 1,54N	
Revision date: 14.02.2018	Product code: 2743042	Page 8 of 9
14.3. Transport hazard class(es):	8	
14.4. Packing group:	II	
Hazard label:	8	
Special Provisions:	A3 A803	
Limited quantity Passenger:	0.5 L	
IATA-packing instructions - Passenger: IATA-max. quantity - Passenger:	851 1 L	
IATA-max. quality - rassenger. IATA-packing instructions - Cargo:	855	
IATA-max. quantity - Cargo:	30 L	
Other applicable information (air transp Excepted Quantities: E2 Passenger-LQ: Y840	port)	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	no	
14.6. Special precautions for user		
EmS: F-A S-B		
14.7. Transport in bulk according to Annex	c II of Marpol and the IBC Code	
Not relevant		
dangerous goods for analytical or tes	nay be shipped as part of a chemical kit composed of vario ting purposes. This kit would have the following classificat d Class: 9, UN Number3316, Package group II, EMS Code ire pack	ion: Proper
SECTION 15: Regulatory information		
15.1. Safety, health and environmental reg	ulations/legislation specific for the substance or mixtur	re
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juvenils accord work protection guideline' (94/33/EC).	ling to the 'juvenile
Water contaminating class (D):	not water contaminating	
15.2. Chemical safety assessment		
Chemical safety assessments for sub	ostances in this mixture were not carried out.	
SECTION 16: Other information		
Changes		
Revision: 14.02.2018		
Safety datasheet sections which have	e been updated: 4, 12, 13	
Revision: 02.12.2013		
Relevant H and EUH statements (numb H314 Causes sever	e r and full text) e skin burns and eye damage.	
Further Information		
The information is based on present	level of our knowledge. It does not, however, give assuran	ces of product



according to Regulation (EC) No 1907/2006

27430-42 Sodium Hydroxide, 1,54N

Revision date: 14.02.2018

Product code: 2743042

Page 9 of 9

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)