



Be Right™

# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## 14399-01 EDTA, 0.8M crtg

Revision date: 03.01.2019 Product code: 1439901 Page 1 of 7

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

14399-01 EDTA, 0.8M crtg

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Water analysis

# 1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.

5, Pacific Way

Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 \* Fax +44 (0) 161 848 7324

e-Mail: info-uk@hach.com

HACH LANGE Ltd.

Unit 1, Chestnut Road Western Industrial Estate

IRL-Dublin 12

Tel. +353 (0)1 4602522 e-Mail: info-ie@hach.com

1.4. Emergency telephone Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency

number: service -

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Regulation (EC) No. 1272/2008

Hazard categories:

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

Causes serious eye damage.

### 2.2. Label elements

### Regulation (EC) No. 1272/2008

### Hazard components for labelling

tetrasodium ethylene diamine tetraacetate

Signal word: Danger

Pictograms:



### **Hazard statements**

H318 Causes serious eye damage.

# **Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if





according to Regulation (EC) No 1907/2006

## 14399-01 EDTA, 0.8M crtg

Revision date: 03.01.2019 Product code: 1439901 Page 2 of 7

present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

### Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

#### 2.3. Other hazards

P310

None known.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

### **Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification	•	•	
7732-18-5	Water			> 70 %
	231-791-2			
64-02-8	tetrasodium ethylene diamine tetr	tetrasodium ethylene diamine tetraacetate		
	200-573-9	607-428-00-2		
	Acute Tox. 4, Eye Dam. 1; H302 H318			

Full text of H and EUH statements: see section 16.

### **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### General information

Take off all contaminated clothing immediately. Show this safety data sheet to the doctor in attendance.

## After inhalation

not hazardous by inhalation

## After contact with skin

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

## After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Show this safety data sheet to the doctor in attendance.

#### After ingestion

Drink plenty of water. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

# Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

## 5.2. Special hazards arising from the substance or mixture

The product itself does not burn.





# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## 14399-01 EDTA, 0.8M crtg

Revision date: 03.01.2019 Product code: 1439901 Page 3 of 7

### 5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

#### **Additional information**

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

#### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material.

### 6.4. Reference to other sections

13. Disposal considerations

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

### Advice on safe handling

Avoid contact with skin and eyes. Do not breathe vapours or spray mist.

## 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep containers tightly closed in a cool, well-ventilated place.

## Further information on storage conditions

Keep locked up or in an area accessible only to qualified or authorised persons.

### 7.3. Specific end use(s)

Reagent for analysis

### **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### Additional advice on limit values

None known.

### 8.2. Exposure controls

### Appropriate engineering controls

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## Protective and hygiene measures

Wash hands before breaks and at the end of workday.

### Eye/face protection

Safety glasses with side-shields

#### Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

## Skin protection

Avoid contact with skin, eyes and clothing.





according to Regulation (EC) No 1907/2006

# 14399-01 EDTA, 0.8M crtg

Revision date: 03.01.2019 Product code: 1439901 Page 4 of 7

### Respiratory protection

Provide adequate ventilation.

Breathing apparatus only if aerosol or dust is formed.

Recommended Filter type: ABEK-filter

## **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: colourless
Odour: odourless

pH-Value (at 20 °C): 10,2

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Sublimation point:

Softening point:

Pour point:

Flash point:

no data available

not applicable

not applicable

not applicable

not applicable

not applicable

**Flammability** 

Solid: not applicable
Gas: not applicable

**Explosive properties** 

not applicable

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not applicable

not applicable

**Auto-ignition temperature** 

Solid: not applicable
Gas: not applicable

Decomposition temperature: no data available

**Oxidizing properties** 

no data available

Vapour pressure:

Density (at 20 °C):

Bulk density:

National of the properties of

(at 20 °C)

Solubility in other solvents

no data available

Partition coefficient:

Viscosity / dynamic:

No data available

Viscosity / kinematic:

No data available

Flow time:

No data available

Vapour density:

No data available

Evaporation rate:

No data available





Be Right<sup>™</sup>

# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### 14399-01 EDTA, 0.8M crtg

Revision date: 03.01.2019 Product code: 1439901 Page 5 of 7

Solvent separation test:

Solvent content:

no data available
no data available

9.2. Other information

Solid content: not applicable

### **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

No dangerous reaction known under conditions of normal use.

### 10.2. Chemical stability

Stable under recommended storage conditions.

#### 10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

### 10.4. Conditions to avoid

Extremes of temperature and direct sunlight. To avoid thermal decomposition, do not overheat.

### 10.5. Incompatible materials

None known.

### 10.6. Hazardous decomposition products

Decomposition products: Carbon dioxide (CO2), Carbon monoxide,

## **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

### Toxicocinetics, metabolism and distribution

No toxicology information is available.

### **Acute toxicity**

Based on available data, the classification criteria are not met.

No data is available on the product itself.

CAS No	Chemical name	Chemical name					
	Exposure route	Dose	Species	Source	Method		
64-02-8	tetrasodium ethylene dian	tetrasodium ethylene diamine tetraacetate					
	oral	LD50 1658 mg/kg	rat				

### Irritation and corrosivity

Causes serious eye damage.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

### Sensitising effects

Based on available data, the classification criteria are not met.

## Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

## STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### **Aspiration hazard**

Based on available data, the classification criteria are not met.





Be Right™

# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## 14399-01 EDTA, 0.8M crtg

Revision date: 03.01.2019 Product code: 1439901 Page 6 of 7

### Specific effects in experiment on an animal

No toxicology information is available.

#### Additional information on tests

None known.

#### **Further information**

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

# **SECTION 12: Ecological information**

### 12.1. Toxicity

No data is available on the product itself.

### 12.2. Persistence and degradability

No data is available on the product itself.

#### 12.3. Bioaccumulative potential

No data is available on the product itself.

### 12.4. Mobility in soil

no data available

## 12.5. Results of PBT and vPvB assessment

no data available

#### 12.6. Other adverse effects

No known effect.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

#### **Disposal recommendations**

In accordance with local and national regulations.

#### List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

#### List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

### List of Wastes Code - contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

### **SECTION 14: Transport information**

### Land transport (ADR/RID)

## Other applicable information (land transport)

Not subject to transport regulations.

### Inland waterways transport (ADN)

### Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)



# **Safety Data Sheet**

HACH LANGE GmbH

according to Regulation (EC) No 1907/2006

## 14399-01 EDTA, 0.8M crtg

Revision date: 03.01.2019 Product code: 1439901 Page 7 of 7

### Other applicable information (marine transport)

Not subject to transport regulations.

#### Air transport (ICAO-TI/IATA-DGR)

### Other applicable information (air transport)

Not subject to transport regulations.

### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

### 14.6. Special precautions for user

no data available

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **National regulatory information**

Water hazard class (D): 2 - obviously hazardous to water

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

## Changes

Revision: 03.01.2019

Safety datasheet sections which have been updated: 11, 15

Revision: 08.12.2016

Safety datasheet sections which have been updated: 2, 3, 4, 11

Revision: 27.08.2015

Safety datasheet sections which have been updated: 3

Revision: 26.05.2015

Safety datasheet sections which have been updated: 2, 11 Safety datasheet sections which have been updated: 15

### Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.

H318 Causes serious eye damage.

### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)





according to Regulation (EC) No 1907/2006

### 424-32 Hardness 1 Buffer

Revision date: 23.04.2018 Product code: 42432 Page 1 of 9

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

424-32 Hardness 1 Buffer

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Water analysis

# 1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.

5, Pacific Way

Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 \* Fax +44 (0) 161 848 7324

e-Mail: info-uk@hach.com

HACH LANGE Ltd.

Unit 1, Chestnut Road Western Industrial Estate

IRL-Dublin 12

Tel. +353 (0)1 4602522 e-Mail: info-ie@hach.com

**1.4. Emergency telephone** Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency

number: service -

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Regulation (EC) No. 1272/2008

Hazard categories:

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements: Causes skin irritation. Causes serious eye irritation.

Harmful to aquatic life with long lasting effects.

### 2.2. Label elements

# Regulation (EC) No. 1272/2008

### Hazard components for labelling

2-amino-2-methylpropanol

Signal word: Warning

Pictograms:





Be Right™

# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### 424-32 Hardness 1 Buffer

Revision date: 23.04.2018 Product code: 42432 Page 2 of 9

#### **Hazard statements**

H315 Causes skin irritation.
H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

#### **Precautionary statements**

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P501 Dispose of contents/container in accordance with local regulation.

#### Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

### 2.3. Other hazards

no data available

# **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

### **Hazardous components**

CAS No	Chemical name				
	EC No	Index No	REACH No		
	GHS Classification	•	•		
124-68-5	2-amino-2-methylpropanol	50-60 %			
	204-709-8	603-070-00-6			
	Skin Irrit. 2, Eye Irrit. 2, Aqua	tic Chronic 3; H315 H319 H412	·		
7732-18-5	Water			35-45 %	
	231-791-2				
64-19-7	acetic acid %			1-10 %	
	200-580-7	607-002-00-6			
	Flam. Liq. 3, Skin Corr. 1A; F	H226 H314			
14402-88-1	Diaminoethane tetra-acetic a	cid Magnesium-disodium salt		<1 %	
	238-372-3				

Full text of H and EUH statements: see section 16.

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

## **General information**

Take off contaminated clothing and shoes immediately.

Show this safety data sheet to the doctor in attendance.

### After inhalation

Move to fresh air.

If symptoms persist, call a physician.

# After contact with skin

Wash off immediately with plenty of water for at least 15 minutes.





according to Regulation (EC) No 1907/2006

#### 424-32 Hardness 1 Buffer

Revision date: 23.04.2018 Product code: 42432 Page 3 of 9

Take off all contaminated clothing immediately.

If skin irritation persists, call a physician.

### After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### After indestion

Clean mouth with water and drink afterwards plenty of water. Consult a physician.

### 4.2. Most important symptoms and effects, both acute and delayed

irritant effects

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

### Unsuitable extinguishing media

No Limit

#### 5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

### 5.3. Advice for firefighters

In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

In the event of fire, wear self-contained breathing apparatus.

In the case of respirable dust and/or fumes, use self-contained breathing apparatus and dust impervious protective suit.

#### **Additional information**

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Only qualified personnel equipped with suitable protective equipment may intervene. Immediately evacuate personnel to safe areas.

Do not breathe vapours, mist or gas.

#### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste.

### 6.4. Reference to other sections

13. Disposal considerations

### **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

# Advice on safe handling

Use only in well-ventilated areas.

Avoid contact with skin and eyes.

Do not breathe vapours/dust.

### Advice on protection against fire and explosion

None known.





# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# 424-32 Hardness 1 Buffer

Revision date: 23.04.2018 Product code: 42432 Page 4 of 9

See also section 5

### Further information on handling

Observe label precautions.

Avoid contact with skin, eyes and clothing.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep in a dry, cool place.

# Hints on joint storage

Do not store together with Oxidizing agents

### 7.3. Specific end use(s)

Reagent for analysis

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
64-19-7	Acetic acid	10	25		TWA (8 h)	EU
		15	37		STEL (15 min)	EU

#### Additional advice on limit values

None known.

### 8.2. Exposure controls

#### Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

## Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Wash hands before breaks and after work.

General industrial hygiene practice.

### Eye/face protection

Safety glasses with side-shields

### Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact:

Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Consult your supplier if the material is to be used for special applications such as in the food industry or for hygiene, medical or surgical end-use.

#### Skin protection

Remove and wash contaminated clothing before re-use.

## **Respiratory protection**

Breathing apparatus only if aerosol or dust is formed.

Recommended Filter type: ABEK-filter

### **Environmental exposure controls**

Should not be released into the environment.





according to Regulation (EC) No 1907/2006

### 424-32 Hardness 1 Buffer

Revision date: 23.04.2018 Product code: 42432 Page 5 of 9

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: yellow
Odour: vinegar-like

pH-Value (at 20 °C): 10 (2 % solution)

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Sublimation point:

Softening point:

Pour point:

no data available

no data available

Flash point:

not applicable

no data available

>97,2 °C

**Flammability** 

Solid: no data available
Gas: no data available

**Explosive properties** 

no data available

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not applicable

not applicable

**Auto-ignition temperature** 

Solid: no data available
Gas: no data available
Decomposition temperature: no data available

**Oxidizing properties** 

no data available

Vapour pressure:

Vapour pressure:

Density (at 20 °C):

Bulk density:

National of the pressure of the pressu

(at 20 °C)

Solubility in other solvents

no data available

Partition coefficient:

Viscosity / dynamic:

No data available

Viscosity / kinematic:

No data available

Flow time:

No data available

Vapour density:

O,36

(at 20 °C)

Solvent separation test: no data available





# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### 424-32 Hardness 1 Buffer

Revision date: 23.04.2018 Product code: 42432 Page 6 of 9

Solvent content: no data available

9.2. Other information

Solid content: no data available

no data available

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Reactivity Hazard: Oxidizing agents

### 10.2. Chemical stability

The product is chemically stable.

### 10.3. Possibility of hazardous reactions

Reacts with the following substances: Oxidizing agents

### 10.4. Conditions to avoid

Extremes of temperature and direct sunlight.

#### 10.5. Incompatible materials

None known.

### 10.6. Hazardous decomposition products

Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

### **Acute toxicity**

No data is available on the product itself.

CAS No	Chemical name	Chemical name					
	Exposure route	Dose		Species	Source	Method	
124-68-5	2-amino-2-methylpropanol						
	oral	LD50 mg/kg	2900	Rat	IUCLID		
	dermal	LD50 mg/kg	> 2000	Rabbit	IUCLID		
64-19-7	acetic acid %						
	oral	LD50 ma/ka	3310	Rat	GESTIS		

### Irritation and corrosivity

Irritating to eyes and skin.

### Sensitising effects

No known effect.

### Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

## STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

### STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### **Aspiration hazard**

No aspiration toxicity classification



according to Regulation (EC) No 1907/2006

### 424-32 Hardness 1 Buffer

Revision date: 23.04.2018 Product code: 42432 Page 7 of 9

### Specific effects in experiment on an animal

No data is available on the product itself.

#### **Further information**

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

No data is available on the product itself.

CAS No	Chemical name	Chemical name					
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
124-68-5	2-amino-2-methylpropano	2-amino-2-methylpropanol					
	Acute fish toxicity	LC50	190 mg/l	96 h	Lepomis macrochirus	IUCLID	
	Acute algae toxicity	ErC50	520 mg/l		Desmodesmus subspicatus		
64-19-7	acetic acid %						
	Acute crustacea toxicity	EC50	65 mg/l	48 h	Daphnia magna	Janssen et al	

### 12.2. Persistence and degradability

No data is available on the product itself.

### 12.3. Bioaccumulative potential

No data is available on the product itself.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
124-68-5	2-amino-2-methylpropanol	-0,74
64-19-7	acetic acid %	-0,17

# 12.4. Mobility in soil

no data available

### 12.5. Results of PBT and vPvB assessment

no data available

## 12.6. Other adverse effects

Do not flush into surface water or sanitary sewer system.

## **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

# **Disposal recommendations**

In accordance with local and national regulations.

### List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

# List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

### Contaminated packaging

Dispose of as unused product.





according to Regulation (EC) No 1907/2006

#### 424-32 Hardness 1 Buffer

Revision date: 23.04.2018 Product code: 42432 Page 8 of 9

### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

### Other applicable information (land transport)

Not subject to transport regulations.

#### Inland waterways transport (ADN)

### Other applicable information (inland waterways transport)

Not tested

#### Marine transport (IMDG)

### Other applicable information (marine transport)

Not subject to transport regulations.

#### Air transport (ICAO-TI/IATA-DGR)

### Other applicable information (air transport)

Not subject to transport regulations.

### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

### 14.6. Special precautions for user

no data available

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

## **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **National regulatory information**

Water hazard class (D): 2 - obviously hazardous to water

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

# **SECTION 16: Other information**

### Changes

Revision: 23.04.2018

Safety datasheet sections which have been updated: 8, 11, 16

Revision: 23.04.2015

Safety datasheet sections which have been updated: 2

Revision: 25.02.2015

Safety datasheet sections which have been updated: 2, 10

Revision: 06.11.2013

### Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
Aquatic Chronic 3; H412	Calculation method

## Relevant H and EUH statements (number and full text)

H226 Flammable liquid and vapour.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.





according to Regulation (EC) No 1907/2006

### 424-32 Hardness 1 Buffer

Revision date: 23.04.2018 Product code: 42432 Page 9 of 9

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

# **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)



according to Regulation (EC) No 1907/2006

#### 851-99 ManVer 2

Revision date: 28.08.2019 Product code: 85199 Page 1 of 8

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

851-99 ManVer 2

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Water analysis

# 1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.

5, Pacific Way

Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 \* Fax +44 (0) 161 848 7324

e-Mail: info-uk@hach.com

HACH LANGE Ltd.

Unit 1, Chestnut Road Western Industrial Estate

IRL-Dublin 12

Tel. +353 (0)1 4602522 e-Mail: info-ie@hach.com

**1.4. Emergency telephone** Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency

number: service -

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Regulation (EC) No. 1272/2008

Hazard categories:

Acute toxicity: Acute Tox. 4

Respiratory or skin sensitisation: Skin Sens. 1

Carcinogenicity: Carc. 2

Specific target organ toxicity - repeated exposure: STOT RE 2

Hazard Statements: Harmful if swallowed.

May cause an allergic skin reaction. Suspected of causing cancer.

May cause damage to organs through prolonged or repeated exposure.

### 2.2. Label elements

## Regulation (EC) No. 1272/2008

# Hazard components for labelling

hydroxylammonium chloride; hydroxylamine hydrochloride

Signal word: Warning

Pictograms:







Be Right™

# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

#### 851-99 ManVer 2

Revision date: 28.08.2019 Product code: 85199 Page 2 of 8

#### **Hazard statements**

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.
H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

### **Precautionary statements**

P201 Obtain special instructions before use.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

#### Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

### 2.3. Other hazards

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

# **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

### **Hazardous components**

CAS No	Chemical name	Chemical name			
	EC No	Index No	REACH No		
	GHS Classification	•			
5470-11-1	hydroxylammonium chloride; hydro	xylamine hydrochloride		5-10 %	
	226-798-2	612-123-00-2			
		Met. Corr. 1, Carc. 2, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, STOT RE 2, Aquatic Acute 1; H290 H351 H312 H302 H315 H319 H317 H373 H400			
7631-86-9	Silica gel			1-5 %	
	231-545-4				
3147-14-6	Calmagite			< 1 %	
·	221-563-0				
	Skin Irrit. 2, Eye Irrit. 2, STOT SE 3	; H315 H319 H335			

Full text of H and EUH statements: see section 16.

## **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

# **General information**

Take off all contaminated clothing immediately.

## After inhalation

Move to fresh air. Consult a physician for severe cases.

### After contact with skin

Wash off with soap and water. If skin irritation persists, call a physician.

### After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Show this safety data sheet to the doctor in attendance.



# **Safety Data Sheet**

HACH LANGE GmbH

according to Regulation (EC) No 1907/2006

#### 851-99 ManVer 2

Revision date: 28.08.2019 Product code: 85199 Page 3 of 8

### After ingestion

Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Show this safety data sheet to the doctor in attendance.

Never give anything by mouth to an unconscious person.

### 4.2. Most important symptoms and effects, both acute and delayed

sensitising effects, Vomiting Spasm, Diarrhoea, Circulatory collapse

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

The product itself does not burn.

## Unsuitable extinguishing media

None known.

### 5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

Sodium oxides, Hydrogen chloride gas, nitrogen oxides (NOx)

#### 5.3. Advice for firefighters

In the case of respirable dust and/or fumes, use self-contained breathing apparatus and dust impervious protective suit.

## **Additional information**

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

## **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

Do not breathe vapours, mist or gas. Ensure adequate ventilation.

### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

### 6.3. Methods and material for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable container for disposal.

### 6.4. Reference to other sections

13. Disposal considerations

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

### Advice on safe handling

Avoid contact with skin and eyes. Use only in well-ventilated areas. Do not breathe vapours/dust.

## Advice on protection against fire and explosion

See also section 5

## Further information on handling

Observe label precautions.

Avoid contact with skin, eyes and clothing.

### 7.2. Conditions for safe storage, including any incompatibilities





# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### 851-99 ManVer 2

Revision date: 28.08.2019 Product code: 85199 Page 4 of 8

### Requirements for storage rooms and vessels

Store at room temperature in the original container.

### 7.3. Specific end use(s)

Reagent for analysis

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### Additional advice on limit values

None known.

### 8.2. Exposure controls

### Appropriate engineering controls

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## Protective and hygiene measures

Wash hands before breaks and after work.

General industrial hygiene practice.

Ensure that eye flushing systems and safety showers are located close to the working place.

### Eye/face protection

Safety glasses with side-shields

### Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact:

Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove

material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Consult your supplier if the material is to be used for special applications such as in the food industry or for hygiene, medical or surgical end-use.

#### Skin protection

Avoid contact with skin and eyes.

## **Respiratory protection**

Breathing apparatus only if aerosol or dust is formed.

Recommended Filter type: ABEK-filter

### **Environmental exposure controls**

Do not flush into surface water or sanitary sewer system.

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: powder Colour: red Odour: none

pH-Value (at 20 °C): 3,3 (5 % solution)

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Sublimation point:

Softening point:

Pour point:

Flash point:

151 °C

not applicable

not applicable

not applicable

not applicable

not applicable



according to Regulation (EC) No 1907/2006

### 851-99 ManVer 2

Revision date: 28.08.2019 Product code: 85199 Page 5 of 8

**Flammability** 

Solid: no data available
Gas: no data available

**Explosive properties** 

not applicable

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

no data available

no data available

**Auto-ignition temperature** 

Solid: no data available
Gas: no data available
Decomposition temperature: no data available

**Oxidizing properties** 

not applicable

Vapour pressure:

Density (at 20 °C):

Bulk density:

No data available

vater solubility:

soluble

(at 20 °C)

Solubility in other solvents

no data available

Partition coefficient: not applicable Viscosity / dynamic: not applicable Viscosity / kinematic: not applicable Flow time: not applicable Vapour density: not applicable Evaporation rate: not applicable Solvent separation test: not applicable Solvent content: not applicable

9.2. Other information

Solid content: no data available

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No dangerous reaction known under conditions of normal use.

### 10.2. Chemical stability

Stable under recommended storage conditions.

### 10.3. Possibility of hazardous reactions

Reacts with the following substances: Oxidizing agents

### 10.4. Conditions to avoid

Keep away from heat.

# 10.5. Incompatible materials

None known.

## 10.6. Hazardous decomposition products

Sodium oxides, Hydrogen chloride gas, nitrogen oxides (NOx)



according to Regulation (EC) No 1907/2006

# 851-99 ManVer 2

Revision date: 28.08.2019 Product code: 85199 Page 6 of 8

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

### Toxicocinetics, metabolism and distribution

No toxicology information is available.

#### Acute toxicity

Harmful if swallowed.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
5470-11-1	hydroxylammonium chlori	de; hydroxylamine hydro	ochloride		
	oral	LD50 141 mg/kg	rat		
	dermal	ATE 1100 mg/kg			

#### Irritation and corrosivity

No known effect.

#### Sensitising effects

May cause sensitisation by skin contact. (hydroxylammonium chloride; hydroxylamine hydrochloride)

#### Carcinogenic/mutagenic/toxic effects for reproduction

H351 - Suspected of causing cancer. (hydroxylammonium chloride; hydroxylamine hydrochloride)

#### STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

### STOT-repeated exposure

H373 - May cause damage to organs through prolonged or repeated exposure.

#### Aspiration hazard

No aspiration toxicity classification

### Specific effects in experiment on an animal

No data is available on the product itself.

#### Additional information on tests

None known.

### **Further information**

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

### **SECTION 12: Ecological information**

### 12.1. Toxicity

No data is available on the product itself.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
5470-11-1	hydroxylammonium chloride; hydroxylamine hydrochloride					
	Acute fish toxicity	LC50 1-10 mg/l		Leuciscus idus (Golden orfe)		

### 12.2. Persistence and degradability

No data is available on the product itself.

## 12.3. Bioaccumulative potential

No data is available on the product itself.





# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

#### 851-99 ManVer 2

Revision date: 28.08.2019 Product code: 85199 Page 7 of 8

### 12.4. Mobility in soil

no data available

### 12.5. Results of PBT and vPvB assessment

no data available

### 12.6. Other adverse effects

Discharge into the environment must be avoided.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

#### **Disposal recommendations**

In accordance with local and national regulations.

## **SECTION 14: Transport information**

## Land transport (ADR/RID)

## Other applicable information (land transport)

Not subject to transport regulations.

### Inland waterways transport (ADN)

### Other applicable information (inland waterways transport)

Not tested

### Marine transport (IMDG)

## Other applicable information (marine transport)

Not subject to transport regulations.

### Air transport (ICAO-TI/IATA-DGR)

## Other applicable information (air transport)

Not subject to transport regulations.

# 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

### 14.6. Special precautions for user

no data available

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

# **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

#### Changes

Revision: 28.08.2019

Safety datasheet sections which have been updated: 15, 16

Revision: 23.02.2017





according to Regulation (EC) No 1907/2006

### 851-99 ManVer 2

Revision date: 28.08.2019 Product code: 85199 Page 8 of 8

Safety datasheet sections which have been updated: 2, 4, 11, 14

Revision: 6.02.2017

Safety datasheet sections which have been updated: 2, 11

Revision: 20.04.2015

Safety datasheet sections which have been updated: 2 Safety datasheet sections which have been updated: 2, 3, 15

## Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Acute Tox. 4; H302	Calculation method
Skin Sens. 1; H317	Calculation method
Carc. 2; H351	Calculation method
STOT RE 2; H373	Calculation method

### Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
	•

### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)