

ÖKO-TEC Umweltschutzsysteme GmbH

63579 Freigericht-Horbach

Date printed 17.04.2020, Revision 17.04.2020

Version 06. Supersedes version: 05

Page 1 / 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

UNI-SAFE

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Oil and chemical binder

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company

ÖKO-TEC Umweltschutzsysteme GmbH
 Im Krötengrund 4
 63579 Freigericht-Horbach / GERMANY
 Phone +49 (0)6055-9156-0
 Fax +49 (0)6055-9156-20
 Homepage www.oeko-tec.de
 E-mail service@oeko-tec.de

Address enquiries to

Technical information

service@oeko-tec.de

Safety Data Sheet

sdb@chemiebuero.de

1.4 Emergency telephone number

Advisory body

+49 (0) 6131-19240 (24h) (advisory service in German or English language)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]

No classification.

2.2 Label elements

The product does not require a hazard warning label in accordance with GHS/CLP-directives.

Hazard pictograms

none

Signal word

none

Hazard statements

none

Precautionary statements

none

2.3 Other hazards

Human health dangers

No disposal of respirable dust if used as directed.

Environmental hazards

Does not contain any PBT or vPvB substances.

Other hazards

Further hazards were not determined with the current level of knowledge.

ÖKO-TEC Umweltschutzsysteme GmbH

63579 Freigericht-Horbach

Date printed 17.04.2020, Revision 17.04.2020

Version 06. Supersedes version: 05

Page 2 / 9

SECTION 3: Composition / Information on ingredients

Product-type:

3.2 The product is a mixture.

Range [%]	Substance
30 - < 55	Kieselguhr, soda ash flux-calcined CAS: 68855-54-9, EINECS/ELINCS: 272-489-0, Reg-No.: 01-2119488518-22-XXXX
<5	Water CAS: 7732-18-5, EINECS/ELINCS: 231-791-2
<5	Poly(oxy-1,2-ethanediyl), α -hydro- ω -hydroxy- Ethane-1,2-diol, ethoxylated CAS: 25322-68-3, EINECS/ELINCS: 500-038-2

Comment on component parts

No dangerous components.
Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Take off contaminated clothing and wash before reuse.

Inhalation

Ensure supply of fresh air.
In the event of symptoms seek medical treatment.

Skin contact

When in contact with the skin, clean with soap and water.
Consult a doctor if skin irritation persists.

Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.

Ingestion

Rinse out mouth and give plenty of water to drink.
In the event of symptoms seek medical treatment.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

foam, dry powder, water spray jet, carbon dioxide

Extinguishing media that must not be used

Full water jet.

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.
Avoid dust formation.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

ÖKO-TEC Umweltschutzsysteme GmbH
63579 Freigericht-Horbach

Date printed 17.04.2020, Revision 17.04.2020

Version 06. Supersedes version: 05

Page 3 / 9

6.3 Methods and material for containment and cleaning up

Take up mechanically.
Avoid raising dust.
Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage
7.1 Precautions for safe handling

No disposal of respirabel dust if used as directed.
Avoid the formation and deposition of dust.

Wash hands before breaks and after work.
Use barrier skin cream.
Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.
Prevent penetration into the ground.
Do not store together with food and animal food/diet.
Store in a dry place.
The product is hygroscopic.

7.3 Specific end use(s)

See product use, SECTION 1.2

SECTION 8: Exposure controls / personal protection
8.1 Control parameters
Ingredients with occupational exposure limits to be monitored (EU)

Substance / EC LIMIT VALUES
Kieselguhr, soda ash flux-calcined
CAS: 68855-54-9, EINECS/ELINCS: 272-489-0, Reg-No.: 01-2119488518-22-XXXX
Eight hours: 0,3 mg/m ³ , Germany A, DFG, Y, 1

Ingredients with occupational exposure limits to be monitored (EU)

Substance / EC LIMIT VALUES
Kieselguhr, soda ash flux-calcined
CAS: 68855-54-9, EINECS/ELINCS: 272-489-0, Reg-No.: 01-2119488518-22-XXXX
Eight hours: 0,3 mg/m ³ , Germany A, DFG, Y, 1

DNEL

Substance
Kieselguhr, soda ash flux-calcined, CAS: 68855-54-9
Industrial, inhalative, Long-term - systemic effects: 0,05 mg/m ³ .
general population, oral, Long-term - systemic effects: 18,7 mg/kg bw/day.
general population, inhalative, Long-term - systemic effects: 0,05 mg/m ³ .

PNEC

Substance
Kieselguhr, soda ash flux-calcined, CAS: 68855-54-9
sewage treatment plants (STP), 100 mg/L.

ÖKO-TEC Umweltschutzsysteme GmbH
63579 Freigericht-Horbach

Date printed 17.04.2020, Revision 17.04.2020

Version 06. Supersedes version: 05

Page 4 / 9

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation.
Eye protection	Safety glasses. (EN 166:2001)
Hand protection	In full contact: 0,4 mm; butyl rubber, > 120 min (EN 374) The details concerned are recommendations. Please contact the glove supplier for further information.
Skin protection	Protective clothing (EN 340)
Other	Avoid contact with eyes and skin. Do not inhale dust.
Respiratory protection	Respiratory protection in the case of dust formation. short term: filter apparatus, filter P1 (DIN EN 143)
Thermal hazards	none
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	powder > 10 µm
Color	light green
Odor	odourless
Odour threshold	not applicable
pH-value	8 (aqueous suspension)
pH-value [1%]	not applicable
Boiling point [°C]	not applicable
Flash point [°C]	not applicable
Flammability (solid, gas) [°C]	not applicable
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	not applicable
Density [g/ml]	not determined
Bulk density [kg/m³]	> 400
Solubility in water	insoluble
Partition coefficient [n-octanol/water]	not determined
Viscosity	not applicable
Relative vapour density determined in air	not applicable
Evaporation speed	not applicable
Melting point [°C]	not determined
Autoignition temperature [°C]	> 440 (DIN 51794)
Decomposition temperature [°C]	240

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

**ÖKO-TEC Umweltschutzsysteme GmbH
63579 Freigericht-Horbach**

Date printed 17.04.2020, Revision 17.04.2020

Version 06. Supersedes version: 05

Page 5 / 9

10.2 Chemical stability

The product is stable under standard conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known.

10.4 Conditions to avoid

See SECTION 7.2.

10.5 Incompatible materials

not required

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information**11.1 Information on toxicological effects****Acute toxicity**

Substance
Kieselguhr, soda ash flux-calcined, CAS: 68855-54-9
LD50, oral, Rat: > 2000 mg/kg (OECD 401).
LC50, inhalative, Rat: > 2,6 mg/L (OECD 403).
Poly(oxy-1,2-ethanediyl), α -hydro- ω -hydroxy- Ethane-1,2-diol, ethoxylated, CAS: 25322-68-3
LD50, oral, Rat: 15000 mg/kg.

Serious eye damage/irritation	Based on the available information, the classification criteria are not fulfilled.
Skin corrosion/irritation	Based on the available information, the classification criteria are not fulfilled.
Respiratory or skin sensitisation	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — single exposure	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — repeated exposure	Based on the available information, the classification criteria are not fulfilled.
Mutagenicity	Based on the available information, the classification criteria are not fulfilled.
Reproduction toxicity	Based on the available information, the classification criteria are not fulfilled.
Carcinogenicity	Based on the available information, the classification criteria are not fulfilled.
General remarks	

Toxicological data of complete product are not available.
The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

SECTION 12: Ecological information**12.1 Toxicity**

Substance
Poly(oxy-1,2-ethanediyl), α -hydro- ω -hydroxy- Ethane-1,2-diol, ethoxylated, CAS: 25322-68-3
LC50, (96h), Leuciscus idus: > 500 mg/l.

ÖKO-TEC Umweltschutzsysteme GmbH

63579 Freigericht-Horbach

Date printed 17.04.2020, Revision 17.04.2020

Version 06. Supersedes version: 05

Page 6 / 9

12.2 Persistence and degradability

Behaviour in environment compartments	No information available.
Behaviour in sewage plant	No information available.
Biological degradability	No information available.

12.3 Bioaccumulative potential

Accumulation in organisms is not expected.

12.4 Mobility in soil

not required

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Other adverse effects

The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.
Do not discharge product unmonitored into the environment or into the drainage.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

For recycling, consult waste disposal centres.
For recycling, consult manufacturer.

Waste no. (recommended)

070299

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Waste no. (recommended)

150101

SECTION 14: Transport information

14.1 UN number

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

ÖKO-TEC Umweltschutzsysteme GmbH

63579 Freigericht-Horbach

Date printed 17.04.2020, Revision 17.04.2020

Version 06. Supersedes version: 05

Page 7 / 9

14.2 UN proper shipping name

Transport by land according to ADR/RID	NO DANGEROUS GOODS
Inland navigation (ADN)	NO DANGEROUS GOODS
Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"
Air transport in accordance with IATA	NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to ADR/RID	not applicable
Inland navigation (ADN)	not applicable
Marine transport in accordance with IMDG	not applicable
Air transport in accordance with IATA	not applicable

14.4 Packing group

Transport by land according to ADR/RID	not applicable
Inland navigation (ADN)	not applicable
Marine transport in accordance with IMDG	not applicable
Air transport in accordance with IATA	not applicable

14.5 Environmental hazards

Transport by land according to ADR/RID	no
Inland navigation (ADN)	no
Marine transport in accordance with IMDG	no
Air transport in accordance with IATA	no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

ÖKO-TEC Umweltschutzsysteme GmbH

63579 Freigericht-Horbach

Date printed 17.04.2020, Revision 17.04.2020

Version 06. Supersedes version: 05

Page 8 / 9

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

EEC-REGULATIONS	2008/98/EC 2000/532/EC; 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014
TRANSPORT-REGULATIONS	ADR (2019); IMDG-Code (2019, 39. Amdt.); IATA-DGR (2020)
NATIONAL REGULATIONS (EU):	
- Observe employment restrictions for people	no
- VOC (2010/75/CE)	0%

15.2 Chemical safety assessment

not applicable

SECTION 16: Other information**16.1 Abbreviations and acronyms:**

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
 RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
 ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
 ATE = acute toxicity estimate
 CAS = Chemical Abstracts Service
 CLP = Classification, Labelling and Packaging
 DMEL = Derived Minimum Effect Level
 DNEL = Derived No Effect Level
 EC50 = Median effective concentration
 ECB = European Chemicals Bureau
 EEC = European Economic Community
 EINECS = European Inventory of Existing Commercial Chemical Substances
 EL50 = Median effective loading
 ELINCS = European List of Notified Chemical Substances
 EmS = Emergency Schedules
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals
 IATA = International Air Transport Association
 IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
 IC50 = Inhibition concentration, 50%
 IMDG = International Maritime Code for Dangerous Goods
 IUCLID = International Uniform Chemical Information Database
 LC50 = Lethal concentration, 50%
 LD50 = Median lethal dose
 LC0 = lethal concentration, 0%
 LOAEL = lowest-observed-adverse-effect level
 LL50 = Median lethal loading
 LQ = Limited Quantities
 MARPOL = International Convention for the Prevention of Marine Pollution from Ships
 NOAEL = No Observed Adverse Effect Level
 NOEC = No Observed Effect Concentration
 PBT = Persistent, Bioaccumulative and Toxic substance
 PNEC = Predicted No-Effect Concentration
 REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
 STP = Sewage Treatment Plant
 TLV@/TWA = Threshold limit value – time-weighted average
 TLV@STEL = Threshold limit value – short-time exposure limit
 VOC = Volatile Organic Compounds
 vPvB = very Persistent and very Bioaccumulative

16.2 Other information**Classification procedure**

Modified position none



ÖKO-TEC Umweltschutzsysteme GmbH

63579 Freigericht-Horbach

Date printed 17.04.2020, Revision 17.04.2020

Version 06. Supersedes version: 05

Page 9 / 9



Copyright: Chemiebüro®

