

Safety data sheet

according to 1907/2006/EC, Article 31

Page 1/7

Printing date 05.02.2020 Revision: 05.02.2020 Version number 16

| SECTION 1: Identification of the substance/mixture and of the company/ undertaking | | | | |
|---|--|--|--|--|
| · 1.1 Product identifier | | | | |
| · Trade name: <u>Paraffin oil light</u> | | | | |
| Article number: 1003 CAS Number: 8012-95-1 EC number: 232-384-2 Registration number A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not requiere a registration, the registration is envisaged for a later registration deadline or it is a mixture. 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Laboratory chemical | | | | |
| 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: PANREAC QUIMICA S.L.U. C/Garraf 2 Polígono Pla de la Bruguera E-08211 Castellar del Vallès (Barcelona) | Tel. (+34) 937 489 400 Fax. (+34) 937 489 401 e-mail: product.safety@panreac.com | | | |
| • Further information obtainable from: email: product.sa • 1.4 Emergency telephone number: Single telephone number for emergency calls: 112 (EU) | fety@panreac.com | | | |

Tel.: (+34) 937 489 499

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

Aquatic Chronic 4 H413 May cause long lasting harmful effects to aquatic life.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

· Hazard pictograms



· Signal word Danger

· Hazard statements

H304 May be fatal if swallowed and enters airways.

H413 May cause long lasting harmful effects to aquatic life.

- · Precautionary statements
- P273 Avoid release to the environment.

Trade name: Paraffin oil light

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

- P331 Do NOT induce vomiting.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- 2.3 Other hazards
- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.1 Chemical characterisation: Substances
- CAS No. Description
- 8012-95-1 Immersion Oil
- Identification number(s)
- EC number: 232-384-2

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Involve doctor immediately.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Call a doctor immediately.
- Immediately rinse with water.
- Immediately remove any clothing soiled by the product.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; call for medical help immediately. Risk of aspiration!
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture Non-combustible.
- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Contain escaping vapours with water.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Avoid substance contact.
- Do not inhale steams/aerosols.
- 6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)

(Contd. of page 1)

GB

Trade name: Paraffin oil light

(Contd. of page 2)

- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. Clean up affected area.
 6.4 Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

- · Information about fire and explosion protection: The product is not flammable.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Protect from exposure to the light.
- Keep container tightly sealed.
- Open receptacle only under localised extractor facilities.
- Store under lock and key and with access restricted to technical experts or their assistants only.
- · Recommended storage temperature: Room Temperature
- · Storage class: 12
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Wash hands before breaks and at the end of work.
- Immediately remove all soiled and contaminated clothing
- Respiratory protection:
- Filter ABEK

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

GB -

Page 4/7

| (Contd. of page 3) For the permanent contact gloves made of the following materials are suitable: Nitrile rubber, NBR Recommended thickness of the material: ≥ 0.11 mm Value for the permeation: Level ≥ 480 min min As protection from splashes gloves made of the following materials are suitable: Nitrile rubber, NBR Recommended thickness of the material: ≥ 0.11 mm Value for the permeation: Level ≥ 480 min min Eye protection: Safety glasses Body protection: Use protective suit. Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazourdous substances handled. | | | | |
|--|---|--|--|--|
| SECTION 9: Physical and chemi | cal properties | | | |
| • 9.1 Information on basic physical and o | | | | |
| · General Information | | | | |
| · Appearance: | Lieutid | | | |
| Form: Colour: | Liquid Colourless | | | |
| · Odour: | Odourless | | | |
| · Odour threshold: | Not determined. | | | |
| · pH-value: | Not determined. | | | |
| Change in condition Melting point/freezing point: -15 °C Initial boiling point and boiling range: 300-450 °C | | | | |
| · Flash point: | 195 °C | | | |
| · Flammability (solid, gas): | Not applicable. | | | |
| · Ignition temperature: | >300 °C | | | |
| · Decomposition temperature: | Not determined. | | | |
| · Auto-ignition temperature: | Not determined. | | | |
| · Explosive properties: | Product does not present an explosion hazard. | | | |
| · Explosion limits: Lower: Upper: | Not determined. Not determined. | | | |
| · Vapour pressure at 20 °C: | 0.0001 hPa | | | |
| · Density at 20 °C: | 0.88 g/cm ³ | | | |
| Relative density | Not determined. | | | |
| Vapour density Evaporation rate | Not determined. Not determined. | | | |
| · Solubility in / Miscibility with water: | Not miscible or difficult to mix. | | | |
| · Partition coefficient: n-octanol/water: | Not determined. | | | |
| | | | | |
| Viscosity: Dynamic at 20 °C: | 30-40 mPas | | | |
| Kinematic at 40 °C: | 16 mm²/s | | | |
| • 9.2 Other information | No further relevant information available. | | | |
| | GB | | | |

(Contd. on page 5)

Trade name: Paraffin oil light

(Contd. of page 4)

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: Heating.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- · 10.6 Hazardous decomposition products: In the event of fire: See chapter 5
- Additional information: light sensitive

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

Quantitative data on the toxicological effect of this product are not available.

| · Compo | nents | Туре | Value | Species |
|---------|-------|-----------------------|-------|---------|
| Oral | LD50 | 22,000 mg/kg (mouse) | | |
| | | >5,000 mg/kg (rat) | | |
| Dermal | LD50 | >3,000 mg/kg (rabbit) | | |

• Primary irritant effect:

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · After inhalation: No irritant effect.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard

May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow product to reach ground water, water course or sewage system.

- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

(Contd. on page 6)

Trade name: Paraffin oil light

(Contd. of page 5)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

[.] Recommendation

Chemicals must be disposed of in compliance with the respective national regulations. Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

· Recommendation:

Disposal must be made according to official regulations.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

| SECTION 14: Transport information | | |
|--|-----------------|--|
| · 14.1 UN-Number · ADR, ADN, IMDG, IATA | Void | |
| 14.2 UN proper shipping name ADR, ADN, IMDG, IATA | Void | |
| · 14.3 Transport hazard class(es) | | |
| · ADR, ADN, IMDG, IATA · Class | Void | |
| 14.4 Packing group ADR, IMDG, IATA | Void | |
| 14.5 Environmental hazards: Marine pollutant: | No | |
| 14.6 Special precautions for user | Not applicable. | |
| 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. | | |
| · UN "Model Regulation": | Void | |

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

(Contd. on page 7)

GB

Trade name: Paraffin oil light

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Asp. Tox. 1: Aspiration hazard – Category 1 Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4 • * **Data compared to the previous version altered.**

(Contd. of page 6)

Page 7/7

GB —