according to Regulation (EC) No 1907/2006

14379-01 Sodium Hydroxide Cartridge, 1.600N

Revision date: 26.05.2015

Product code: 1437901

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

14379-01 Sodium Hydroxide Cartridge, 1.600N

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name:	HACH LANGE GmbH
Street: Place:	Willstätterstr. 11 D-40549 Düsseldorf
Telephone: e-mail:	+49 (0)211 5288-383 SDS@hach.com
Internet:	www.de.hach.com
Responsible Department:	HACH LANGE Ltd.
	5, Pacific Way
	Salford Manchester M50 1DL - United Kingdom
	Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
	e-Mail: info-uk@hach.com
	HACH LANGE Ltd.
	Unit 1, Chestnut Road Western Industrial Estate
	IRL-Dublin 12
	Tel. +353 (0)1 4602522
	e-Mail: info-ie@hach.com
<u>1.4. Emergency telephone</u> number:	Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Substance or mixture corrosive to metals: Met. Corr. 1 Skin corrosion/irritation: Skin Corr. 1A Serious eye damage/eye irritation: Eye Dam. 1 Hazard Statements: May be corrosive to metals. Causes severe skin burns and eye damage.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling sodium hydroxide; caustic soda

Signal word:

Pictograms:



Danger

Hazard statements H290

May be corrosive to metals.



according to Regulation (EC) No 1907/2006

14379-01 Sodium Hydroxide Cartridge, 1.600N

Revision date: 26.05.2015 Product code: 1437901 Page 2 of 8 H314 Causes severe skin burns and eye damage. **Precautionary statements** P234 Keep only in original packaging. P280 Wear protective gloves/protective clothing/eye protection/face protection. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor. P310

P390 Absorb spillage to prevent material damage.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
7732-18-5	Water			90-95 %
	231-791-2			
1310-73-2	sodium hydroxide; caustic soda		5-10 %	
	215-185-5	011-002-00-6		
	Skin Corr. 1A; H314			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately.

Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air. Consult a physician. In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes. Consult a physician. Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.

After contact with eyes

Rinse immediately with plenty of water for at least 15 minutes. Call a physician immediately.

After ingestion

Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person. Call a physician immediately.



according to Regulation (EC) No 1907/2006

14379-01 Sodium Hydroxide Cartridge, 1.600N

Revision date: 26.05.2015

Product code: 1437901

Page 3 of 8

4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

None known.

5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste.

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes. Do not breathe vapours or spray mist. Use only in well-ventilated areas.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep away from heat. Keep container tightly closed in a dry and well-ventilated place.

Hints on joint storage

Do not store near acids.

Further information on storage conditions

Keep locked up or in an area accessible only to qualified or authorised persons.

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



according to Regulation (EC) No 1907/2006

14379-01 Sodium Hydroxide Cartridge, 1.600N

Revision date: 26.05.2015

Product code: 1437901

Page 4 of 8

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1310-73-2	Sodium hydroxide	-	2		STEL (15 min)	WEL

Additional advice on limit values

None known.

8.2. Exposure controls

Appropriate engineering controls

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Protective and hygiene measures

Wash hands before breaks and at the end of workday.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant protective gloves

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Skin protection

Avoid contact with skin, eyes and clothing.

Respiratory protection

Ensure adequate ventilation, especially in confined areas. Breathing apparatus only if aerosol or dust is formed. Recommended Filter type: ABEK-filter

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour: Odour:	liquid colourless odourless	
pH-Value (at 20 °C):		14
Changes in the physical state		
Melting point:		no data available
Initial boiling point and boiling range:		100 °C
Sublimation point:		not applicable
Softening point:		not applicable
Pour point:		not applicable
Flash point:		not applicable
Flammability		
Solid:		not applicable
Gas:		not applicable
Explosive properties not applicable		
Lower explosion limits:		not applicable
Upper explosion limits:		not applicable
Ignition temperature:		not applicable



according to Regulation (EC) No 1907/2006

14379-01 Sodium Hydroxide Cartridge, 1.600N

Revision date: 26.05.2015	Product code: 1437901	Page 5 of 8		
Auto-ignition temperature				
Solid:	not applicable			
Gas:	not applicable			
Decomposition temperature:	no data available			
Oxidizing properties not applicable				
Vapour pressure:	not applicable			
Density (at 20 °C):	1,064 g/cm³			
Bulk density:	not applicable			
Water solubility:	soluble			
Solubility in other solvents no data available				
Partition coefficient:	no data available			
Viscosity / dynamic:	no data available			
Viscosity / kinematic:	no data available			
Flow time:	no data available			
Vapour density:	no data available			
Evaporation rate:	no data available			
Solvent separation test:	no data available			
Solvent content:	no data available			
9.2. Other information				
Solid content:	no data available			

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Extremes of temperature and direct sunlight. Decomposes on heating.

10.5. Incompatible materials

Acids

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

No data is available on the product itself.

Irritation and corrosivity

Causes skin and eye burns.



according to Regulation (EC) No 1907/2006

14379-01 Sodium Hydroxide Cartridge, 1.600N

Revision date: 26.05.2015

Product code: 1437901

Page 6 of 8

Sensitising effects No known effect.

Carcinogenic/mutagenic/toxic effects for reproduction Contains no ingredient listed as a carcinogen

STOT-single exposure

This information is not available.

STOT-repeated exposure

This information is not available.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

No toxicology information is available.

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

No data is available on the product itself.

CAS No	Chemical name				
	Aquatic toxicity	Dose	[h] [d] Species	Source	Method
1310-73-2	sodium hydroxide; caustic soda				
	Acute fish toxicity	LC50 45,4 mg/l	96 h Onchorhynchus mykiss		

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

No data is available on the product itself.

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Othe<u>r adverse effects</u>

no data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

In accordance with local and national regulations.

Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

according to Regulation (EC) No 1907/2006

14379-01 Sodium Hydroxide Cartridge, 1.600N

Revision date: 26.05.2015

Product code: 1437901

Page 7 of 8

Waste disposal number of contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

SECTION 14: Transport information

Land transport (ADR/RID)			
<u>14.1. UN number:</u>	UN 1824		
14.2. UN proper shipping name:	Sodium hydroxide solution		
14.3. Transport hazard class(es):	8		
14.4. Packing group:	II		
Inland waterways transport (ADN)			
Other applicable information (inland wa Not tested	iterways transport)		
Marine transport (IMDG)			
<u>14.1. UN number:</u>	UN 1824		
14.2. UN proper shipping name:	Sodium hydroxide solution		
14.3. Transport hazard class(es):	8		
14.4. Packing group:	II		
Marine pollutant:			
EmS:	F-A,S-B		
Air transport (ICAO-TI/IATA-DGR)			
<u>14.1. UN number:</u>	UN 1824		
14.2. UN proper shipping name:	Sodium hydroxide solution		
14.3. Transport hazard class(es):	8		
14.4. Packing group:	II		
14.5. Environmental hazards			
ENVIRONMENTALLY HAZARDOUS:	no		
14.6. Special precautions for user no data available			
14.7. Transport in bulk according to Annex not applicable	II of Marpol and the IBC Code		
Other applicable information Additional Information:This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit, Hazard Class: 9, UN Number3316, Package group II, EMS Code: F-A, S-P These transport data apply to the entire pack			
SECTION 15: Regulatory information			
15.1. Safety, health and environmental reg	ulations/legislation specific for the substance or mixture		
National regulatory information			
Employment restrictions:	Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).		
Water contaminating class (D):	1 - slightly water contaminating		
15.2 Chomical safety assessment			

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.



according to Regulation (EC) No 1907/2006

14379-01 Sodium Hydroxide Cartridge, 1.600N

Revision date: 26.05.2015

Product code: 1437901

Page 8 of 8

SECTION 16: Other information

Changes

Revision: 26.05.2015 Safety datasheet sections which have been updated: 2, 11

Relevant H and EUH statements (number and full text)

H290 May be corrosive to metals.

Causes severe skin burns and eye damage.

Further Information

H314

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)