

according to Regulation (EC) No 1907/2006

1425610 Chromium, Hexavalent Standard Solution Ampule, 12,5 mg/l as Cr+6

Revision date: 06.08.2018

Product code: 1425610

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

1425610 Chromium, Hexavalent Standard Solution Ampule, 12,5 mg/l as Cr+6

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: Street: Place:	HACH LANGE GmbH Willstätterstr. 11 D-40549 Düsseldorf
Telephone: e-mail: Internet: Responsible Department:	+49 (0)211 5288-383 SDS@hach.com www.de.hach.com HACH LANGE Ltd. 5, Pacific Way Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324 e-Mail: info-uk@hach.com
	HACH LANGE Ltd. Unit 1, Chestnut Road Western Industrial Estate IRL-Dublin 12 Tel. +353 (0)1 4602522 e-Mail: info-ie@hach.com
1.4. Emergency telephone number:	Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

2.2. Label elements

Additional advice on labelling

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



according to Regulation (EC) No 1907/2006

1425610 Chromium, Hexavalent Standard Solution Ampule, 12,5 mg/l as Cr+6

Revision date: 06.08.2018

Product code: 1425610

Page 2 of 8

Hazardous components

CAS No	Chemical name			
	EC No	Index No	REACH No	
	GHS Classification		•	
7732-18-5	Water			> 99,9 %
	231-791-2			
7778-50-9	9 potassium dichromate			
	231-906-6	024-002-00-6		
	Resp. Sens. 1, Skin Sens. 1, S	• • •	v Tox. 3, Acute Tox. 4, Skin Corr. 1E quatic Chronic 1; H272 H350 H340 I0	

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately.

After inhalation

not hazardous by inhalation

After contact with skin

Wash off immediately with plenty of water. If skin irritation persists, call a physician.

After contact with eyes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, consult a specialist.

Show this safety data sheet to the doctor in attendance.

After ingestion

If conscious, drink plenty of water. Call a physician immediately. Show this safety data sheet to the doctor in attendance.

4.2. Most important symptoms and effects, both acute and delayed

No known effect.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In the case of respirable dust and/or fumes, use self-contained breathing apparatus and dust impervious protective suit. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local



according to Regulation (EC) No 1907/2006

1425610 Chromium, Hexavalent Standard Solution Ampule, 12,5 mg/l as Cr+6

Revision date: 06.08.2018

Product code: 1425610

Page 3 of 8

regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable container for disposal.

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep away from heat.

Keep at temperatures between 10 and 30 °C.

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

None known

8.2. Exposure controls

Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Wash hands before breaks and at the end of workday.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Skin protection

Avoid contact with skin, eyes and clothing.

Respiratory protection

Provide adequate ventilation.



according to Regulation (EC) No 1907/2006

1425610 Chromium, Hexavalent Standard Solution Ampule, 12,5 mg/l as Cr+6

Revision date: 06.08.2018

Product code: 1425610

Page 4 of 8

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties Physical state: liquid Colour: clear, orange Odour: odourless pH-Value (at 20 °C): 4.8 Changes in the physical state not applicable Melting point: Initial boiling point and boiling range: 100 °C Sublimation point: not applicable Softening point: not applicable Pour point: no data available Flash point: no data available Flammability Solid: not applicable Gas: not applicable **Explosive properties** not applicable not applicable Lower explosion limits: Upper explosion limits: not applicable Ignition temperature: no data available Auto-ignition temperature Solid: not applicable Gas: not applicable Decomposition temperature: no data available **Oxidizing properties** not applicable no data available Vapour pressure: 0,984 g/cm³ Density (at 20 °C): Bulk density: not applicable Water solubility: miscible (at 20 °C) Solubility in other solvents no data available Partition coefficient: no data available Viscosity / dynamic: no data available Viscosity / kinematic: no data available Flow time: no data available Vapour density: no data available no data available Evaporation rate: Solvent separation test: no data available no data available Solvent content: 9.2. Other information Solid content: not applicable

Revision No: 1,1



according to Regulation (EC) No 1907/2006

1425610 Chromium, Hexavalent Standard Solution Ampule, 12,5 mg/l as Cr+6

Revision date: 06.08.2018

Product code: 1425610

Page 5 of 8

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

Extremes of temperature and direct sunlight.

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No toxicology information is available.

Acute toxicity

Based on available data, the classification criteria are not met. No data is available on the product itself.

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
7778-50-9	potassium dichromate					
	oral	ATE mg/kg	100			
	dermal	ATE mg/kg	1100			
	inhalation (4 h) vapour	LC50 mg/l	0,094	Rat		
	inhalation (4 h) aerosol	LC50 mg/l	0,094	Rat		

Irritation and corrosivity

Based on available data, the classification criteria are not met. No known effect.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No toxicology information is available.



according to Regulation (EC) No 1907/2006

1425610 Chromium, Hexavalent Standard Solution Ampule, 12,5 mg/l as Cr+6

Revision date: 06.08.2018

Product code: 1425610

Page 6 of 8

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

No information on ecology is available. No data is available on the product itself.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
7778-50-9	potassium dichromate						
	Acute fish toxicity	LC50 mg/l	26,13	96 h	Pimephales promelas		
	Acute algae toxicity	ErC50 0,59 mg/l	0,16 -	96 h	Chlorella vulgaris		

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

No data is available on the product itself.

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

No known effect.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

In accordance with local and national regulations.

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

SECTION 14: Transport information

Land transport (ADR/RID)

Other applicable information (land transport)

Not subject to transport regulations.

Inland waterways transport (ADN)

HACH	®	Safety Data Sheet	HACH LANGE GmbH
		Salety Data Sheet	
Be Right [™]	acco	ording to Regulation (EC) No 1907/2006	
142	25610 Chromium, Hexa	valent Standard Solution Ampule, 12	2,5 mg/l as Cr+6
Revision date: 06.08.2	018	Product code: 1425610	Page 7 of 8
Other applicable in Not tested	nformation (inland waterwa	ys transport)	
Marine transport (IMD)G)		
	n formation (marine transpo ransport regulations.	rt)	
Air transport (ICAO-T	I/IATA-DGR)		
	nformation (air transport) ransport regulations.		
<u>14.5. Environmental h</u>	nazards		
ENVIRONMENTAL	LY HAZARDOUS: no		
<u>14.6. Special precaut</u> Use personal p	i <mark>ons for user</mark> rotective equipment.		
<u>14.7. Transport in bul</u> Not relevant	k according to Annex II of N	Marpol and the IBC Code	
SECTION 15: Regul	atory information		
15.1 Safety health ar	ad environmental regulation	ns/legislation specific for the substance or	mixture
EU regulatory info			
Authorisations (RE potassium dich	ACH, annex XIV):		
	e (REACH, annex XVII): sium dichromate		
Additional informa			
The product do	es not need to be labelled in	accordance with EC directives or respective	national laws.
National regulator	y information		
Water hazard class	s (D): 1 -	slightly hazardous to water	
15.2. Chemical safety	assessment		
Chemical safet	y assessments for substance	es in this mixture were not carried out.	
SECTION 16: Other	information		
Revision: 13.07	et sections which have been		
	JH statements (number and		
H272	May intensify fire; ox	idiser.	
H301 H312	Toxic if swallowed. Harmful in contact w	ith skin	
H312		burns and eye damage.	
H317	May cause an allergi		
H330	Fatal if inhaled.		
H334	May cause allergy or	r asthma symptoms or breathing difficulties if	inhaled.

- H334May cause allergy or asthma symptoms or breathing difficulties if inhaled .H340May cause genetic defects.
- H350 May cause cancer.
 - H360FD May damage fertility. May damage the unborn child.



according to Regulation (EC) No 1907/2006

1425610 Chromium, Hexavalent Standard Solution Ampule, 12,5 mg/l as Cr+6

Revision date: 06.08.2018	Product code: 1425610	Page 8 of 8
H372	Causes damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
Further Information		

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)