MACHEREY-NAGEL



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 931024	VISOCOLOR ECO DEHA	Page: 1/6
Printing date: 02.06.2020	Date of issue: 19.03.2020	


SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier	
	REF Product name	931024 VISOCOLOR ECO DEHA
	REACH Registration number(s): A registration number for the sub the substance or its use is exclude	see SECTION 3.1/3.2 or ostance(s) does not exist because the annual tonnage does not require registration or ded from registration.
		1 x 30 mL DEHA-1 1 x 25 mL DEHA-2
1.2	Relevant identified uses Product for analytical use. Exposure Scenario Classif	he substance or mixture and uses advised against fication according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0 integrated into sections 1-16.
1.3	Details of the supplier of the Manufactured by: MACHEREY-NAGEL GmbH & Co Neumann-Neander-Str. 6-8, 5235 Tel.: +49 2421 969 0	. KG
1.4	Emergency telephone number Information not necessary.	er
	You find our current versions of SDS (22 la	anguages) in Internet: http://www.mn-net.com/SDS
SECT	ION 2: Hazard identificatio	on
2.0	Classification of the complet	e product
2.1	Classification of the substan	ce or mixture
	30 mL DEHA-1	
	Signal word	Do not need labelling as hazardous -
	No hazard class	
	25 mL DEHA-2	
	Signal word	Do not need labelling as hazardous -
	No hazard class	
2.2	Label elements	

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany US: DE/international: CH: FR: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 Tel.: +49 24 21 969-0 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 +49 24 21 969-199 Fax: Fax: +33 388 51 76 88 Fax: +1 484 821 1272 E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com





according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 931024	VISOCOLOR ECO DEHA	Page: 2/6
Printing date: 02.06.2020	Date of issue: 19.03.2020	

25 mL DEHA-2

Do not need labelling as hazardous Signal word: -

2.3 Other hazards

Possible hazards from physicochemical properties

According to our current status of knowledge and experience we state, that this product does not contain any substances, which - in accordance with EC regulations 1272/2008/EC, 1907/2006/EC and German Regulations for Hazardous goods - have to be declared as dangerous goods, either because of their applied concentration or because of their total amount in anyone kit. An individual package has considerably less hazardous potential. The property H314 "Causes severe skin burns and eye damage." of some salts is not applicable, because the mixture is buffered to pH >3-4 (see GHS Directive 1272/2008/EC Annex I, chapter 3.2.3.1.2.). ---

Information pertaining to particular risks to human and possible symptoms

Information pertaining to particular risks to the environment

Other hazards

SECTION 3: Composition/information on ingredients

3.1 Substances or 3.2 Mixtures

30 mL DEHA-1

30 IIIL L				
	Chemical: amino	CAS No.: 5329-14-6		
	Classification:	H315, Skin Irrit. 2, H319, Eye I	rrit. 2, H412, Aquatic Ch	ronic 3
	Formula:	H ₃ NO ₃ S; NH ₂ -SO ₃ H		
	TSCA Inventory:	listed		
	REACH Reg. No.:	01-2119488633-28-xxxx		
	EC No.:	226-218-8	Indice No.:	016-026-00-0
	RTECS:	WO5950000	MFCD:	0005994x
	Concentration:	1 - <10 %		
	acc. CLP (GHS):	The criteria for classification are not fu	lfilled.	
25 mL 🛙				
	••••••	e derivate		CAS No.: -
	Classification: TSCA Inventory:	No criteria for classification or naming listed	of chemical not required.	
	Concentration:	< 1.00 %		
	acc. CLP (GHS):	The criteria for classification are not fu		
	acc. OEI (0110).	The criteria for classification are not fu	inned.	
	Chemical: acetat	e buffer solution		CAS No.: -
	Classification:	No criteria for classification or naming	of chemical not required.	
	Formula:	CH ₃ COOH/K/Na•H ₂ O		
	TSCA Inventory:	all listed		

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

The criteria for classification are not fulfilled.

listed 5 - <15 %

- - -

SECTION 4: First aid measures

4.1 Description of first aid measures

KE No.:

Concentration: acc. CLP (GHS):

Place insured person out of danger zone to fresh air immediately.

4.1.1

After SKIN Contact Not necessary.

ACHEREY-NAGE (MN> ISO 9001 CERTIFIEI

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com www.mn-net.com

US:

Tel.:

Fax:

+1 484 821 0984

+1 484 821 1272

E-mail: sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

	31024	VISOCOLOR ECO DEHA	Page: 3/6
Printing	g date: 02.06.2020	Date of issue: 19.03.2020	
4.1.2	After EYE Contact Not necessary.		
4.1.3	After INHALATION of vapour Not necessary	S	
1.1.4	After ORAL Intake Not necessary		
4.2	Most important symptoms	and effects, both acute and delayed	
4.3	Indication of any immedia No additionally recommendations.	e medical attention and special treatment need 	ed
SECT	ION 5: Firefighting mea	sures	
5.1		e fire classification, and, if applicable, a fire blanket must be ava AM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can	
5.2	Special hazards arising fro None.	om the substance or mixture	
5.3	Advice for firefighters No, for listed product. Product pack	age burns like paper or plastic.	
5.4	Additional information		
SECT	ION 6: Accidental releas	se measures	
6.1	Personal precautions, pro Do not breathe vapours. Not neces	tective equipment and emergency procedures	
6.2	Environmental precaution not necessary	5	
6.3	Methods and material for of Clean working area with water. Flue	containment and cleaning up sh used water into drains.	
6.4	Reference to other sectior	S	
SECT	TION 7: Handling and sto	orage	
7.1	Precautions for safe hand Handling in accordance with the test	ing t instruction, that comes with the product.	
7.2	Conditions for safe storag	e, including any incompatibilities CHEREY-NAGEL allows a safe storage. 8B 1	
7.2.1	Requirements for stock roor	ns and containers s tightly closed during handling and storage.	
7.3	Specific end use(s) Product for analytical use.		
SECT	TION 8: Exposure contro	ls/personal protection	
3.1	Control parameters		
	DNEL: [DNEL = Derived No-Effect Le	derm] 10 mg/kg bw/d; [inh] 70,5 mg/m³	No.: 5329-14-6
			www.mn-net



 DE/international:
 CH:
 FR:

 Tel.:
 +49 24 21 969-0
 Tel.:
 +41 62 388 55 00
 Tel.:
 +33 388 68 22 68

 Fax:
 +49 24 21 969-199
 Fax:
 +41 62 388 55 05
 Fax:
 +33 388 51 76 88

 Version: M V 4.12.0
 E-mail: info@mn-net.com
 E-mail: sales-ch@mn-net.com
 E-mail: sales-fr@mn-net.com
 US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 93	31024		VISOCOLOR ECO DEHA	Page: 4/6
Printing	date: 02.06.2020		Date of issue: 19.03.2020	
	PNEC	C = Predicted No Effected Concentration	nc	
	25 mL DEH			
	Chemical:	triazine derivate	CAS No.: -	
	Chemical:	acetate buffer solution	CAS No.: -	
8.2	Exposure co	ontrols		
	Not necessary.G	Good ventilation and extraction	system in the room, floor resistant to chemicals with floor drain	age and washing facilities.
8.2.1	Respiratory Not necessa	y protection ary.		
8.2.2	Hand prote Not necessa			
8.2.3	Eye protect Not necessa			
8.2.4	Skin protect Not necessa			
8.2.5	Personal hy Information	ygiene not necessary.		
SECT	ION 9: Phys	ical and chemical p	properties	

9.1 Information on basic physical and chemical properties

30 mL DEHA-1 Appearance: liquid	Colour: colourless	Odor: odorless		
25 mL DEHA-2 Appearance: liquid pH: Solubility in water:	Colour: slightly yellow 4-6 0-100 %	Odor: acetic		

9.2 Other information

Data for the other parameters of the mixtures are not available, because no registration and no chemical safety report is required. **Relevant Properties of Substance Group**

SECTION 10: Stability and reactivity

10.1	Reactivity None
10.2	Chemical stability No known instability.
10.3	Possibility of hazardous reactions None.
10.4	Conditions to avoid Not known
10.5	Incompatible materials Not known.
10.6	Hazardous decomposition products In the original package all parts/all reagents are s

agents are safety and separated stored. Decompositions are not observed during the expiration каде period under recommended conditions.



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 +49 24 21 969-199 Fax: Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

US:

www.mn-net.com

MACHEREY-NAGEI



Safety Data Sheet

according to Degulations 1907/2006/EC (DEACh) and 2015/220/EL

SECTION 11: Toxicological information 11.1 Information on toxicological effects Following information is valid for pure substances. Quantitative data on the toxicity of t 30 mL DEHA-1 Chemical: aminosulfonic acid (sulfamic acid) TSCA Inventory: listed 25 mL DEHA-2 Chemical: triazine derivate TSCA Inventory: listed Chemical: acetate buffer solution TSCA Inventory: listed SECTION 12: Ecological information 12.1 Toxicity Following information is valid for pure substances. 30 mL DEHA-1 Chemical: aminosulforic acid (sulfamic acid) TSCA Inventory: listed Chemical: acetate buffer solution TSCA Inventory: listed SECTION 12: Ecological information 12.1 Toxicity Following information is valid for pure substances. 30 mL DEHA-1 Chemical: aminosulforic acid (sulfamic acid) PNEC = Predicted No Effected Concentration LC50fish/96h : [4d] 70.3 mg/L EC50daphnig/48h : [4d] 70.3 mg/L	nis product are not available. CAS No.: 5329-14-6 CAS No.: - CAS No.: -
Following information is valid for pure substances. Quantitative data on the toxicity of t 30 mL DEHA-1 Chemical: aminosulfonic acid (sulfamic acid) TSCA Inventory: listed Target Organs: affect the eye or visual capacity Symptoms: conjunctivitis; corneal damage LD50onf rat: 2065 mg/kg LC50 _{drm rbt} : 2000 mg/m ³ 25 mL DEHA-2 Chemical: Chemical: Triazine derivate TSCA Inventory: Isted Chemical: Chemical: Chemical: Totacte buffer solution TSCA Inventory: Illisted Korea Exist.Chem.Inventory: listed SECTION 12: Ecological information Substances. 30 mL DEHA-1 Chemical: Totactity Section 0.5 cological information Substances. 30 mL DEHA-1 Chemical:	CAS No.: 5329-14-6
Chemical: aminosulfonic acid (sulfamic acid) TSCA Inventory: listed Target Organs: affect the eye or visual capacity Symptoms: conjunctivitis; conneal damage LD50 _{off rat} : 2065 mg/kg LC50 _{drm rbt} : 2000 mg/m ³ 25 mL DEHA-2 Chemical: triazine derivate TSCA Inventory: listed Chemical: acetate buffer solution TSCA Inventory: all listed Korea Exist.Chem.Inventory: listed SECTION 12: Ecological information 12.1 Toxicity Following information is valid for pure substances. 30 mL DEHA-1 Chemical: aminosulfonic acid (sulfamic acid) PNEC(fresh water): 1.8 mg/L PNEC = Predicted No Effected Concentration LC50 _{fish/96h} : [4d] 70.3 mg/L	CAS No.: -
TSCA Inventory: listed Target Organs: affect the eye or visual capacity Symptoms: conjunctivitis; corneal damage LD50 _{orl rat} : 2065 mg/kg LC50 _{drm rbt} : 2000 mg/m³ 25 mL DEHA-2 Chemical: triazine derivate TSCA Inventory: listed Chemical: acetate buffer solution TSCA Inventory: all listed Korea Exist.Chem.Inventory: listed SECTION 12: Ecological information SECTION 12: Ecological information Summer substances. 30 mL DEHA-1 Chemical: arcetate buffer solution TSCA Inventory: all listed Korea Exist.Chem.Inventory: listed SECTION 12: Ecological information Summer substances. 30 mL DEHA-1 Chemical: PNEC (fresh water): 1.8 mg/L PNEC (fresh water): 1.8 mg/L PNEC (fresh water): 1.8 mg/L PNEC (fresh water): [4d] 70.3 mg/L	CAS No.: -
Chemical: triazine derivate TSCA Inventory: listed Chemical: acetate buffer solution TSCA Inventory: all listed Korea Exist.Chem.Inventory: listed SECTION 12: Ecological information 12.1 Toxicity Following information is valid for pure substances. 30 mL DEHA-1 Chemical: aminosulfonic acid (sulfamic acid) PNEC (fresh water): 1.8 mg/L PNEC = Predicted No Effected Concentration LC50 _{fish/96h} : [4d] 70.3 mg/L	
TSCA Inventory: listed Chemical: acetate buffer solution TSCA Inventory: all listed Korea Exist.Chem.Inventory: listed SECTION 12: Ecological information I2.1 Toxicity Following information is valid for pure substances. 30 mL DEHA-1 Chemical: aminosulfonic acid (sulfamic acid) PNEC (fresh water): 1.8 mg/L PNEC = Predicted No Effected Concentration LC50fish/96h : [4d] 70.3 mg/L	
TSCA Inventory: all listed Korea Exist.Chem.Inventory: listed SECTION 12: Ecological information 12.1 Toxicity Following information is valid for pure substances. 30 mL DEHA-1 Chemical: aminosulfonic acid (sulfamic acid) PNEC (fresh water): 1.8 mg/L PNEC = Predicted No Effected Concentration LC50 fish/96h : [4d] 70.3 mg/L	CAS No.: -
12.1 Toxicity Following information is valid for pure substances. 30 mL DEHA-1 Chemical: aminosulfonic acid (sulfamic acid) PNEC(fresh water): 1.8 mg/L PNEC = Predicted No Effected Concentration LC50fish/96h : [4d] 70.3 mg/L	
Chemical: aminosulfonic acid (sulfamic acid) PNEC _(fresh water) : 1.8 mg/L PNEC = Predicted No Effected Concentration LC50 _{fish/96} h: [4d] 70.3 mg/L	
PNEC _{(fresh water}): 1.8 mg/L PNEC = Predicted No Effected Concentration LC50 _{fish/96} h: [4d] 70.3 mg/L	CAS No.: 5329-14-6
LC50 _{fish/96h} : [4d] 70.3 mg/L	CAS NO.: 5329-14-0
IC500scenedesmus quadricauda/72h : [72h] 48 mg/L Water hazard class (DE): 1 WGK No.: 1266 Dispersion coefficient(octanol-water): -4.34 Storage class (VCI): 8 B	
25 mL DEHA-2	
Chemical: triazine derivate Storage class (VCI): 12-13	CAS No.: -
Chemical: acetate buffer solution Storage class (VCI): 12	

not necessary

12.3 **Bioaccumulative potential** not necessary

12.4 Mobility in soil

not necessary

12.5 Results of PBT and vPvB assessment no data available

12.6 Other adverse effects

no additional data available

www.mn-net.com

MACHEREY-NAGE <u> (MN</u> ISO 9001 CERTIFIED

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany US: DE/international: CH: FR: Tel.: +41 62 388 55 00 Tel.: +49 24 21 969-0 Tel.: +33 388 68 22 68 Tel.: +49 24 21 969-199 +41 62 388 55 05 Fax: Fax: Fax: +33 388 51 76 88 Fax: Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

+1 484 821 0984 +1 484 821 1272 E-mail: sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 931024	VISOCOLOR ECO DEHA	Page: 6/6
Printing date: 02.06.2020	Date of issue: 19.03.2020	

SECTION 13: Disposal considerations

Not necessary.

13.1 Waste treatment methods

GENERAL: Empty solids into municipal waste, empty liquids diluted into drains. Normally it is possible to empty small amounts (diluted!) into drains

SECTION 14: Transport information

14.1 - 14.4: No dangerous goods according the transport regulations

- 14.5 **Environmental hazards** none
- 14.6 Special precautions for user
 - not necessary
- 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013 German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung -GefStoffV), revised on November 2010, according to Directive 98/24/EC MN Leaflet/User manual, also see www.mn-net.com Look for your country-specific regulations.

15.2 Chemical safety assessment

SECTION 16: Other information

16.1 List of H and P phrases

- 16 1 1 List of relevant H phrases
- 16.1.2 List of relevant P phrases
- 16.2 Training advice

Regular safety training.

Recommended restriction on use 16.3

None

16.4 **Further information**

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

E-mail: sales-fr@mn-net.com

16.5 Sources of key data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress Regulation 669/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress Regulation 1480/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress TRGS 900, German engineering rules governing limits in air at work, updated 03/2019 SUVA .CH, Limits in air at work 2009, revised on 01.2009 KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU



Version: M V 4.12.0 E-mail: info@mn-net.com

www.mn-net.com

E-mail: sales-us@mn-net.com

EY-NAGEL	MACH	MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany						
	DE/ir	ternational: +49 24 21 969-0	CH:		FR:		US:	
	Tel.:	+49 24 21 969-0	Tel.:	+41 62 388 55 00	Tel.:	+33 388 68 22 68	Tel.:	+1 484 821 0984
9001 TIFIED	Fax:	+49 24 21 969-199	Fax:	+41 62 388 55 05	Fax:	+33 388 51 76 88	Fax:	+1 484 821 1272

E-mail: sales-ch@mn-net.com