

according to Regulation (EC) No. 1907/2006

Revision Date 18.07.2018

Version 17.0

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalogue No. 119792

Product name Nickel standard solution traceable to SRM from NIST Ni(NO₃)₂ in HNO

3 0.5 mol/l 1000 mg/l Ni Certipur®

REACH Registration Number This product is a mixture. REACH Registration Number see section 3.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis

For additional information on uses please refer to the Merck Chemicals

portal (www.merckgroup.com).

1.3 Details of the supplier of the safety data sheet

Company Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0

Responsible Department LS-QHC * e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone

number

Please contact the regional company representation in your country.

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture Classification (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006

Catalogue No. 119792

Product name Nickel standard solution traceable to SRM from NIST Ni(NO₃)₂ in HNO₃ 0.5

mol/I 1000 mg/I Ni Certipur®

Corrosive to metals, Category 1, H290

Skin irritation, Category 2, H315

Eye irritation, Category 2, H319

Skin sensitisation, Category 1, H317

Carcinogenicity, Category 1A, Inhalation, H350i

Reproductive toxicity, Category 1B, H360D

Specific target organ toxicity - repeated exposure, Category 2, Skin, Lungs, H373

Chronic aquatic toxicity, Category 3, H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms







Signal word

Danger

Hazard statements

H350i May cause cancer by inhalation.

H360D May damage the unborn child.

H290 May be corrosive to metals.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H373 May cause damage to organs (Skin, Lungs) through prolonged or repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

Prevention

according to Regulation (EC) No. 1907/2006

Catalogue No. 119792

Product name Nickel standard solution traceable to SRM from NIST Ni(NO₃)₂ in HNO₃ 0.5

mol/I 1000 mg/I Ni Certipur®

P201 Obtain special instructions before use.

P273 Avoid release to the environment.

P280 Wear protective gloves.

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P314 Get medical advice/ attention if you feel unwell.

Restricted to professional users.

Reduced labelling (≤125 ml)

Hazard pictograms





Signal word

Danger

Hazard statements

H350i May cause cancer by inhalation.

H360D May damage the unborn child.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P201 Obtain special instructions before use.

P280 Wear protective gloves.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

Contains: nickel(II) nitrate

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

according to Regulation (EC) No. 1907/2006

Catalogue No. 119792

Product name Nickel standard solution traceable to SRM from NIST Ni(NO₃)₂ in HNO₃ 0.5

mol/I 1000 mg/I Ni Certipur®

Chemical nature

Aqueous solution

3.1 Substance

Not applicable

3.2 Mixture

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration)

CAS-No. Registration number Classification

nitric acid (>= 1 % - < 5 %)

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

7697-37-2 01-2119487297-23-

XXXX Oxidizing liquid, Category 2, H272

Corrosive to metals, Category 1, H290

Acute toxicity, Category 1, H330

Skin corrosion, Category 1A, H314

nickel(II) nitrate (>= 0,3 % - < 0,5 %)

13138-45-9 *)

Oxidizing solid, Category 2, H272

Acute toxicity, Category 4, H302

Acute toxicity, Category 4, H332

Skin irritation, Category 2, H315

Serious eye damage, Category 1, H318

Respiratory sensitisation, Category 1, H334

Skin sensitisation, Category 1, H317

Germ cell mutagenicity, Category 2, H341

Carcinogenicity, Category 1A, H350i

Reproductive toxicity, Category 1B, H360D

Specific target organ toxicity - repeated exposure, Category 1,

H372

Acute aquatic toxicity, Category 1, H400

Chronic aquatic toxicity, Category 1, H410

according to Regulation (EC) No. 1907/2006

Catalogue No. 119792

Product name Nickel standard solution traceable to SRM from NIST Ni(NO₃)₂ in HNO₃ 0.5

mol/I 1000 mg/I Ni Certipur®

M-Factor: 1

*) A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air. Consult a physician.

After skin contact: wash off with plenty of water. Remove contaminated clothing. Consult a physician.

After eye contact: rinse out with plenty of water. Call in ophthalmologist.

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

irritant effects, Allergic reactions

The following applies to nickel compounds in general: astringent effect on mucous membranes.

Sensitisation with allergic manifestations in predisposed persons. Occasional formation of nickel dermatitis.

The following applies to nitrites/nitrates in general: methaemoglobinaemia after the uptake of large quantities.

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

according to Regulation (EC) No. 1907/2006

Catalogue No. 119792

Product name Nickel standard solution traceable to SRM from NIST Ni(NO₃)₂ in HNO₃ 0.5

mol/I 1000 mg/I Ni Certipur®

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

6.2 Environmental precautions

Do not empty into drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10).

Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® H*, Merck Art. No.

101595). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

according to Regulation (EC) No. 1907/2006

Catalogue No. 119792

Product name Nickel standard solution traceable to SRM from NIST Ni(NO₃)₂ in HNO₃ 0.5

mol/I 1000 mg/I Ni Certipur®

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

No metal or light-weight-metal containers.

Storage conditions

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorised persons.

Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

according to Regulation (EC) No. 1907/2006

Catalogue No. 119792

Product name Nickel standard solution traceable to SRM from NIST Ni(NO₃)₂ in HNO₃ 0.5

mol/I 1000 mg/I Ni Certipur®

Derived No Effect Level (DNEL)

nitric acid (7697-37-2)

Worker DNEL, Local effects inhalation 1,3 mg/m³

longterm

Predicted No Effect Concentration (PNEC)

nitric acid (7697-37-2)
PNEC no data available

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Safety glasses

Hand protection

full contact:

Glove material: Nitrile rubber
Glove thickness: 0,11 mm
Break through time: > 480 min

splash contact:

Glove material: Nitrile rubber
Glove thickness: 0,11 mm
Break through time: > 480 min

according to Regulation (EC) No. 1907/2006

Catalogue No. 119792

Product name Nickel standard solution traceable to SRM from NIST Ni(NO₃)₂ in HNO₃ 0.5

mol/I 1000 mg/I Ni Certipur®

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment

protective clothing

Respiratory protection

required when vapours/aerosols are generated.

Recommended Filter type: Filter P 3 (acc. to DIN 3181) for solid and liquid particles of toxic and very toxic substances

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not empty into drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form liquid

Colour green

Odour odourless

Odour Threshold No information available.

according to Regulation (EC) No. 1907/2006

Catalogue No. 119792

Product name Nickel standard solution traceable to SRM from NIST Ni(NO₃)₂ in HNO₃ 0.5

mol/I 1000 mg/I Ni Certipur®

pH ca. 0,5

at 20 °C

Melting point No information available.

Boiling point No information available.

Flash point Not applicable

Evaporation rate No information available.

Flammability (solid, gas) The product is not flammable.

Lower explosion limit Not applicable

Upper explosion limit Not applicable

Vapour pressure No information available.

Relative vapour density No information available.

Density ca.1,014 g/cm3

at 20 °C

Relative density No information available.

Water solubility at 20 °C

soluble

Partition coefficient: n-

octanol/water Not applicable

Auto-ignition temperature No information available.

according to Regulation (EC) No. 1907/2006

Catalogue No. 119792

Product name Nickel standard solution traceable to SRM from NIST Ni(NO₃)₂ in HNO₃ 0.5

mol/I 1000 mg/I Ni Certipur®

Decomposition temperature No information available.

Viscosity, dynamic No information available.

Explosive properties Not classified as explosive.

Oxidizing properties none

9.2 Other data

Corrosion May be corrosive to metals.

SECTION 10. Stability and reactivity

10.1 Reactivity

See section 10.3

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

Violent reactions possible with:

The generally known reaction partners of water.

Generates dangerous gases or fumes in contact with:

Metals, metal alloys

Release of:, nitrous gases, Hydrogen

10.4 Conditions to avoid

no information available

10.5 Incompatible materials

Metals, metal alloys

10.6 Hazardous decomposition products

according to Regulation (EC) No. 1907/2006

Catalogue No. 119792

Product name Nickel standard solution traceable to SRM from NIST Ni(NO₃)₂ in HNO₃ 0.5

mol/I 1000 mg/I Ni Certipur®

no information available

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Mixture

Acute oral toxicity

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and

gastrointestinal tract.

Acute inhalation toxicity

Symptoms: Possible damages:, mucosal irritations

Acute dermal toxicity

This information is not available.

Skin irritation

Mixture causes skin irritation.

Eye irritation

Mixture causes serious eye irritation.

Sensitisation

Mixture may cause an allergic skin reaction.

Germ cell mutagenicity

This information is not available.

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

according to Regulation (EC) No. 1907/2006

Catalogue No. 119792

Product name Nickel standard solution traceable to SRM from NIST Ni(NO₃)₂ in HNO₃ 0.5

mol/I 1000 mg/I Ni Certipur®

CMR effects

Carcinogenicity:

Possible human carcinogen by inhalation.

Teratogenicity:

May harm the unborn child.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

Mixture may cause damage to organs through prolonged or repeated exposure.

Target Organs: Skin, Lungs

Aspiration hazard

This information is not available.

11.2 Further information

The following applies to nickel compounds in general: astringent effect on mucous membranes.

Sensitisation with allergic manifestations in predisposed persons. Occasional formation of nickel dermatitis.

The following applies to nitrites/nitrates in general: methaemoglobinaemia after the uptake of large quantities.

Other dangerous properties can not be excluded.

This substance should be handled with particular care.

Components

nitric acid

Acute inhalation toxicity

LC50 Rat: > 2,65 mg/l; 4 h; vapour

OECD Test Guideline 403

Germ cell mutagenicity

according to Regulation (EC) No. 1907/2006

Catalogue No. 119792

Product name Nickel standard solution traceable to SRM from NIST Ni(NO₃)₂ in HNO₃ 0.5

mol/I 1000 mg/I Ni Certipur®

Genotoxicity in vitro

Ames test

Salmonella typhimurium

Result: negative

Method: OECD Test Guideline 471

nickel(II) nitrate

Acute oral toxicity

LD50 Rat: 1.620 mg/kg

(for the hexahydrate) (RTECS)

Acute inhalation toxicity

Acute toxicity estimate: 1,6 mg/l; dust/mist

Expert judgement

Germ cell mutagenicity Genotoxicity in vitro Ames test

Result: negative

(Lit.)

SECTION 12. Ecological information

Mixture

12.1 Toxicity

No information available.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water

Not applicable

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

according to Regulation (EC) No. 1907/2006

Catalogue No. 119792

Product name Nickel standard solution traceable to SRM from NIST Ni(NO₃)₂ in HNO₃ 0.5

mol/I 1000 mg/I Ni Certipur®

Substance(s) in the mixture do(es) not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII, or a PBT/vPvB assessment was not conducted.

12.6 Other adverse effects

Additional ecological information

Discharge into the environment must be avoided.

Depending on the concentration, phosphorus and/or nitrogen compounds may contribute to the eutrophication of drinking- water supplies.

Discharge into the environment must be avoided.

Components

nitric acid

Biodegradability

The methods for determining the biological degradability are not applicable to inorganic substances.

Partition coefficient: n-octanol/water

log Pow: -2,3

OECD Test Guideline 107

Bioaccumulation is not expected.

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

Henry constant

2482 Pa*m3/mol

Method: (calculated)

(Lit.) Distribution preferentially in air.

nickel(II) nitrate

Toxicity to fish

LC50 Cyprinus carpio (Carp): 10,6 mg/l; 96 h

(ECOTOX Database)

according to Regulation (EC) No. 1907/2006

Catalogue No. 119792

Product name Nickel standard solution traceable to SRM from NIST Ni(NO₃)₂ in HNO₃ 0.5

mol/I 1000 mg/I Ni Certipur®

Toxicity to daphnia and other aquatic invertebrates EC50 Daphnia magna (Water flea): 0,9 mg/l; 48 h (ECOTOX Database)

M-Factor

1

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)

14.1 UN number UN 3264

14.2 Proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC

ACID SOLUTION)

14.3 Class 8

14.4 Packing group

14.5 Environmentally hazardous --

14.6 Special precautions for yes

user

Tunnel restriction code E

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

according to Regulation (EC) No. 1907/2006

Catalogue No. 119792

Product name Nickel standard solution traceable to SRM from NIST Ni(NO₃)₂ in HNO₃ 0.5

mol/I 1000 mg/I Ni Certipur®

14.1 UN number UN 3264

14.2 Proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC

ACID SOLUTION)

no

14.3 Class 8

14.4 Packing group

14.5 Environmentally hazardous --

14.6 Special precautions for

user

Sea transport (IMDG)

14.1 UN number UN 3264

14.2 Proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC

ACID NOT MORE THAN 5%)

14.3 Class 8

14.4 Packing group

14.5 Environmentally hazardous --

14.6 Special precautions for yes

user

EmS F-A S-B

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard SEVESO III
Legislation Not applicable

Occupational restrictions Take note of Dir 94/33/EC on the protection of young people at

work. Take note of Dir 92/85/EEC on the safety and health at work

of pregnant workers.

according to Regulation (EC) No. 1907/2006

Catalogue No. 119792

Product name Nickel standard solution traceable to SRM from NIST Ni(NO₃)₂ in HNO₃ 0.5

mol/I 1000 mg/I Ni Certipur®

Regulation (EC) No 1005/2009 on substances that not regulated

deplete the ozone layer

Regulation (EC) No 850/2004 of the European not regulated

Parliament and of the Council of 29 April 2004 on

persistent organic pollutants and amending

Directive 79/117/EEC

Substances of very high concern (SVHC)

This product does not contain substances

of very high concern according to

Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of ≥ 0.1 % (w/w).

National legislation

Storage class 6.1 D

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

according to Regulation (EC) No. 1907/2006

Catalogue No. 119792

Product name Nickel standard solution traceable to SRM from NIST Ni(NO₃)₂ in HNO₃ 0.5

mol/I 1000 mg/I Ni Certipur®

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H272	May intensify fire; oxidizer.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if
	inhaled.
H341	Suspected of causing genetic defects.
H350i	May cause cancer by inhalation.
H360D	May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated
	exposure.
H373	May cause damage to organs through prolonged or repeated
	exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Training advice

Provide adequate information, instruction and training for operators.

according to Regulation (EC) No. 1907/2006

Catalogue No. 119792

Product name Nickel standard solution traceable to SRM from NIST Ni(NO₃)₂ in HNO₃ 0.5

mol/I 1000 mg/I Ni Certipur®

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.