

according to Regulation (EC) No 1907/2006

## 25998-49 Molybdate Reagent Solution

Revision date: 12.06.2017

Product code: 2599849

Page 1 of 9

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

25998-49 Molybdate Reagent Solution

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/mixture

Water analysis

## 1.3. Details of the supplier of the safety data sheet

Company name: HA	CH LANGE GmbH
Street: Wil	llstätterstr. 11
Place: D-4	40549 Düsseldorf
Telephone: +49	9 (0)211 5288-383
e-mail: SD	S@hach.com
Internet: ww	/w.de.hach.com
Responsible Department: HA	CH LANGE Ltd.
5, F	Pacific Way
Sal	lford Manchester M50 1DL - United Kingdom
Tel.	. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
e-M	/lail: info-uk@hach.com
НА	CH LANGE Ltd.
Uni	it 1, Chestnut Road Western Industrial Estate
IRL	Dublin 12
Tel.	. +353 (0)1 4602522
e-M	/lail: info-ie@hach.com
1.4. Emergency telephone Poi	ison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency
number: ser	vice -

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

#### Regulation (EC) No. 1272/2008

Hazard categories: Substance or mixture corrosive to metals: Met. Corr. 1 Skin corrosion/irritation: Skin Corr. 1A Serious eye damage/eye irritation: Eye Dam. 1 Hazard Statements: May be corrosive to metals. Causes severe skin burns and eye damage. Causes serious eye damage.

#### 2.2. Label elements

## Regulation (EC) No. 1272/2008

## Hazard components for labelling

sulphuric acid ... %

Signal word:

### Pictograms:



Danger



according to Regulation (EC) No 1907/2006

### 25998-49 Molybdate Reagent Solution

Revision date: 12.06.2017

Product code: 2599849

Page 2 of 9

#### Hazard statements

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.

### Precautionary statements

·····	
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water
	or shower.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P310	Immediately call a POISON CENTER/doctor.

### Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

#### 2.3. Other hazards

None known.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to	Regulation (EC) No. 1272/2008 [C	LP]	
7732-18-5	Water			60-70%
	231-791-2			
7664-93-9	sulphuric acid %			30-35%
	231-639-5	016-020-00-8		
	Skin Corr. 1A; H314			
12027-67-7	Ammonium heptamolydate	9		1-5%
	234-722-4			
	Acute Tox. 4, Eye Irrit. 2; H		<u>.</u>	

Full text of H and EUH statements: see section 16.

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### **General information**

Take off contaminated clothing and shoes immediately. Show this safety data sheet to the doctor in attendance.

## After inhalation

Move to fresh air. Consult a physician.

#### After contact with skin

Wash off immediately with plenty of water for at least 15 minutes. Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. Call a physician immediately.

### After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### After ingestion

Drink 1 or 2 glasses of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious



according to Regulation (EC) No 1907/2006

### 25998-49 Molybdate Reagent Solution

Revision date: 12.06.2017

Product code: 2599849

Page 3 of 9

person. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed Irritation and corrosion

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

### Suitable extinguishing media

Carbon dioxide (CO2), Dry chemical

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### Unsuitable extinguishing media

Water

### 5.2. Special hazards arising from the substance or mixture

The following may develop in event of fire: sulfur oxides., nitrogen oxides (NOx), Ammonia

### 5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

#### Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

### 6.2. Environmental precautions

Avoid subsoil penetration.

### 6.3. Methods and material for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable container for disposal.

### 6.4. Reference to other sections

13. Disposal considerations

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid contact with skin and eyes. Avoid contact with clothing. Do not breathe vapours or spray mist.

## 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed in a dry and well-ventilated place.

## Hints on joint storage

Do not store together with Oxidizing agents, Solvent, Metals

## 7.3. Specific end use(s)

Reagent for analysis

## **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters



according to Regulation (EC) No 1907/2006

## 25998-49 Molybdate Reagent Solution

Revision date: 12.06.2017

Product code: 2599849

Page 4 of 9

### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7664-93-9	Sulphuric acid (mist)	-	0.05		TWA (8 h)	WEL

#### Additional advice on limit values

None known.

## 8.2. Exposure controls

#### Appropriate engineering controls

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Protective and hygiene measures

Wash hands before breaks and at the end of workday.

#### Eye/face protection

Safety glasses with side-shields

#### Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

#### Skin protection

Avoid contact with skin, eyes and clothing.

#### **Respiratory protection**

Ensure adequate ventilation, especially in confined areas.

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: Colour: Odour:	liquid colourless, light blue sulphurous	
pH-Value (at 20 °C):		< 0,5
Changes in the physical state		
Melting point:		no data available
Initial boiling point and boiling range:		111 °C
Sublimation point:		not applicable
Softening point:		not applicable
Pour point:		not applicable
Flash point:		not applicable
Flammability		
Solid:		not applicable
Gas:		not applicable
Explosive properties not applicable		
Lower explosion limits:		not applicable
Upper explosion limits:		not applicable
Ignition temperature:		not applicable
Auto-ignition temperature		



according to Regulation (EC) No 1907/2006

2	25998-49 Molybdate Reagent Solution	
Revision date: 12.06.2017	Product code: 2599849	Page 5 of 9
Solid: Gas:	not applicable not applicable	
Decomposition temperature:	not applicable	
Oxidizing properties not applicable		
Vapour pressure:	no data available	
Density (at 20 °C):	1,285 g/cm³	
Bulk density:	not applicable	
Water solubility: (at 20 °C)	soluble	
Solubility in other solvents Acids : soluble		
Partition coefficient:	no data available	
Viscosity / dynamic:	no data available	
Viscosity / kinematic:	no data available	
Flow time:	no data available	
Vapour density:	no data available	
Evaporation rate:	no data available	
Solvent separation test:	no data available	
Solvent content:	no data available	
9.2. Other information		
Solid content:	not applicable	
Corrosive in contact with metals		
SECTION 10: Stability and reactivity		

## 10.1. Reactivity

Corrosive to metals

### 10.2. Chemical stability

Stable under recommended storage conditions.

### 10.3. Possibility of hazardous reactions

Reacts with the following substances: Oxidizing agents

### 10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat.

### 10.5. Incompatible materials

Incompatible with strong bases and oxidizing agents. Gives off hydrogen by reaction with metals.

### 10.6. Hazardous decomposition products

Sulphur oxides, nitrogen oxides (NOx), Ammonia

## **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

## Toxicocinetics, metabolism and distribution

No toxicology information is available.

## Acute toxicity

No data is available on the product itself.



according to Regulation (EC) No 1907/2006

## 25998-49 Molybdate Reagent Solution

Revision date: 12.06.2017

Product code: 2599849

Page 6 of 9

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
12027-67-7	Ammonium heptamolydate				
	oral	LD50 333 mg/kg	rat		

#### Irritation and corrosivity

Causes skin and eye burns.

#### Sensitising effects

No known effect.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

#### STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Aspiration hazard

No aspiration toxicity classification

#### Specific effects in experiment on an animal

sulphuric acid ... %: LD50/oral/rat = 2140 mg/kg

#### Additional information on tests

None known.

### Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

No data is available on the product itself.

Do not flush into surface water or sanitary sewer system.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
12027-67-7	Ammonium heptamolydate	9					
	Acute fish toxicity	LC50	2,6 mg/l	96 h			

### 12.2. Persistence and degradability

No data is available on the product itself.

### 12.3. Bioaccumulative potential

No data is available on the product itself.

#### 12.4. Mobility in soil

no data available

#### 12.5. Results of PBT and vPvB assessment

no data available

### 12.6. Other adverse effects

No known effect.

## SECTION 13: Disposal considerations

## 13.1. Waste treatment methods



according to Regulation (EC) No 1907/2006

### 25998-49 Molybdate Reagent Solution

Revision date: 12.06.2017

Product code: 2599849

Page 7 of 9

### Advice on disposal

In accordance with local and national regulations.

### Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

#### Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

#### Waste disposal number of contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

## **SECTION 14: Transport information**

#### Land transport (ADR/RID)

<u>14.1. UN number:</u>	UN 3264
14.2. UN proper shipping name:	Corrosive liquid, acidic, inorganic, n.o.s.( <45%Sulphuric acid solution)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Classification code:	C1
Special Provisions:	274
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	80
Tunnel restriction code:	E
Inland waterways transport (ADN)	
Other applicable information (inland wa Not tested	aterways transport)
Marine transport (IMDG)	
<u>14.1. UN number:</u>	UN 3264
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (<45% Sulphuric acid solution)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
<b></b>	
Marine pollutant:	-
Special Provisions:	223, 274
Limited quantity:	5 L
Excepted quantity:	E1



according to Regulation (EC) No 1907/2006

Be Right <sup>™</sup>	Be Right <sup>™</sup> according to Regulation (EC) No 1907/2006			
2	5998-49 Molybdate Reagent Solution			
Revision date: 12.06.2017	Product code: 2599849	Page 8 of 9		
EmS:	F-A, S-B			
Air transport (ICAO-TI/IATA-DGR)				
<u>14.1. UN number:</u>	UN 3264			
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (<45% Sulphuric acid solution)			
14.3. Transport hazard class(es):	8			
14.4. Packing group:	III			
Hazard label:				
Special Provisions:	A3 A803			
Limited quantity Passenger:	1 L			
Passenger LQ: Excepted quantity:	Y841 E1			
IATA-packing instructions - Passenger:	852			
IATA-max. quantity - Passenger:	5 L			
IATA-packing instructions - Cargo:	856			
IATA-max. quantity - Cargo:	60 L			
14.5. Environmental hazards				
ENVIRONMENTALLY HAZARDOUS:	no			
14.6. Special precautions for user no data available				
14.7. Transport in bulk according to Annex	II of Marpol and the IBC Code			
Not relevant				
dangerous goods for analytical or test	ay be shipped as part of a chemical kit composed of various compatible ing purposes. This kit would have the following classification: Proper I Class: 9, UN Number3316, Package group II, EMS Code: F-A, S-P re pack			
SECTION 15: Regulatory information				
15.1. Safety, health and environmental regu	Ilations/legislation specific for the substance or mixture			
National regulatory information				
Employment restrictions:	Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.	9		
Water contaminating class (D):	1 - slightly water contaminating			
15.2. Chemical safety assessment				
	stances in this mixture were not carried out.			
SECTION 16: Other information				
Changes Revision: 12.06.2017				

Safety datasheet sections which have been updated: 2, 7, 11, Revision: 12.09.2016 Safety datasheet sections which have been updated: 2, 8, 11,



according to Regulation (EC) No 1907/2006

## 25998-49 Molybdate Reagent Solution

Revision date: 12.06.2017

Product code: 2599849

Page 9 of 9

## Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1A; H314	Calculation method
Eye Dam. 1; H318	Calculation method

## Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.

## **Further Information**

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)