



according to Regulation (EC) No 1907/2006

## 23292-49 Bromcresol Green-Methyl Red Indicator Solution

Revision date: 06.02.2017 Product code: 2329249 Page 1 of 10

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

23292-49 Bromcresol Green-Methyl Red Indicator Solution

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Water analysis

## 1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.

5, Pacific Way

Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 \* Fax +44 (0) 161 848 7324

e-Mail: info-uk@hach.com

HACH LANGE Ltd.

Unit 1, Chestnut Road Western Industrial Estate

IRL-Dublin 12

Tel. +353 (0)1 4602522 e-Mail: info-ie@hach.com

**1.4. Emergency telephone** Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency

number: service -

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

## Regulation (EC) No. 1272/2008

Hazard categories:

Flammable liquid: Flam. Liq. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Specific target organ toxicity - single exposure: STOT SE 3

Hazard Statements:

Highly flammable liquid and vapour. Causes serious eye irritation. May cause drowsiness or dizziness.

### 2.2. Label elements

## Regulation (EC) No. 1272/2008

### Hazard components for labelling

propan-2-ol; isopropyl alcohol; isopropanol

Signal word: Danger

Pictograms:







according to Regulation (EC) No 1907/2006

# 23292-49 Bromcresol Green-Methyl Red Indicator Solution

Revision date: 06.02.2017 Product code: 2329249 Page 2 of 10

### **Hazard statements**

H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

### **Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P243 Take action to prevent static discharges.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

### Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

## 2.3. Other hazards

no data available

# **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

### **Hazardous components**

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification according to Regula				
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol				
	200-661-7	603-117-00-0			
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336				
7732-18-5	Water				
	231-791-2				
62625-32-5	Bromkresolgreen Sodium salt				
	263-657-4				
1310-58-3	potassium hydroxide; caustic potash				
	215-181-3	019-002-00-8			
	Acute Tox. 4, Skin Corr. 1A; H302 H314				
845-10-3	Methyl red sodium salt				
	212-682-9				
	Muta. 2, Aquatic Chronic 3; H341 H412				

Full text of H and EUH statements: see section 16.

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### **General information**

Take off contaminated clothing and shoes immediately.





according to Regulation (EC) No 1907/2006

## 23292-49 Bromcresol Green-Methyl Red Indicator Solution

Revision date: 06.02.2017 Product code: 2329249 Page 3 of 10

Show this safety data sheet to the doctor in attendance.

### After inhalation

Move to fresh air.

If symptoms persist, call a physician.

#### After contact with skin

Wash off immediately with plenty of water for at least 15 minutes. Take off all contaminated clothing immediately. If skin irritation persists, call a physician.

### After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### After indestion

Clean mouth with water and drink afterwards plenty of water. Consult a physician.

### 4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion, Cough, Shortness of breath, headache,

Dizziness, Tiredness, Coma, Drowsiness

Prolonged or repeated skin contact with liquid may cause defatting resulting in drying, redness and possible blistering.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

## Suitable extinguishing media

Carbon dioxide (CO2), Alcohol-resistant foam, Dry powder

## 5.2. Special hazards arising from the substance or mixture

Combustible Liquid

Vapours may form explosive mixtures with air.

Vapours are heavier than air and may spread along floors.

Vapours may form explosive mixture with air.

Pay attention to flashback.

## 5.3. Advice for firefighters

In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

In the event of fire, wear self-contained breathing apparatus.

In the case of respirable dust and/or fumes, use self-contained breathing apparatus and dust impervious protective suit.

### Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Only qualified personnel equipped with suitable protective equipment may intervene. Immediately evacuate personnel to safe areas.

Do not breathe vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

## 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.





according to Regulation (EC) No 1907/2006

## 23292-49 Bromcresol Green-Methyl Red Indicator Solution

Revision date: 06.02.2017 Product code: 2329249 Page 4 of 10

### 6.3. Methods and material for containment and cleaning up

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local/national regulations (see section 13).

### 6.4. Reference to other sections

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

13. Disposal considerations

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

### Advice on safe handling

Use only in well-ventilated areas.

Avoid contact with skin and eyes.

Do not breathe vapours/dust.

Wash thoroughly after handling.

### Advice on protection against fire and explosion

Highly flammable

### Further information on handling

Observe label precautions.

Avoid contact with skin, eyes and clothing.

### 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Storage temperature: 10-25 °C, Keep away from heat and sources of ignition.

Keep container tightly closed in a dry and well-ventilated place.

## Hints on joint storage

Do not store together with Acids, Oxidizing agents

## 7.3. Specific end use(s)

Laboratory chemicals

### **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1310-58-3	Potassium hydroxide	-	2		STEL (15 min)	WEL
67-63-0	Propan-2-ol	400	999	·	TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

## Additional advice on limit values

None known.

## 8.2. Exposure controls

### Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

### Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Wash hands before breaks and after work.





according to Regulation (EC) No 1907/2006

# 23292-49 Bromcresol Green-Methyl Red Indicator Solution

Revision date: 06.02.2017 Product code: 2329249 Page 5 of 10

### Eye/face protection

Safety glasses with side-shields

### Hand protection

Use barrier skin cream.

Gloves must be inspected prior to use. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

In case of full contact:

Glove material: Nitrile rubber Layer thickness: > 0,4 mm Break through time: 480 min

In case of contact through splashing: Glove material: Polychloropren Layer thickness: > 0,65 mm Break through time: > 120 min

### Skin protection

Remove and wash contaminated clothing before re-use.

### Respiratory protection

Breathing apparatus only if aerosol or dust is formed.

Recommended Filter type: A

## **Environmental exposure controls**

Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so.

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: dark green
Odour: alcohol-like

pH-Value (at 20 °C):

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Sublimation point:

Softening point:

Pour point:

Pour point:

Flash point:

Ties of contact of the point of the po

**Flammability** 

Solid: no data available
Gas: no data available

**Explosive properties** 

no data available

Lower explosion limits:

Upper explosion limits:

no data available
no data available



according to Regulation (EC) No 1907/2006

# 23292-49 Bromcresol Green-Methyl Red Indicator Solution

Revision date: 06.02.2017 Product code: 2329249 Page 6 of 10

Ignition temperature: no data available

**Auto-ignition temperature** 

Solid: 410 °C Gas: 410 °C

Decomposition temperature: no data available

**Oxidizing properties** 

no data available

Vapour pressure:

Vapour pressure:

Density (at 20 °C):

Bulk density:

No data available

0,819 g/cm³

no data available

no data available

miscible

(at 20 °C)

Solubility in other solvents

no data available

Partition coefficient: no data available Viscosity / dynamic: no data available Viscosity / kinematic: no data available Flow time: no data available Vapour density: no data available Evaporation rate: no data available Solvent separation test: no data available Solvent content: no data available

9.2. Other information

Solid content: no data available

no data available

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Vapours may form explosive mixtures with air.

### 10.2. Chemical stability

Stable under recommended storage conditions.

# 10.3. Possibility of hazardous reactions

Reacts with the following substances:

Acids, Oxidizing agents, Nitric acid, Peroxides, Aldehydes, nitrogen oxides (NOx)

## 10.4. Conditions to avoid

Heat, flames and sparks.

# 10.5. Incompatible materials

Rubber products Plastic jerrican Acids, Oxidizing agents

## 10.6. Hazardous decomposition products

Heating can release hazardous gases. Carbon monoxide, Carbon dioxide (CO2)

## **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects



according to Regulation (EC) No 1907/2006

# 23292-49 Bromcresol Green-Methyl Red Indicator Solution

Revision date: 06.02.2017 Product code: 2329249 Page 7 of 10

### **Acute toxicity**

No data is available on the product itself.

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol							
	oral	LD50 mg/kg	5045	rat	RTECS			
	dermal	LD50 mg/kg	12800	rabbit				
	inhalation (4 h) vapour	LC50	46,5 mg/l	rat				
1310-58-3	potassium hydroxide; caustic potash							
	oral	LD50 mg/kg	333	Rat	Merck			

## Irritation and corrosivity

May cause eye irritation.

## Sensitising effects

No known effect.

## Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

## STOT-single exposure

H336 - May cause drowsiness or dizziness.

## STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

## **Aspiration hazard**

No aspiration toxicity classification

# Specific effects in experiment on an animal

No toxicology information is available.

### Additional information on tests

None known.

## **Further information**

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

## **SECTION 12: Ecological information**

### 12.1. Toxicity

No data is available on the product itself.

Do not flush into surface water or sanitary sewer system.



according to Regulation (EC) No 1907/2006

## 23292-49 Bromcresol Green-Methyl Red Indicator Solution

Revision date: 06.02.2017 Product code: 2329249 Page 8 of 10

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method	
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol							
	Acute fish toxicity	LC50 mg/l	1400		Lepomis macrochirus (Bluegill sunfish)			
	Acute algae toxicity	ErC50 mg/l	> 1000		Pseudokirchneriella subcapitata (green algae)	IUCLID		
	Acute crustacea toxicity	EC50 mg/l	13299		Daphnia magna (Water flea)	UICLID		
1310-58-3	potassium hydroxide; caustic potash							
	Acute fish toxicity	LC50	80 mg/l	96 h	Gambusia affinis	IUCLID		

### 12.2. Persistence and degradability

No data is available on the product itself.

### 12.3. Bioaccumulative potential

No data is available on the product itself.

### 12.4. Mobility in soil

no data available

# 12.5. Results of PBT and vPvB assessment

no data available

### 12.6. Other adverse effects

no data available

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

## Advice on disposal

In accordance with local and national regulations.

### Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

## Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

### Contaminated packaging

Dispose of as unused product.

The hazard and precautionary statements displayed on the label also apply to any residues left in the container.

## **SECTION 14: Transport information**

## Land transport (ADR/RID)

**14.1. UN number:** UN 1219

**14.2. UN proper shipping name:** ISOPROPANOL (ISOPROPYL ALCOHOL) solution

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3



according to Regulation (EC) No 1907/2006

## 23292-49 Bromcresol Green-Methyl Red Indicator Solution

Revision date: 06.02.2017 Product code: 2329249 Page 9 of 10



Classification code: F1
Special Provisions: 601
Limited quantity: 1 L
Excepted quantity: E2
Transport category: 2
Hazard No: 33
Tunnel restriction code: D/E

## Other applicable information (land transport)

Excepted Quantities: E2

### Inland waterways transport (ADN)

## Other applicable information (inland waterways transport)

Not tested

### Marine transport (IMDG)

**14.1. UN number:** UN 1219

14.2. UN proper shipping name: ISOPROPANOL (ISOPROPYL ALCOHOL)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3



Marine pollutant: -Special Provisions: Limited quantity: 1 L
Excepted quantity: E2
EmS: F-E, S-D

## Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number:** UN 1219

**14.2. UN** proper shipping name: ISOPROPANOL (ISOPROPYL ALCOHOL)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3



Special Provisions: A180
Limited quantity Passenger: 1 L
Passenger LQ: Y341
Excepted quantity: E2

IATA-packing instructions - Passenger: 353
IATA-max. quantity - Passenger: 5 L
IATA-packing instructions - Cargo: 364
IATA-max. quantity - Cargo: 60 L

### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no



Be Right<sup>™</sup>

## **Safety Data Sheet**

HACH LANGE GmbH

according to Regulation (EC) No 1907/2006

# 23292-49 Bromcresol Green-Methyl Red Indicator Solution

Revision date: 06.02.2017 Product code: 2329249 Page 10 of 10

### 14.6. Special precautions for user

no data available

# 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

### Other applicable information

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit, Hazard Class: 9, UN Number3316, Package group II, EMS Code: F-A, S-P These transport data apply to the entire pack

## **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **National regulatory information**

Water contaminating class (D): 1 - slightly water contaminating

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

### Changes

Revision: 6.02.2107

Safety datasheet sections which have been updated: 2, 8, 11

Revision: 26.06.2015

Safety datasheet sections which have been updated: 2-16

### Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H341	Suspected of causing genetic defects.
H412	Harmful to aquatic life with long lasting effects.

### **Further Information**

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)