

according to Regulation (EC) No 1907/2006

2185336 Thymolphthalein Indicator Solution 1 g/l

Revision date: 30.01.2017

Product code: 2185336

Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

2185336 Thymolphthalein Indicator Solution 1 g/l

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Street:Willstätterstr. 11Place:D-40549 Düsseldorf	
Place: D-40549 Düsseldorf	
Telephone: +49 (0)211 5288-383	
e-mail: SDS@hach.com	
Internet: www.de.hach.com	
Responsible Department: HACH LANGE Ltd.	
5, Pacific Way	
Salford Manchester M50 1DL - U	Jnited Kingdom
Tel. +44 (0) 161 872 1487 * Fax	+44 (0) 161 848 7324
e-Mail: info-uk@hach.com	
HACH LANGE Ltd.	
Unit 1, Chestnut Road Western I	Industrial Estate
IRL-Dublin 12	
Tel. +353 (0)1 4602522	
e-Mail: info-ie@hach.com	
1.4. Emergency telephonePoison Control Center Mainz: Tenumber:service -	el: +49 (0) 6131 19240 - 24 hour emergency

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Flammable liquid: Flam. Liq. 2 Serious eye damage/eye irritation: Eye Irrit. 2 Specific target organ toxicity - single exposure: STOT SE 3 Hazardous to the aquatic environment: Aquatic Chronic 3 Hazard Statements: Highly flammable liquid and vapour. Causes serious eye irritation. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling propan-2-ol; isopropyl alcohol; isopropanol

Signal word:

Pictograms:





according to Regulation (EC) No 1907/2006

2185336 Thymolphthalein Indicator Solution 1 g/l

Revision date: 30.01.2017

Product code: 2185336

Page 2 of 10

Hazard statements

H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H412	Harmful to aquatic life with long lasting effects.

Precautionary statements

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P243	Take action to prevent static discharges.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312	Call a POISON CENTER/doctor if you feel unwell.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P332+P313	If skin irritation occurs: Get medical advice/attention.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

no data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

propan-2-ol; isopropyl alcohol; isopropanol

Hazardous components

CAS No	Chemical name					
	EC No	Index No	REACH No			
	Classification according to	Regulation (EC) No. 1272/2008 [0	CLP]			
7732-18-5	Water			45-55 %		
	231-791-2					
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol					
	200-661-7	603-117-00-0				
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336					
125-20-2	Thymolphthtalein			<0,2 %		
	204-729-7					
	Aquatic Acute 1 (M-Factor = 10), Aquatic Chronic 1 (M-Factor = 10); H400 H410					

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off contaminated clothing and shoes immediately. Show this safety data sheet to the doctor in attendance.



according to Regulation (EC) No 1907/2006

2185336 Thymolphthalein Indicator Solution 1 g/l

Revision date: 30.01.2017

Product code: 2185336

Page 3 of 10

After inhalation

Move to fresh air.

If symptoms persist, call a physician.

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes.

If skin irritation persists, call a physician.

After contact with eyes

In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person.

Aspiration hazard if swallowed - can enter lungs and cause damage. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

irritant effects, Shortness of breath, Spasm, headache Diarrhoea, Dizziness, headache Has a degreasing effect on the skin.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2), Alcohol-resistant foam Dry powder Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

No Limit

5.2. Special hazards arising from the substance or mixture

Combustible Liquid

Vapours are heavier than air and may spread along floors.

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing. In the event of fire, wear self-contained breathing apparatus.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Only qualified personnel equipped with suitable protective equipment may intervene. Immediately evacuate personnel to safe areas.

Do not breathe vapours, mist or gas. Ensure adequate ventilation.

Remove all sources of ignition.

Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in



according to Regulation (EC) No 1907/2006

2185336 Thymolphthalein Indicator Solution 1 g/l

Revision date: 30.01.2017

Product code: 2185336

Page 4 of 10

suitable, closed containers for disposal.

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas. Avoid contact with skin and eyes. Do not breathe vapours or spray mist.

Advice on protection against fire and explosion

Keep away from flames and sparks.

Further information on handling

Observe label precautions.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a dry and well-ventilated place.

Hints on joint storage

Keep away from fire, sparks and heated surfaces.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

Additional advice on limit values

None known.

8.2. Exposure controls

Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Wash hands before breaks and after work.

Eye/face protection

Safety glasses with side-shields

Hand protection

Gloves must be inspected prior to use. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

In case of full contact: Glove material : Nitrile rubber Layer thickness: > 0,4 mm Break through time: 480 min



according to Regulation (EC) No 1907/2006

2185336 Thymolphthalein Indicator Solution 1 g/l

Revision date: 30.01.2017

Product code: 2185336

Page 5 of 10

In case of contact through splashing: Glove material : Polychloropren Layer thickness: 0,65 mm Break through time: > 120 min

Skin protection

Avoid contact with skin, eyes and clothing.

Respiratory protection

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. Breathing apparatus only if aerosol or dust is formed.

Recommended Filter type: ABEK-filter

Environmental exposure controls

Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	colourless
Odour:	odourless alcohol-like
pH-Value (at 20 °C):	5,3
Changes in the physical state	
Melting point:	not applicable
Initial boiling point and boiling range:	79 °C
Sublimation point:	not applicable
Softening point:	no data available
Pour point:	no data available
:	no data available
Flash point:	20,6 °C
Flammability	
Solid:	no data available
Gas:	no data available
Explosive properties no data available	
Lower explosion limits:	no data available
Upper explosion limits:	no data available
Ignition temperature:	no data available
Auto-ignition temperature	
Solid:	no data available
Gas:	no data available
Decomposition temperature:	no data available
Oxidizing properties no data available	
Vapour pressure:	no data available
Vapour pressure:	no data available
Density (at 20 °C):	0,915 g/cm³
Bulk density:	not applicable



according to Regulation (EC) No 1907/2006

2185336 Thymolphthalein Indicator Solution 1 g/l Revision date: 30.01.2017 Product code: 2185336 Page 6 of 10 Water solubility: soluble (at 20 °C) Solubility in other solvents no data available Partition coefficient: no data available no data available Viscosity / dynamic: Viscosity / kinematic: no data available Flow time: no data available no data available Vapour density: Evaporation rate: no data available Solvent separation test: no data available Solvent content: no data available 9.2. Other information Solid content: no data available no data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Vapours may form explosive mixture with air.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Reacts with the following substances: Alkali metals, Alkaline earth metals, Aluminium, Nitric acid, Aldehydes, Iron

10.4. Conditions to avoid

Extremes of temperature and direct sunlight. Decomposes on heating.

10.5. Incompatible materials

Rubber products

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

Further information

This information is not available.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

No toxicology information is available.



according to Regulation (EC) No 1907/2006

2185336 Thymolphthalein Indicator Solution 1 g/l

Revision date: 30.01.2017

Product code: 2185336

Page 7 of 10

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol					
	oral	LD50 mg/kg	5045	rat	RTECS	
	dermal	LD50 mg/kg	12800	rabbit		
	inhalation (4 h) vapour	LC50	46,5 mg/l	rat		

Irritation and corrosivity

May cause eye irritation.

Sensitising effects

No known effect.

Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

STOT-single exposure

Vapours may cause drowsiness and dizziness.

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

No information on ecology is available.

Do not flush into surface water or sanitary sewer system.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
67-63-0	propan-2-ol; isopropyl alc	ohol; isopro	panol				
	Acute fish toxicity	LC50 mg/l	1400	96 h	Lepomis macrochirus (Bluegill sunfish)		
	Acute algae toxicity	ErC50 mg/l	> 1000		Pseudokirchneriella subcapitata (green algae)	IUCLID	
	Acute crustacea toxicity	EC50 mg/l	13299		Daphnia magna (Water flea)	UICLID	
125-20-2	Thymolphthtalein						
	Acute fish toxicity	LC50 mg/l	0,017	96 h			
	Acute crustacea toxicity	EC50 mg/l	0,018	48 h			

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

No data is available on the product itself.



according to Regulation (EC) No 1907/2006

2185336 Thymolphthalein Indicator Solution 1 g/l

Revision date: 30.01.2017

Product code: 2185336

Page 8 of 10

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
125-20-2	Thymolphthtalein	7,06

12.4. Mobility in soil

No data is available on the product itself.

12.5. Results of PBT and vPvB assessment

No data is available on the product itself.

12.6. Other adverse effects

No data is available on the product itself.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

In accordance with local and national regulations.

Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number:</u>	UN 1219
14.2. UN proper shipping name:	ISOPROPANOL (ISOPROPYL ALCOHOL)
14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3
Classification code:	F1
Special Provisions:	601
Limited quantity:	1 L
Transport category:	2
Hazard No:	33
Tunnel restriction code:	D/E
Other applicable information (land trans Excepted Quantities: E2	port)
Inland waterways transport (ADN)	



according to Regulation (EC) No 1907/2006

Be Right [™]	according to Regulation (EC) No 1907/2006	
218533	6 Thymolphthalein Indicator Solution 1 g/l	
Revision date: 30.01.2017	Product code: 2185336	Page 9 of 10
Other applicable information (inland wat Not tested	terways transport)	
Marine transport (IMDG)		
<u>14.1. UN number:</u>	UN 1219	
14.2. UN proper shipping name:	ISOPROPANOL (ISOPROPYL ALCOHOL)	
14.3. Transport hazard class(es):	3	
14.4. Packing group:	II	
Hazard label:	3	
Special Provisions:	-	
Limited quantity:	1 L	
EmS:	F-E, S-D	
Other applicable information (marine tra Excepted Quantities: E2	nsport)	
Air transport (ICAO-TI/IATA-DGR)		
<u>14.1. UN number:</u>	UN 1219	
14.2. UN proper shipping name:	ISOPROPANOL (ISOPROPYL ALCOHOL)	
14.3. Transport hazard class(es):	3	
14.4. Packing group:	II	
Hazard label:	3	
Special Provisions:	A180	
Limited quantity Passenger:	1 L	
IATA-packing instructions - Passenger:	353	
IATA-max. quantity - Passenger: IATA-packing instructions - Cargo:	5 L 364	
IATA-packing instituctions - Cargo: IATA-max. quantity - Cargo:	60 L	
Other applicable information (air transpo Excepted Quantities: E2 Passenger-LQ: Y341		
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	no	
14.6. Special precautions for user no data available		
14.7. Transport in bulk according to Annex Not relevant	II of Marpol and the IBC Code	
Other applicable information		
dangerous goods for analytical or testi	ay be shipped as part of a chemical kit composed of various compatible ng purposes. This kit would have the following classification: Proper Class: 9, UN Number3316, Package group II, EMS Code: F-A, S-P	

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture



according to Regulation (EC) No 1907/2006

2185336 Thymolphthalein Indicator Solution 1 g/l

Revision date: 30.01.2017 Product code: 2185336 Page 10 of 10 National regulatory information Water contaminating class (D): 1 - slightly water contaminating 15.2. Chemical safety assessment Chemical safety assessments for substances in this mixture were not carried out. **SECTION 16: Other information** Changes Revision: 30.01.2017 Safety datasheet sections which have been updated: 2, 3, 11 Revision: 6.10.2016 Safety datasheet sections which have been updated: 2, 3 Revision: 6.07.2015 Safety datasheet sections which have been updated: 2, 11 Revision: 13.01.2015 Safety datasheet sections which have been updated: 1-16 Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)