

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**LCK 1414 CSB/COD/DCO**

Revision date: 21.03.2017

Product code: LCK1414

Page 1 of 11

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

LCK 1414 CSB/COD/DCO

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Water analysis

**1.3. Details of the supplier of the safety data sheet**

Company name: HACH LANGE GmbH  
Street: Willstätterstr. 11  
Place: D-40549 Düsseldorf  
Telephone: +49 (0)211 5288-383  
e-mail: SDS@hach.com  
Internet: www.de.hach.com  
Responsible Department: HACH LANGE Ltd.  
5, Pacific Way  
Salford Manchester M50 1DL - United Kingdom  
Tel. +44 (0) 161 872 1487 \* Fax +44 (0) 161 848 7324  
e-Mail: info-uk@hach.com

HACH LANGE Ltd.  
Unit 1, Chestnut Road Western Industrial Estate  
IRL-Dublin 12  
Tel. +353 (0)1 4602522  
e-Mail: info-ie@hach.com

**1.4. Emergency telephone number:**

Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Substance or mixture corrosive to metals: Met. Corr. 1

Acute toxicity: Acute Tox. 3

Acute toxicity: Acute Tox. 4

Skin corrosion/irritation: Skin Corr. 1A

Serious eye damage/eye irritation: Eye Dam. 1

Specific target organ toxicity - repeated exposure: STOT RE 2

Hazardous to the aquatic environment: Aquatic Acute 1

Hazardous to the aquatic environment: Aquatic Chronic 1

Hazard Statements:

May be corrosive to metals.

Toxic in contact with skin.

Harmful if swallowed.

Harmful if inhaled.

Causes severe skin burns and eye damage.

May cause damage to organs through prolonged or repeated exposure.

Very toxic to aquatic life with long lasting effects.

**2.2. Label elements****Regulation (EC) No. 1272/2008**

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### LCK 1414 CSB/COD/DCO

Revision date: 21.03.2017

Product code: LCK1414

Page 2 of 11

#### Hazard components for labelling

sulphuric acid ... %  
Mercury(II) sulfate  
Silver sulfate

**Signal word:** Danger

#### Pictograms:



#### Hazard statements

H290	May be corrosive to metals.
H311	Toxic in contact with skin.
H302	Harmful if swallowed.
H332	Harmful if inhaled.
H314	Causes severe skin burns and eye damage.
H373	May cause damage to organs through prolonged or repeated exposure.
H410	Very toxic to aquatic life with long lasting effects.

#### Precautionary statements

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P309+P311	IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician.

#### Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

#### 2.3. Other hazards

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**LCK 1414 CSB/COD/DCO**

Revision date: 21.03.2017

Product code: LCK1414

Page 3 of 11

**Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
7664-93-9	sulphuric acid ... %			90 %
	231-639-5	016-020-00-8		
	Skin Corr. 1A; H314			
7732-18-5	Water			>8 %
	231-791-2			
7783-35-9	Mercury(II) sulfate			<1,7 %
	231-992-5	080-002-00-6		
	Acute Tox. 1, Acute Tox. 2, Acute Tox. 2, STOT RE 2, Aquatic Acute 1, Aquatic Chronic 1; H310 H330 H300 H373 H400 H410			
10294-26-5	Silver sulfate			<0,5 %
	233-653-7			
	Eye Dam. 1, Aquatic Acute 1 (M-Factor = 100), Aquatic Chronic 1 (M-Factor = 100); H318 H400 H410			
7778-50-9	potassium dichromate			<0,1 %
	231-906-6	024-002-00-6		
	Ox. Sol. 2, Carc. 1B, Muta. 1B, Repr. 1B, Acute Tox. 2, Acute Tox. 3, STOT RE 1, Acute Tox. 4, Skin Corr. 1B, Resp. Sens. 1, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H272 H350 H340 H360FD H330 H301 H372 ** H312 H314 H334 H317 H400 H410			

Full text of H and EUH statements: see section 16.

**SECTION 4: First aid measures**
**4.1. Description of first aid measures**
**General information**

Take off all contaminated clothing immediately.  
Consult a physician. Show this safety data sheet to the doctor in attendance.

**After inhalation**

Move to fresh air.  
Consult a physician. Show this safety data sheet to the doctor in attendance.

**After contact with skin**

Wash off immediately with plenty of water for at least 15 minutes.  
Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. Show this safety data sheet to the doctor in attendance.

**After contact with eyes**

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Show this safety data sheet to the doctor in attendance.

**After ingestion**

Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting.  
Consult a physician. Show this safety data sheet to the doctor in attendance.

**4.2. Most important symptoms and effects, both acute and delayed**

Irritation and corrosion

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### LCK 1414 CSB/COD/DCO

Revision date: 21.03.2017

Product code: LCK1414

Page 4 of 11

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

### 5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours. The following may develop in event of fire: sulfur oxides, mercury vapors.

### 5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

#### Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste.

### 6.4. Reference to other sections

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Use only in well-ventilated areas. Do not breathe vapours/dust.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep tightly closed in a dry, cool and well-ventilated place. Protect against light. Accessible only for authorized persons.

### 7.3. Specific end use(s)

Reagent for analysis

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
7664-93-9	Sulphuric acid (mist)	-	0.05		TWA (8 h)	WEL

#### Additional advice on limit values

None known.

### 8.2. Exposure controls

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### LCK 1414 CSB/COD/DCO

Revision date: 21.03.2017

Product code: LCK1414

Page 5 of 11

#### Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

#### Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Wash hands before breaks and after work.

#### Eye/face protection

Safety glasses with side-shields

#### Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact:

Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0.40 mm, Breakthrough time: > 30 min

#### Skin protection

Remove and wash contaminated clothing before re-use.

#### Respiratory protection

Breathing apparatus only if aerosol or dust is formed.

Recommended Filter type: ABEK-filter

#### Environmental exposure controls

Do not flush into surface water or sanitary sewer system.

Prevent further leakage or spillage if safe to do so.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	yellow-orange
Odour:	odourless
pH-Value (at 20 °C):	< 1
<b>Changes in the physical state</b>	
Melting point:	not applicable
Initial boiling point and boiling range:	300 °C
Sublimation point:	not applicable
Softening point:	not applicable
Pour point:	no data available
:	no data available
Flash point:	not applicable
<b>Flammability</b>	
Solid:	not applicable
Gas:	not applicable
<b>Explosive properties</b>	
not applicable	
Lower explosion limits:	not applicable
Upper explosion limits:	not applicable
Ignition temperature:	not applicable
<b>Auto-ignition temperature</b>	
Solid:	no data available

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### LCK 1414 CSB/COD/DCO

Revision date: 21.03.2017

Product code: LCK1414

Page 6 of 11

Gas:	no data available
Decomposition temperature:	no data available
<b>Oxidizing properties</b>	
no data available	
Vapour pressure:	no data available
Vapour pressure:	no data available
Density (at 20 °C):	1,89 g/cm <sup>3</sup>
Bulk density:	not applicable
Water solubility: (at 20 °C)	completely soluble
<b>Solubility in other solvents</b>	
no data available	
Partition coefficient:	no data available
Viscosity / dynamic:	no data available
Viscosity / kinematic:	no data available
Flow time:	no data available
Vapour density:	no data available
Evaporation rate:	no data available
Solvent separation test:	no data available
Solvent content:	no data available

#### **9.2. Other information**

Solid content:	no data available
Corrosive in contact with metals	

### **SECTION 10: Stability and reactivity**

#### **10.1. Reactivity**

Corrosive to metals

#### **10.2. Chemical stability**

Stable under recommended storage conditions.

#### **10.3. Possibility of hazardous reactions**

Hazardous polymerisation does not occur.

#### **10.4. Conditions to avoid**

To avoid thermal decomposition, do not overheat. Above 300 °C, hazardous fumes may be released.

#### **10.5. Incompatible materials**

Organic materials, Bases, Alkali metals, Metals, Ammonia, Reducing agents, Nitric acid.  
Reacts violently with water.

#### **10.6. Hazardous decomposition products**

Sulphur trioxide  
Chromium oxides

#### **Further information**

very reactive

### **SECTION 11: Toxicological information**

#### **11.1. Information on toxicological effects**

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### LCK 1414 CSB/COD/DCO

Revision date: 21.03.2017

Product code: LCK1414

Page 7 of 11

#### Acute toxicity

No data is available on the product itself. Information given is based on data on the components and the toxicology of similar products.

#### ATEmix calculated

ATE (oral) 331,6 mg/kg; ATE (dermal) 331,6 mg/kg; ATE (inhalation aerosol) 3,316 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7783-35-9	Mercury(II) sulfate				
	oral	ATE 5 mg/kg			
	dermal	ATE 5 mg/kg			
	inhalation vapour	ATE 0,5 mg/l			
	inhalation aerosol	ATE 0,05 mg/l			
10294-26-5	Silver sulfate				
	oral	LD50 5000 mg/kg	rat		
7778-50-9	potassium dichromate				
	oral	ATE 100 mg/kg			
	dermal	ATE 1100 mg/kg			
	inhalation (4 h) vapour	LC50 0,094 mg/l	Rat		
	inhalation (4 h) aerosol	LC50 0,094 mg/l	Rat		

#### Irritation and corrosivity

The product causes burns of eyes, skin and mucous membranes.

#### Sensitising effects

No known effect.

#### STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### STOT-repeated exposure

H373 - May cause damage to organs through prolonged or repeated exposure.

#### Aspiration hazard

No aspiration toxicity classification

#### Specific effects in experiment on an animal

No toxicology information is available.

#### Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

## SECTION 12: Ecological information

### 12.1. Toxicity

May cause long-term adverse effects in the aquatic environment.  
Do not flush into surface water or sanitary sewer system.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**LCK 1414 CSB/COD/DCO**

Revision date: 21.03.2017

Product code: LCK1414

Page 8 of 11

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
7783-35-9	Mercury(II) sulfate					
	Acute fish toxicity	LC50 mg/l	0,19	96 h		
10294-26-5	Silver sulfate					
	Acute crustacea toxicity	EC50 mg/l	0,0045	48 h	Crustaceans	
7778-50-9	potassium dichromate					
	Acute fish toxicity	LC50 mg/l	26,13	96 h	Pimephales promelas	
	Acute algae toxicity	ErC50 0,59 mg/l	0,16 -	96 h	Chlorella vulgaris	

**12.2. Persistence and degradability**

No data is available on the product itself.

**12.3. Bioaccumulative potential**

no data available

**12.4. Mobility in soil**

no data available

**12.5. Results of PBT and vPvB assessment**

no data available

**12.6. Other adverse effects**

Discharge into the environment must be avoided.

**SECTION 13: Disposal considerations**
**13.1. Waste treatment methods**
**Advice on disposal**

Our local agencies will accept used cuvettes to ensure their proper disposal.  
In accordance with local and national regulations.

**Waste disposal number of waste from residues/unused products**

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

**Waste disposal number of used product**

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

**SECTION 14: Transport information**
**Land transport (ADR/RID)**

<b>14.1. UN number:</b>	UN 3316
<b>14.2. UN proper shipping name:</b>	Chemical kit
<b>14.3. Transport hazard class(es):</b>	9
<b>14.4. Packing group:</b>	II
Hazard label:	9



**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**LCK 1414 CSB/COD/DCO**

Revision date: 21.03.2017

Product code: LCK1414

Page 9 of 11



Classification code: M11  
 Special Provisions: 251 340  
 Limited quantity: SP251  
 Excepted quantity: SP340  
 Transport category: 2  
 Hazard No: -  
 Tunnel restriction code: E

**Inland waterways transport (ADN)**

**Other applicable information (inland waterways transport)**

Not tested

**Marine transport (IMDG)**

**14.1. UN number:** UN 3316  
**14.2. UN proper shipping name:** CHEMICAL KIT  
**14.3. Transport hazard class(es):** 9  
**14.4. Packing group:** II  
 Hazard label: 9



Special Provisions: 251, 340  
 Limited quantity: See SP251  
 Excepted quantity: SP340  
 EmS: F-A, S-P  
 Segregation group: acids

**Air transport (ICAO-TI/IATA-DGR)**

**14.1. UN number:** UN 3316  
**14.2. UN proper shipping name:** CHEMICAL KIT  
**14.3. Transport hazard class(es):** 9  
**14.4. Packing group:** II  
 Hazard label: 9



Special Provisions: A44 A163  
 Limited quantity Passenger: 1 kg  
 Passenger LQ: Y960  
 Excepted quantity: E0  
 IATA-packing instructions - Passenger: 960  
 IATA-max. quantity - Passenger: 10 kg  
 IATA-packing instructions - Cargo: 960  
 IATA-max. quantity - Cargo: 10 kg

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: yes



**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**LCK 1414 CSB/COD/DCO**

Revision date: 21.03.2017

Product code: LCK1414

Page 10 of 11

Danger releasing substance: Mercury(II) sulfate  
Silver sulfate

**14.6. Special precautions for user**

Use personal protective equipment.

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

not applicable

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Authorisations (REACH, annex XIV):  
potassium dichromate

Restrictions on use (REACH, annex XVII):  
Entry 28: potassium dichromate

**National regulatory information**

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water contaminating class (D): 2 - clearly water contaminating

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information****Changes**

Revision Date 21.03.2017  
Safety datasheet sections which have been updated: 14

Revision: 05.10.2016  
This data sheet contains changes from the previous version in section(s): 2, 11, 14  
Revision: 11.12.2015  
This data sheet contains changes from the previous version in section(s): 1-16

**Relevant H and EUH statements (number and full text)**

H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H300	Fatal if swallowed.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H340	May cause genetic defects.
H350	May cause cancer.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### LCK 1414 CSB/COD/DCO

Revision date: 21.03.2017

Product code: LCK1414

Page 11 of 11

H360FD	May damage fertility. May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

#### Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*