Sigma-Aldrich.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 7.0 Revision Date 10.06.2024 Print Date 30.07.2024 GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1		:	1-Methylimidazole for synthesis
	Catalogue No. Brand Index-No. REACH No.	:	8.05852 805852 Millipore 613-035-00-7 A registration number is not available for this substance as the substance or its uses are exempted from registration or the annual tonnage does not require a registration. 616-47-7
	CAS-NO.	•	010-47-7
1.2	Relevant identified use	S	of the substance or mixture and uses advised against
	Identified uses	:	Chemical for synthesis
1.3	1.3 Details of the supplier of the safety data sheet		
	Company	:	Sigma-Aldrich Chemie GmbH Eschenstrasse 5 D-82024 TAUFKIRCHEN
	Fax	:	+49 (0)89 6513-1130 +49 (0)89 6513-1161 technischerservice@merckgroup.com
1.4	4 Emergency telephone		
	Emergency Phone #	:	0800 181 7059 (CHEMTREC Deutschland) +49 (0)696 43508409 (CHEMTREC weltweit)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture		
	Acute toxicity, (Category 4)	H302: Harmful if swallowed.
	Acute toxicity, (Category 3)	H311: Toxic in contact with skin.

Millipore- 8.05852

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 1 of 13

Skin corrosion, (Sub-category 1B)

Serious eye damage, (Category 1)

H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

Reproductive toxicity, (Category 2)

H361d: Suspected of damaging the unborn child.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008 Pictogram

Signal Word	Danger
Hazard Statements H302 H311 H314 H361d	Harmful if swallowed. Toxic in contact with skin. Causes severe skin burns and eye damage. Suspected of damaging the unborn child.
Precautionary Statements	
P202	Do not handle until all safety precautions have been read and understood.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P312	IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Supplemental Hazard Statements	none

Reduced Labeling (<= 125 ml)

Pictogram

5		
		$\mathbf{\Lambda}$
a to		L.L.
2000		~~
	V	

Signal Word	Danger
Hazard Statements H314 H311 H361d	Causes severe skin burns and eye damage. Toxic in contact with skin. Suspected of damaging the unborn child.
Precautionary Statements P202	Do not handle until all safety precautions have been read and

Millipore- 8.05852

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 2 of 13

	understood.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Supplemental Hazard Statements	none

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Formula	:	C4H6N2
Molecular weight	:	82,11 g/mol
CAS-No.	:	616-47-7
EC-No.	:	210-484-7
Index-No.	:	613-035-00-7

Component		Classification	Concentration
1-Methylimidazole	1		
CAS-No. EC-No. Index-No.	616-47-7 210-484-7 613-035-00-7	Acute Tox. 4; Acute Tox. 3; Skin Corr. 1B; Eye Dam. 1; Repr. 2; H302, H311, H314, H318, H361d	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

Millipore- 8.05852

Page 3 of 13

The life science business of Merck operates as MilliporeSigma in the US and Canada



SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

- **4.2 Most important symptoms and effects, both acute and delayed** The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NOx) Combustible. Fire may cause evolution of: nitrogen oxides Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Millipore- 8.05852

Canada

The life science business of Merck operates as MilliporeSigma in the US and



Page 4 of 13

5.4 Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Recommended storage temperature see product label.

Storage class

Storage class (TRGS 510): 6.1A: Combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Millipore- 8.05852

Page 5 of 13

The life science business of Merck operates as MilliporeSigma in the US and Canada



SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: butyl-rubber Minimum layer thickness: 0,7 mm Break through time: 480 min Material tested:Butoject® (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Latex gloves Minimum layer thickness: 0,6 mm Break through time: 30 min Material tested:Lapren® (KCL 706 / Aldrich Z677558, Size M)

Body Protection

protective clothing

Respiratory protection

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

Millipore- 8.05852

Page 6 of 13

The life science business of Merck operates as MilliporeSigma in the US and Canada



SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical properties

information on basic physical and chemical properties				
a)	Physical state	liquid		
b)	Color	colorless		
c)	Odor	No data available		
d)	Melting point/freezing point	-6 °C		
e)	Initial boiling point and boiling range	197 - 199 °C at 1.013 hPa		
f)	Flammability (solid, gas)	No data available		
g)	Upper/lower flammability or explosive limits	Upper explosion limit: 15,7 %(V) Lower explosion limit: 2,7 %(V)		
h)	Flash point	92 °C - closed cup		
i)	Autoignition temperature	488 °C at 1.013 - 1.019 hPa		
j)	Decomposition temperature	No data available		
k)	рН	9,5 - 11,5 at 100 g/l at 20 °C		
I)	Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: 1,89 mPa.s at 20 °C		
m)	Water solubility	soluble		
n)	Partition coefficient: n-octanol/water	log Pow: -0,19 at 25 °C		
o)	Vapor pressure	0,5 hPa at 20 °C		
p)	Density	1,035 g/cm3		
	Relative density	No data available		
q)	Relative vapor density	No data available		
r)	Particle characteristics	No data available		

- s) Explosive properties No data available
- t) Oxidizing properties No data available

9.2 Other safety information No data available

Millipore- 8.05852

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 7 of 13

SECTION 10: Stability and reactivity

10.1 Reactivity

Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Violent reactions possible with: Acid anhydrides Acid chlorides Strong oxidizing agents acids

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials rubber, various plastics

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - 1.144 mg/kg (OECD Test Guideline 401) Acute toxicity estimate Oral - 1.144 mg/kg (ATE value derived from LD50/LC50 value) Inhalation: No data available LD50 Dermal - Rabbit - male and female - 400 - 600 mg/kg (OECD Test Guideline 402) Acute toxicity estimate Dermal - 400 mg/kg (ATE value derived from LD50/LC50 value)

Skin corrosion/irritation

Skin - Rabbit Result: Corrosive (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit Result: Corrosive (OECD Test Guideline 405) Remarks: Causes serious eye damage.

Respiratory or skin sensitization No data available

Germ cell mutagenicity

Millipore- 8.05852

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 8 of 13



No data available Test Type: Chromosome aberration test in vitro Test system: Chinese hamster lung cells Method: OECD Test Guideline 487 Result: negative

Carcinogenicity

No data available

Reproductive toxicity

Suspected of damaging the unborn child.

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

11.2 Additional Information

Endocrine disrupting properties

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Repeated dose toxicity - Rat - male and female - Oral - NOAEL (No observed adverse effect level) - 30 mg/kg

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	static test LC50 - Leuciscus idus (Golden orfe) - > 100 - 215 mg/l - 96 h (DIN 38412)
Toxicity to daphnia and other aquatic invertebrates	EC50 - Daphnia magna (Water flea) - 267,94 mg/l - 48 h
Toxicity to algae	static test EC50 - Desmodesmus subspicatus (green algae) - 180,7 mg/l - 72 h (OECD Test Guideline 201)
Toxicity to bacteria	EC50 - Pseudomonas putida - 1.050 mg/l - 17 h Remarks: (External MSDS)

Millipore- 8.05852

Canada

The life science business of Merck operates as MilliporeSigma in the US and



Page 9 of 13

12.2 Persistence and degradability

Biodegradability

aerobic - Exposure time 28 d Result: 0 - 10 % - Not readily biodegradable. (OECD Test Guideline 301F)

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Harmful effect due to pH shift. Forms corrosive mixtures with water even if diluted. When discharged properly, no impairments in the function of adapted biological wastewater treatment plants are to be expected. Discharge into the environment must be avoided. May be harmful to aquatic organisms due to the shift of the pH.

SECTION 13: Disposal considerations

13.1 Waste treatment methods No data available

SECTION 14: Transport information

14.1 UN number ADR/RID: 2922

IMDG: 2922

IATA: 2922

14.2 UN proper shipping name

ADR/RID:	CORROSIVE LIQUID, TOXIC, N.O.S. (1-Methylimidazole)
IMDG:	CORROSIVE LIQUID, TOXIC, N.O.S. (1-Methylimidazole)
IATA:	Corrosive liquid, toxic, n.o.s. (1-Methylimidazole)

Millipore- 8.05852

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 10 of 13

14.3 Transport hazard clas ADR/RID: 8 (6.1)	ss(es) IMDG: 8 (6.1)	IATA: 8 (6.1)
14.4 Packaging group ADR/RID: II	IMDG: II	IATA: II
14.5 Environmental hazaro ADR/RID: no	ds IMDG Marine pollutant: no	IATA: no
14.6 Special precautions for Tunnel restriction code Further information		

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements

H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H361d	Suspected of damaging the unborn child.

Relevant changes since previous version

2. Hazards identification

Millipore- 8.05852

The life science business of Merck operates as MilliporeSigma in the US and Canada

A



Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Millipore- 8.05852

The life science business of Merck operates as MilliporeSigma in the US and Canada

A

Page 12 of 13

Millipore- 8.05852

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 13 of 13

