

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 28967-42 StablCal Stabilized Formazin Turbidity Standard; 3 NTU

Revision date: 23.06.2016

Product code: 2896742

Page 1 of 8

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

28967-42 StablCal Stabilized Formazin Turbidity Standard; 3 NTU

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### Use of the substance/mixture

Water analysis

##### 1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH  
Street: Willstätterstr. 11  
Place: D-40549 Düsseldorf  
Telephone: +49 (0)211 5288-383  
e-mail: SDS@hach.com  
Internet: www.de.hach.com  
Responsible Department: HACH LANGE Ltd.  
5, Pacific Way  
Salford Manchester M50 1DL - United Kingdom  
Tel. +44 (0) 161 872 1487 \* Fax +44 (0) 161 848 7324  
e-Mail: info-uk@hach.com

HACH LANGE Ltd.  
Unit 1, Chestnut Road Western Industrial Estate  
IRL-Dublin 12  
Tel. +353 (0)1 4602522  
e-Mail: info-ie@hach.com

##### 1.4. Emergency telephone number:

Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Regulation (EC) No. 1272/2008

Hazard categories:

Respiratory or skin sensitisation: Resp. Sens. 1

Respiratory or skin sensitisation: Skin Sens. 1

Hazard Statements:

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

##### 2.2. Label elements

###### Regulation (EC) No. 1272/2008

###### Hazard components for labelling

methenamine; hexamethylenetetramine

**Signal word:** Danger**Pictograms:**

###### Hazard statements

H334

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 28967-42 StablCal Stabilized Formazin Turbidity Standard; 3 NTU

Revision date: 23.06.2016

Product code: 2896742

Page 2 of 8

H317 May cause an allergic skin reaction.

#### Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
 P280 Wear protective gloves/protective clothing/eye protection/face protection.  
 P302+P352 IF ON SKIN: Wash with plenty of water.  
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

#### Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

#### 2.3. Other hazards

None known.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
7732-18-5	Water			> 90 %
	231-791-2			
100-97-0	methenamine; hexamethylenetetramine			1-5 %
	202-905-8	612-101-00-2		
	Flam. Sol. 2, Resp. Sens. 1, Skin Sens. 1; H228 H334 H317			

Full text of H and EUH statements: see section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information

Take off all contaminated clothing immediately.

##### After inhalation

Move to fresh air.

##### After contact with skin

Wash off immediately with plenty of water.

If skin irritation persists, call a physician.

##### After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Show this safety data sheet to the doctor in attendance.

##### After ingestion

Clean mouth with water and drink afterwards plenty of water.

Call a physician immediately. Show this safety data sheet to the doctor in attendance.

#### 4.2. Most important symptoms and effects, both acute and delayed

sensitising effects

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 28967-42 StablCal Stabilized Formazin Turbidity Standard; 3 NTU

Revision date: 23.06.2016

Product code: 2896742

Page 3 of 8

#### SECTION 5: Firefighting measures

##### 5.1. Extinguishing media

###### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

##### 5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

##### 5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

###### Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

#### SECTION 6: Accidental release measures

##### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

##### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

##### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

##### 6.4. Reference to other sections

13. Disposal considerations

#### SECTION 7: Handling and storage

##### 7.1. Precautions for safe handling

###### Advice on safe handling

Use only in well-ventilated areas.

Avoid contact with skin and eyes.

###### Advice on protection against fire and explosion

See also section 5

##### 7.2. Conditions for safe storage, including any incompatibilities

###### Requirements for storage rooms and vessels

Keep containers tightly closed in a cool, well-ventilated place.

###### Hints on joint storage

None known.

##### 7.3. Specific end use(s)

Reagent for analysis

#### SECTION 8: Exposure controls/personal protection

##### 8.1. Control parameters

###### Additional advice on limit values

None known.

##### 8.2. Exposure controls

###### Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 28967-42 StablCal Stabilized Formazin Turbidity Standard; 3 NTU

Revision date: 23.06.2016

Product code: 2896742

Page 4 of 8

protective equipment.

#### Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Wash hands before breaks and after work.

#### Eye/face protection

Safety glasses with side-shields

#### Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact:

Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

#### Skin protection

Remove and wash contaminated clothing before re-use.

#### Respiratory protection

Provide adequate ventilation.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	suspension	
Colour:	cloudy, milky	
Odour:	odourless	
pH-Value (at 20 °C):		8

#### Changes in the physical state

Melting point:	no data available
Initial boiling point and boiling range:	100 °C
Sublimation point:	not applicable
Softening point:	not applicable
Pour point:	not applicable
:	no data available
Flash point:	not applicable
Sustaining combustion:	No data available

#### Flammability

Solid:	not applicable
Gas:	not applicable

#### Explosive properties

not applicable

Lower explosion limits:	not applicable
Upper explosion limits:	not applicable
Ignition temperature:	no data available

#### Auto-ignition temperature

Solid:	not applicable
Gas:	not applicable

Decomposition temperature: no data available

#### Oxidizing properties

not applicable

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**28967-42 StablCal Stabilized Formazin Turbidity Standard; 3 NTU**

Revision date: 23.06.2016

Product code: 2896742

Page 5 of 8

Vapour pressure:	no data available
Vapour pressure:	no data available
Density (at 20 °C):	1,002 g/cm <sup>3</sup>
Bulk density:	not applicable
Water solubility: (at 20 °C)	miscible
<b>Solubility in other solvents</b>	
no data available	
Partition coefficient:	no data available
Viscosity / dynamic:	no data available
Viscosity / kinematic:	no data available
Flow time:	no data available
Vapour density:	no data available
Evaporation rate:	no data available
Solvent separation test:	no data available
Solvent content:	no data available

**9.2. Other information**

Solid content:	not applicable
no data available	

**SECTION 10: Stability and reactivity****10.1. Reactivity**

See also section 10.3

**10.2. Chemical stability**

Stable under recommended storage conditions.

**10.3. Possibility of hazardous reactions**

No dangerous reaction known under conditions of normal use.

**10.4. Conditions to avoid**

Extremes of temperature and direct sunlight.

**10.5. Incompatible materials**

Oxidizing agents

**10.6. Hazardous decomposition products**Ammonia, Carbon monoxide, nitrogen oxides (NO<sub>x</sub>)**Further information**

Stable under recommended storage conditions.

**SECTION 11: Toxicological information****11.1. Information on toxicological effects****Acute toxicity**

No data is available on the product itself.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 28967-42 StablCal Stabilized Formazin Turbidity Standard; 3 NTU

Revision date: 23.06.2016

Product code: 2896742

Page 6 of 8

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
100-97-0	methenamine; hexamethylenetetramine				
	oral	LD50 9200 mg/kg	Ratte		

#### Irritation and corrosivity

No known effect.

#### Sensitising effects

May cause sensitisation by skin contact.

May cause sensitisation by inhalation. (List of references: Asthma in the workplace, I.Leonard Bernstein)

#### Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

#### STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### Aspiration hazard

No aspiration toxicity classification

#### Specific effects in experiment on an animal

No data is available on the product itself.

#### Additional information on tests

no data available

#### Practical experience

#### Observations relevant to classification

no data available

#### Other observations

no data available

#### Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

### SECTION 12: Ecological information

#### 12.1. Toxicity

No data is available on the product itself.

Do not flush into surface water or sanitary sewer system.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
100-97-0	methenamine; hexamethylenetetramine					
	Acute fish toxicity	LC50 49800 mg/l	96 h	Fisch		

#### 12.2. Persistence and degradability

No data is available on the product itself.

#### 12.3. Bioaccumulative potential

No data is available on the product itself.

#### 12.4. Mobility in soil

no data available

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 28967-42 StablCal Stabilized Formazin Turbidity Standard; 3 NTU

Revision date: 23.06.2016

Product code: 2896742

Page 7 of 8

#### 12.5. Results of PBT and vPvB assessment

no data available

#### 12.6. Other adverse effects

No known effect.

#### **Further information**

no data available

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### **Disposal recommendations**

In accordance with local and national regulations.

##### **List of Wastes Code - residues/unused products**

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

##### **List of Wastes Code - used product**

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

##### **List of Wastes Code - contaminated packaging**

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

##### **Contaminated packaging**

Dispose of as unused product.

### SECTION 14: Transport information

#### **Land transport (ADR/RID)**

##### **Other applicable information (land transport)**

Not subject to transport regulations.

#### **Inland waterways transport (ADN)**

##### **Other applicable information (inland waterways transport)**

Not tested

#### **Marine transport (IMDG)**

##### **Other applicable information (marine transport)**

Not subject to transport regulations.

#### **Air transport (ICAO-TI/IATA-DGR)**

##### **Other applicable information (air transport)**

Not subject to transport regulations.

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

#### 14.6. Special precautions for user

no data available

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

#### **Other applicable information**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**28967-42 StablCal Stabilized Formazin Turbidity Standard; 3 NTU**

Revision date: 23.06.2016

Product code: 2896742

Page 8 of 8

no data available

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulatory information**

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information****Changes**

Revision: 23.06.2016

Safety datasheet sections which have been updated: 2, 3

Revision: 29.05.2015

Safety datasheet sections which have been updated: 2, 4, 11

**Relevant H and EUH statements (number and full text)**

H228 Flammable solid.

H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

**Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*