

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Revision Date 15.07.2018

Version 4.0

SECTION 1. Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Catalogue No.	170319
Product name	Gallium ICP standard traceable to SRM from NIST Ga(NO ₃) ₃ in HNO ₃ 2-3% 1000 mg/l Ga Certipur®

REACH Registration Number This product is a mixture. REACH Registration Number see section 3.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Reagent for analysis For additional information on uses please refer to the Merck Chemicals portal (www.merckgroup.com).
-----------------	---

1.3 Details of the supplier of the safety data sheet

Responsible Department	LS-QHC * e-mail: prodsafe@merckgroup.com
Regional representation	Merck Chemicals Ltd * Boulevard Industrial Park * Padge Road * Beeston * Nottingham * NG9 2JR * Tel. 01159 430840 * information@merckchem.co.uk .

1.4 Emergency telephone number	+49 (0) 6151 722440
---------------------------------------	---------------------

SECTION 2. Hazards identification**2.1 Classification of the substance or mixture****Classification (REGULATION (EC) No 1272/2008)**

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	170319
Product name	Gallium ICP standard traceable to SRM from NIST Ga(NO ₃) ₃ in HNO ₃ 2-3% 1000 mg/l Ga Certipur®

Corrosive to metals, Category 1, H290

Skin irritation, Category 2, H315

Eye irritation, Category 2, H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Warning

Hazard statements

H290 May be corrosive to metals.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

Precautionary statements

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Reduced labelling (≤125 ml)

Hazard pictograms



Signal word

Warning

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 170319
Product name Gallium ICP standard traceable to SRM from NIST Ga(NO₃)₃ in HNO₃ 2-3%
1000 mg/l Ga Certipur®

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

Chemical nature Aqueous solution

3.1 Substance

Not applicable

3.2 Mixture

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration)

CAS-No. Registration number Classification

nitric acid (>= 1 % - < 5 %)

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

7697-37-2	01-2119487297-23-XXXX	Oxidizing liquid, Category 2, H272 Corrosive to metals, Category 1, H290 Acute toxicity, Category 1, H330 Skin corrosion, Category 1A, H314
-----------	-----------------------	--

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/shower.

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	170319
Product name	Gallium ICP standard traceable to SRM from NIST Ga(NO ₃) ₃ in HNO ₃ 2-3% 1000 mg/l Ga Certipur®

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

irritant effects

The following applies to nitrites/nitrates in general: methaemoglobinaemia after the uptake of large quantities.

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	170319
Product name	Gallium ICP standard traceable to SRM from NIST Ga(NO ₃) ₃ in HNO ₃ 2-3% 1000 mg/l Ga Certipur®

Advice for non-emergency personnel: Avoid substance contact. Do not breathe vapours, aerosols. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Observe possible material restrictions (see sections 7 and 10).

Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® H⁺, Merck Art. No. 101595). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

No metal containers.

Storage conditions

Tightly closed.

Recommended storage temperature see product label.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 170319
Product name Gallium ICP standard traceable to SRM from NIST Ga(NO₃)₃ in HNO₃ 2-3%
1000 mg/l Ga Certipur®

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

Components

Basis	Value	Threshold limits	Remarks
<i>nitric acid (7697-37-2)</i>			
EU ELV	Short Term Exposure Limit (STEL):	1 ppm 2.6 mg/m ³	
EH40 WEL	Short Term Exposure Limit (STEL):	1 ppm 2.6 mg/m ³	

Derived No Effect Level (DNEL)

nitric acid (7697-37-2)

Worker DNEL, longterm	Local effects	inhalation	1.3 mg/m ³
-----------------------	---------------	------------	-----------------------

Recommended monitoring procedures

Methods for measurement of the workplace atmosphere have to correspond to the requirements of norms DIN EN 482 and DIN EN 689.

Predicted No Effect Concentration (PNEC)

nitric acid (7697-37-2)

PNEC no data available

8.2 Exposure controls

Engineering measures

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 170319
Product name Gallium ICP standard traceable to SRM from NIST Ga(NO₃)₃ in HNO₃ 2-3%
1000 mg/l Ga Certipur®

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Safety glasses

Hand protection

full contact:

Glove material:	Nitrile rubber
Glove thickness:	0.11 mm
Break through time:	480 min

splash contact:

Glove material:	Nitrile rubber
Glove thickness:	0.11 mm
Break through time:	480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet(>,<) supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment

protective clothing

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 170319
Product name Gallium ICP standard traceable to SRM from NIST Ga(NO₃)₃ in HNO₃ 2-3%
1000 mg/l Ga Certipur®

Respiratory protection

required when vapours/aerosols are generated.

Recommended Filter type: filter E-(P2)

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not let product enter drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	liquid
Colour	colourless
Odour	odourless
Odour Threshold	Not applicable
pH	ca. 0.5 at 20 °C
Melting point	No information available.
Boiling point	No information available.
Flash point	Not applicable
Evaporation rate	No information available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	170319
Product name	Gallium ICP standard traceable to SRM from NIST Ga(NO ₃) ₃ in HNO ₃ 2-3% 1000 mg/l Ga Certipur®

Flammability (solid, gas) No information available.

Lower explosion limit No information available.

Upper explosion limit No information available.

Vapour pressure No information available.

Relative vapour density No information available.

Density ca. 1.014 g/cm³
at 20 °C

Relative density No information available.

Water solubility at 20 °C
soluble

Partition coefficient: n-
octanol/water No information available.

Auto-ignition temperature No information available.

Decomposition temperature No information available.

Viscosity, dynamic No information available.

Explosive properties Not classified as explosive.

Oxidizing properties No information available.

9.2 Other data

Corrosion May be corrosive to metals.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	170319
Product name	Gallium ICP standard traceable to SRM from NIST Ga(NO ₃) ₃ in HNO ₃ 2-3% 1000 mg/l Ga Certipur®

SECTION 10. Stability and reactivity

10.1 Reactivity

See section 10.3

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Generates dangerous gases or fumes in contact with:

Metals, metal alloys

Release of:

nitrous gases, Hydrogen

Violent reactions possible with:

The generally known reaction partners of water.

increased reactivity with:

oxidisable substances, organic solvent, Alkali metals, Alkaline earth metals, Ammonia, alkalines,
acids

10.4 Conditions to avoid

no information available

10.5 Incompatible materials

Metals, metal alloys

(generation of hydrogen)

10.6 Hazardous decomposition products

no information available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	170319
Product name	Gallium ICP standard traceable to SRM from NIST Ga(NO ₃) ₃ in HNO ₃ 2-3% 1000 mg/l Ga Certipur®

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Mixture

Acute oral toxicity

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

Acute inhalation toxicity

Symptoms: Possible damages:, mucosal irritations

Acute dermal toxicity

This information is not available.

Skin irritation

Mixture causes skin irritation.

Eye irritation

Mixture causes serious eye irritation.

Sensitisation

This information is not available.

Germ cell mutagenicity

This information is not available.

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 170319
Product name Gallium ICP standard traceable to SRM from NIST Ga(NO₃)₃ in HNO₃ 2-3%
1000 mg/l Ga Certipur®

Aspiration hazard

This information is not available.

11.2 Further information

The following applies to nitrites/nitrates in general: methaemoglobinaemia after the uptake of large quantities.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Components

nitric acid

Acute inhalation toxicity

LC50 Rat: > 2.65 mg/l; 4 h ; vapour

OECD Test Guideline 403

Germ cell mutagenicity

Genotoxicity in vitro

Ames test

Salmonella typhimurium

Result: negative

Method: OECD Test Guideline 471

SECTION 12. Ecological information

Mixture

12.1 Toxicity

No information available.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Substance(s) in the mixture do(es) not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII, or a PBT/vPvB assessment was not conducted.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 170319
Product name Gallium ICP standard traceable to SRM from NIST Ga(NO₃)₃ in HNO₃ 2-3%
1000 mg/l Ga Certipur®

12.6 Other adverse effects

Discharge into the environment must be avoided.

Components

nitric acid

Biodegradability

The methods for determining the biological degradability are not applicable to inorganic substances.

Partition coefficient: n-octanol/water

log Pow: -2.3

OECD Test Guideline 107

Bioaccumulation is not expected.

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

Henry constant

2482 Pa·m³/mol

Method: (calculated)

(Lit.) Distribution preferentially in air.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	170319
Product name	Gallium ICP standard traceable to SRM from NIST Ga(NO ₃) ₃ in HNO ₃ 2-3% 1000 mg/l Ga Certipur®

SECTION 13. Disposal considerations

Waste treatment methods

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

Notice Directive on waste 2008/98/EC.

SECTION 14. Transport information

Land transport (ADR/RID)

14.1 UN number	UN 3264
14.2 Proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID SOLUTION)
14.3 Class	8
14.4 Packing group	III
14.5 Environmentally hazardous	--
14.6 Special precautions for user	yes
Tunnel restriction code	E

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 170319
Product name Gallium ICP standard traceable to SRM from NIST Ga(NO₃)₃ in HNO₃ 2-3%
1000 mg/l Ga Certipur®

14.1 UN number UN 3264
14.2 Proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID SOLUTION)
14.3 Class 8
14.4 Packing group III
14.5 Environmentally hazardous --
14.6 Special precautions for user no

Sea transport (IMDG)

14.1 UN number UN 3264
14.2 Proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID NOT MORE THAN 5%)
14.3 Class 8
14.4 Packing group III
14.5 Environmentally hazardous --
14.6 Special precautions for user yes
EmS F-A S-B

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not relevant

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard SEVESO III
Legislation Not applicable

Occupational restrictions Take note of Dir 94/33/EC on the protection of young people at work.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 170319
Product name Gallium ICP standard traceable to SRM from NIST Ga(NO₃)₃ in HNO₃ 2-3%
1000 mg/l Ga Certipur®

Regulation (EC) No 1005/2009 on substances that not regulated
deplete the ozone layer

Regulation (EC) No 850/2004 of the European not regulated
Parliament and of the Council of 29 April 2004 on
persistent organic pollutants and amending
Directive 79/117/EEC

Substances of very high concern (SVHC) This product does not contain substances
of very high concern according to
Regulation (EC) No 1907/2006 (REACH),
Article 57 above the respective regulatory
concentration limit of ≥ 0.1 % (w/w).

National legislation

Storage class 8B

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H272 May intensify fire; oxidizer.
H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H330 Fatal if inhaled.

Training advice

Provide adequate information, instruction and training for operators.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	170319
Product name	Gallium ICP standard traceable to SRM from NIST Ga(NO ₃) ₃ in HNO ₃ 2-3% 1000 mg/l Ga Certipur®

Labelling

Hazard pictograms



Signal word

Warning

Hazard statements

H290 May be corrosive to metals.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

Precautionary statements

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P313 Get medical advice/ attention.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.