



according to Regulation (EC) No 1907/2006

## 14322-98 Potassium 2 Reagent

Revision date: 12.07.2017 Product code: 1432298 Page 1 of 11

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

14322-98 Potassium 2 Reagent

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Water analysis

### 1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.

5, Pacific Way

Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 \* Fax +44 (0) 161 848 7324

e-Mail: info-uk@hach.com

HACH LANGE Ltd.

Unit 1, Chestnut Road Western Industrial Estate

IRL-Dublin 12

Tel. +353 (0)1 4602522 e-Mail: info-ie@hach.com

**1.4. Emergency telephone** Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency

number: service -

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

## Regulation (EC) No. 1272/2008

Hazard categories:

Acute toxicity: Acute Tox. 3 Acute toxicity: Acute Tox. 3 Acute toxicity: Acute Tox. 3

Skin corrosion/irritation: Skin Corr. 1B

Serious eye damage/eye irritation: Eye Dam. 1 Respiratory or skin sensitisation: Skin Sens. 1

Germ cell mutagenicity: Muta. 2 Carcinogenicity: Carc. 1B

Specific target organ toxicity - single exposure: STOT SE 1 Specific target organ toxicity - single exposure: STOT SE 3 Specific target organ toxicity - repeated exposure: STOT RE 1

Hazard Statements:
Toxic if swallowed.
Toxic in contact with skin.

Toxic if inhaled.

Causes severe skin burns and eye damage.

Causes serious eye damage.

May cause an allergic skin reaction.

Suspected of causing genetic defects.

May cause cancer.





Be Right<sup>™</sup>

## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## 14322-98 Potassium 2 Reagent

Revision date: 12.07.2017 Product code: 1432298 Page 2 of 11

Causes damage to organs.

May cause respiratory irritation.

Causes damage to organs through prolonged or repeated exposure.

#### 2.2. Label elements

### Regulation (EC) No. 1272/2008

## Hazard components for labelling

formaldehyde ... %

methanol

Signal word: Danger

Pictograms:







#### **Hazard statements**

H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H341 Suspected of causing genetic defects.
H350 May cause cancer.
H370 Causes damage to organs.
H335 May cause respiratory irritation.

H372 Causes damage to organs through prolonged or repeated exposure.

## **Precautionary statements**

P201 Obtain special instructions before use.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

or shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P310 Immediately call a POISON CENTER/doctor.

### Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

#### 2.3. Other hazards

None known.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures



according to Regulation (EC) No 1907/2006

## 14322-98 Potassium 2 Reagent

Revision date: 12.07.2017 Product code: 1432298 Page 3 of 11

### **Hazardous components**

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification according to Regulati	•			
7732-18-5	Water				
	231-791-2				
50-00-0	formaldehyde %				
	200-001-8				
	Carc. 1B, Muta. 2, Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, Skin Corr. 1B, Skin Sens. 1; H350 H341 H301 H311 H331 H314 H317				
67-56-1	methanol				
	200-659-6	603-001-00-X			
	Flam. Liq. 2, Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, Skin Irrit. 2, Eye Irrit. 2, STOT SE 1, STOT RE 1; H225 H331 H311 H301 H315 H319 H370 H372				

Full text of H and EUH statements: see section 16.

### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### **General information**

Take off all contaminated clothing immediately.

Show this safety data sheet to the doctor in attendance.

#### After inhalation

Move to fresh air. Call a physician immediately.

#### After contact with skin

Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing and shoes immediately. Call a physician immediately.

#### After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### After ingestion

Do NOT induce vomiting. Drink 1 or 2 glasses of water.

Never give anything by mouth to an unconscious person.

Call a physician immediately.

## 4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion, sensitising effects, Dizziness

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### Unsuitable extinguishing media

None known.

#### 5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours. In the event of fire the following can be released: Formaldehyde, Carbon monoxide, Carbon dioxide (CO2)



according to Regulation (EC) No 1907/2006

## 14322-98 Potassium 2 Reagent

Revision date: 12.07.2017 Product code: 1432298 Page 4 of 11

#### 5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

#### Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

#### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste.

#### 6.4. Reference to other sections

13. Disposal considerations

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid contact with skin and eyes.

Do not breathe vapours or spray mist.

## 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep away from heat and sources of ignition.

Keep containers tightly closed in a cool, well-ventilated place.

### Hints on joint storage

Do not store near combustible materials.

#### Further information on storage conditions

Keep locked up or in an area accessible only to qualified or authorised persons.

### 7.3. Specific end use(s)

Laboratory chemicals

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
50-00-0	Formaldehyde	2	2.5		TWA (8 h)	WEL
		2	2.5	Ì	STEL (15 min)	WEL
67-56-1	Methanol	200	266	İ	TWA (8 h)	WEL
		250	333	Ì	STEL (15 min)	WEL

### Additional advice on limit values

None known.

## 8.2. Exposure controls





Be Right<sup>™</sup>

## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## 14322-98 Potassium 2 Reagent

Revision date: 12.07.2017 Product code: 1432298 Page 5 of 11

#### Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

#### Protective and hygiene measures

Wash hands before breaks and at the end of workday.

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## Eye/face protection

Safety glasses with side-shields

### Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374.

#### Skin protection

Avoid contact with skin, eyes and clothing.

### Respiratory protection

Provide adequate ventilation.

Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: liquid

Colour: clear, colourless
Odour: formaldehyde-like

pH-Value (at 20 °C): 2,8 - 4,0

Changes in the physical state

Melting point:  $-15 \, ^{\circ}\text{C}$  Initial boiling point and boiling range:  $96 \, ^{\circ}\text{C}$  Sublimation point: not applicable Softening point: not applicable Pour point: not applicable Pour point: no data available Autoignition temperature:  $420 \, ^{\circ}\text{C}$  Flash point:  $64 \, ^{\circ}\text{C}$ 

Flammability

Solid: no data available
Gas: no data available

**Explosive properties** 

no data available

Lower explosion limits: 7 vol. %
Upper explosion limits: 70 vol. %
Ignition temperature: no data available

**Auto-ignition temperature** 

Solid: no data available
Gas: no data available
Decomposition temperature: no data available

**Oxidizing properties** 

no data available





Be Right™

## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## 14322-98 Potassium 2 Reagent

Revision date: 12.07.2017 Product code: 1432298 Page 6 of 11

Vapour pressure:

Density (at 20 °C):

Bulk density:

Nater solubility:

(at 20 °C)

soluble

(at 20 °C)

Solubility in other solvents

no data available

Partition coefficient: no data available Viscosity / dynamic: no data available no data available Viscosity / kinematic: Flow time: no data available no data available Vapour density: no data available Evaporation rate: Solvent separation test: no data available Solvent content: no data available

9.2. Other information

Solid content: not applicable

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2. Chemical stability

Stable under recommended storage conditions.

#### 10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

#### 10.4. Conditions to avoid

Heat, flames and sparks.

# 10.5. Incompatible materials

Incompatible with strong bases and oxidizing agents.

### 10.6. Hazardous decomposition products

Formaldehyde, Carbon monoxide, Carbon dioxide (CO2)

#### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

#### Toxicocinetics, metabolism and distribution

No toxicology information is available.

## **Acute toxicity**

Toxic if swallowed.

Toxic in contact with skin.

Toxic by inhalation.

#### **ATEmix** calculated

ATE (oral) 241,9 mg/kg; ATE (dermal) 733,5 mg/kg; ATE (inhalation vapour) 7,33 mg/l; ATE (inhalation aerosol) 1,000 mg/l



according to Regulation (EC) No 1907/2006

## 14322-98 Potassium 2 Reagent

Revision date: 12.07.2017 Product code: 1432298 Page 7 of 11

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
50-00-0	formaldehyde %							
	oral	ATE mg/kg	100					
	dermal	ATE mg/kg	300					
	inhalation (4 h) vapour	LC50	250 mg/l	rat				
	inhalation aerosol	ATE	0,5 mg/l					
67-56-1	methanol							
	oral	LD50 mg/kg	5628	rat				
	dermal	LD50 mg/kg	17100	rabbits				
	inhalation (4 h) vapour	LC50	10 mg/l	rat				
	inhalation aerosol	ATE	0,5 mg/l					

#### Irritation and corrosivity

Causes skin and eye burns.

#### Sensitising effects

May cause sensitisation by skin contact. (formaldehyde ... %)

## Carcinogenic/mutagenic/toxic effects for reproduction

May cause cancer. (formaldehyde ... %)

 $\mbox{H341}$  - Suspected of causing genetic defects. (formaldehyde ... %)

## STOT-single exposure

H370 - Causes damage to organs (a,b,c).

H335 - May cause respiratory irritation.

### STOT-repeated exposure

H372 - Causes damage to organs through prolonged or repeated exposure.

## **Aspiration hazard**

No aspiration toxicity classification

## Specific effects in experiment on an animal

No toxicology information is available.

## **Further information**

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

## **SECTION 12: Ecological information**

### 12.1. Toxicity

No data is available on the product itself.



Be Right™

## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## 14322-98 Potassium 2 Reagent

Revision date: 12.07.2017 Product code: 1432298 Page 8 of 11

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method	
67-56-1	methanol							
	Acute fish toxicity	LC50 mg/l	15400		Lepomis macrochirus (Bluegill sunfish)			
	Acute algae toxicity	ErC50 mg/l	22000		Pseudokirchneriella subcapitata (green algae)			
	Acute crustacea toxicity	EC50 mg/l	24500	48 h	Crustaceans			

#### 12.2. Persistence and degradability

No data is available on the product itself.

### 12.3. Bioaccumulative potential

No data is available on the product itself.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
67-56-1	methanol	-0,77

#### 12.4. Mobility in soil

no data available

#### 12.5. Results of PBT and vPvB assessment

no data available

#### 12.6. Other adverse effects

No known effect.

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

#### Advice on disposal

In accordance with local and national regulations.

## Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

### Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

### Waste disposal number of contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

## **SECTION 14: Transport information**

### Land transport (ADR/RID)

<u>14.1. UN number:</u> UN 2209

14.2. UN proper shipping name: Formaldehyde solution

14.3. Transport hazard class(es): 8
14.4. Packing group: III



Be Right™

## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## 14322-98 Potassium 2 Reagent

Revision date: 12.07.2017 Product code: 1432298 Page 9 of 11

Hazard label:

8

Classification code: C9
Special Provisions: 533
Limited quantity: 5 L
Excepted quantity: E1
Transport category: 3
Hazard No: 80
Tunnel restriction code: E

Other applicable information (land transport)

-

## Inland waterways transport (ADN)

### Other applicable information (inland waterways transport)

Not tested

### Marine transport (IMDG)

**14.1. UN number:** UN 2209

14.2. UN proper shipping name: FORMALDEHYDE SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8



Marine pollutant:

Special Provisions:

Limited quantity:

Excepted quantity:

EmS:

5 L

E1

EnS:

F-A. S-B

Other applicable information (marine transport)

## Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number:** UN 2209

14.2. UN proper shipping name: FORMALDEHYDE SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8



Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Excepted quantity:

A803

1 L

Y841

Excepted quantity:

IATA-packing instructions - Passenger: 852
IATA-max. quantity - Passenger: 5 L
IATA-packing instructions - Cargo: 856





according to Regulation (EC) No 1907/2006

14322-98 Potassium 2 Reagent

Revision date: 12.07.2017 Product code: 1432298 Page 10 of 11

IATA-max. quantity - Cargo: 60 L

Other applicable information (air transport)

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

no data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

Other applicable information

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit, Hazard Class: 9, UN Number3316, Package group II, EMS Code: F-A, S-P

### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 28: formaldehyde ... %

Entry 69: methanol

### National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water contaminating class (D): 1 - slightly water contaminating

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

#### Changes

Revision: 12.07.2017

Safety datasheet sections which have been updated: 2, 3

Revision: 08.12.2016

Safety datasheet sections which have been updated: 2, 11, 12

Revision: 17.03.2015

Safety datasheet sections which have been updated: 3

Revision: 11.03.2015

Safety datasheet sections which have been updated: 2-16

## Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.

H301 Toxic if swallowed.

H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.



according to Regulation (EC) No 1907/2006

## 14322-98 Potassium 2 Reagent

Revision date: 12.07.2017 Product code: 1432298 Page 11 of 11

H331 Toxic if inhaled.

H335 May cause respiratory irritation.H341 Suspected of causing genetic defects.

H350 May cause cancer.

H370 Causes damage to organs.

H372 Causes damage to organs through prolonged or repeated exposure.

#### **Further Information**

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)