

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 701490.1100	Silyl-991, 1x100 mL	Page: 1/7
Printing date: 01.10.2019	Date of issue: 02.01.2019	

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

REF 701490.1100
 Product name Silyl-991, 1x100 mL

REACH Registration number(s): see SECTION 3.1/3.2 or
 A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

1 x 100 mL SILYL 991

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses
 Product for analytical use.
 Exposure Scenario Classification according REACH, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0
 The exposure scenario is integrated into sections 1-16.

Uses advised against
 not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:
 MACHEREY-NAGEL GmbH & Co. KG
 Neumann-Neander-Str. 6-8, 52355 Dueren, GERMANY
 Tel.: +49 2421 969 0 E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service.
 DE: Gemeinsames Giftinformationszentrum (GGIZ) 99089 Erfurt tel. +49 361 730 730

You find our current versions of SDS (22 languages) in Internet: <http://www.mn-net.com/SDS>

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

100 mL SILYL 991



GHS02 GHS07

Signal word WARNING

Hazard identification	Hazard classes/categories
H226	Flam. Liq. 3
H315	Skin Irrit. 2
H319	Eye Irrit. 2

2.2 Label elements

According CLP directive inner packages must be only labelled with GHS symbol(s) and product identifier(s) (EU 1272/2008 Annex I - 1.5.1.2). Inner packages up to 10 mL need max. 2 symbols (Annex I - 1.5.2.4.1 / 2).

Harmful chemicals/mixtures with signal word: **WARNING** and highly flammable chemicals/mixtures must not be labelled with H and P phrases until 125 mL (EU 1272/2008 Annex I - 1.5.2).

100 mL SILYL 991

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 701490.1100

Silyl-991, 1x100 mL

Page: 2/7

Printing date: 01.10.2019

Date of issue: 02.01.2019



GHS02



GHS07

Signal word: WARNING

2.3 Other hazards

Possible hazards from physicochemical properties

In the case of pH values are less than 5 or higher than 9 then it is irritant. Flammable properties. ---

Information pertaining to particular risks to human and possible symptoms

Information pertaining to particular risks to the environment

Other hazards

SECTION 3: Composition/information on ingredients

3.1 Substances or 3.2 Mixtures

100 mL SILYL 991

Chemical:	<i>N,O-bis-trimethylsilyl-trifluoroacetamide (BSTFA)</i>	CAS No.:	25561-30-2
Classification:	H226, Flam. Liq. 3, H315, Skin Irrit. 2, H319, Eye Irrit. 2		
Formula:	C ₈ H ₁₈ F ₃ NOSi ₂		
TSCA Inventory:	not listed		
EC No.:	247-103-9	MFCID:	00008269
Concentration:	95 - <100 %		
acc. CLP (GHS):	H226, Flam. Liq. 3, H315, Skin Irrit. 2, H319, Eye Irrit. 2		

Chemical:	<i>trimethylchlorosilane (TMCS), chlorotrimethylsilane</i>	CAS No.:	75-77-4
Classification:	H225, Flam. Liq. 2, H301, Acute Tox. 3 oral, H312, Acute Tox. 4 derm., H314, Skin Corr. 1B, H331, Acute Tox. 3 inh., H351, Carc. 2		
Formula:	C ₃ H ₉ ClSi		
Pseudonym:	chlorotrimethylsilane		
TSCA Inventory:	listed		
REACH Reg. No.:	01-2119457596-25-xxxx		
EC No.:	200-900-5		
RTECS:	VV2710000	MFCID:	00000502
KE No.:	KE-05939		
Concentration:	0,1 - <1 %		
acc. CLP (GHS):	The criteria for classification are not fulfilled.		

3.3 Remarks

List of H and P phrases: see section 16.1

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice.

4.1.1 After SKIN Contact

Remove contaminated clothing. Rinse the affected skin or mucous membrane thoroughly under running water. (If possible) use soap.

4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open with eye washing bottle, eye douche or running water (protect intact eye).

4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. ---

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 701490.1100

Silyl-991, 1x100 mL

Page: 3/7

Printing date: 01.10.2019

Date of issue: 02.01.2019

- 4.1.4 After ORAL Intake**
After oral intake lots of water should be drunk after it has been ingested. ---
- 4.2 Most important symptoms and effects, both acute and delayed**

- 4.3 Indication of any immediate medical attention and special treatment needed**
No additionally recommendations. ---

SECTION 5: Firefighting measures

- 5.1 Extinguishing media**
Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.
- 5.2 Special hazards arising from the substance or mixture**
WARNING: Flammable (GHS regulation). May form explosive vapour-air mixtures. Formation of hazardous and caustic vapour-air mixtures possible. ---
- 5.3 Advice for firefighters**
No, for listed product. Product package burns like paper or plastic.
- 5.4 Additional information**

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures**
Do not breathe vapours. Regular staff training is necessary.
- 6.2 Environmental precautions**
not necessary
- 6.3 Methods and material for containment and cleaning up**
Bind any escaping liquid with inert absorbent.
Collect small amounts of leaked liquid and flush with water into drains.
- 6.4 Reference to other sections**

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling**
Handling in accordance with the test instruction, that comes with the product.
- 7.2 Conditions for safe storage, including any incompatibilities**
The original product package of MACHEREY-NAGEL allows a safe storage.
Storage class (VCI): 3
Water hazard class (DE): 2
- 7.2.1 Requirements for stock rooms and containers**
Keep original product packages tightly closed during handling and storage.
- 7.3 Specific end use(s)**
Product for analytical use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

100 mL SILYL 991

Chemical: *N,O-bis-trimethylsilyl-trifluoroacetamide (BSTFA)*

CAS No.: 25561-30-2

Chemical: *trimethylchlorosilane (TMCS), chlorotrimethylsilane*

CAS No.: 75-77-4

DNEL: [inh] 89 mg/m³

DNEL = Derived No-Effect Level (for workers)

PNEC_(fresh water): 250 µg/L

PNEC = Predicted No Effect Concentration

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 701490.1100

Silyl-991, 1x100 mL

Page: 4/7

Printing date: 01.10.2019

Date of issue: 02.01.2019

8.2 Exposure controls

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

8.2.1 Respiratory protection

No additional recommendations.

8.2.2 Hand protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC (f.ex. from Ansell or KCL). Use for short times chemical resistant latex or nitril gloves with code EN 374-3 level 1.

8.2.3 Eye protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection.

8.2.4 Skin protection

Not necessary.

8.2.5 Personal hygiene

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

100 mL SILYL 991

Appearance: liquid

Colour: colourless

Odor: penetrative

Melting point:

-10 °C

Boiling point:

40/12 mm Hg °C

Flash point:

7 °C

Specific gravity:

0,97 g/cm³

9.2 Other information

Data for the other parameters of the mixtures are not available, because no registration and no chemical safety report is required.

Relevant Properties of Substance Group

SECTION 10: Stability and reactivity

10.1 Reactivity

. Reacts with water (sometimes violent) and diverse organic compounds. no further data available.

10.2 Chemical stability

No known instability.

10.3 Possibility of hazardous reactions

No further data available.

10.4 Conditions to avoid

10.5 Incompatible materials

Avoid contact with strong acids or alkalines.

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 701490.1100	Silyl-991, 1x100 mL	Page: 5/7
Printing date: 01.10.2019	Date of issue: 02.01.2019	

100 mL SILYL 991

Chemical:	<i>N,O-bis-trimethylsilyl-trifluoroacetamide (BSTFA)</i>	CAS No.: 25561-30-2
TSCA Inventory:	not listed	
Chemical:	<i>trimethylchlorosilane (TMCS), chlorotrimethylsilane</i>	CAS No.: 75-77-4
TSCA Inventory:	listed	
Target Organs:		
Korea Exist.Chem.Inventory:	KE-05939	
LD50 _{orl rat} :	250-6630 mg/kg	
LC50 _{ihl rat} :	[1h] 4257 ppm	
LD50 _{drm rbt} :	1780-2780 mg/kg	
EU carcinogen:	carc. 2	

SECTION 12: Ecological information

12.1 Toxicity

Following information is valid for pure substances.

100 mL SILYL 991

Chemical:	<i>N,O-bis-trimethylsilyl-trifluoroacetamide (BSTFA)</i>	CAS No.: 25561-30-2
Water hazard class (DE):	2	
Storage class (VCI):	12	
Chemical:	<i>trimethylchlorosilane (TMCS), chlorotrimethylsilane</i>	CAS No.: 75-77-4
PNEC _(fresh water) :	250 µg/L	
PNEC = Predicted No Effect Concentration		
LC50 _{fish/96h} :	[LD50 24h] 949 mg/L	
EC50 _{daphnia/48h} :	124 mg/L	
EC10 _{pseudomonas putida/16h} :	[72h] 555-1053 mg/L	
Water hazard class (DE):	1	WGK No.: 0557
Dispersion coefficient _(octanol-water) :	1.19	
Storage class (VCI):	3	

12.2 Persistence and degradability

not necessary

12.3 Bioaccumulative potential

not necessary

12.4 Mobility in soil

not necessary

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no additional data available

SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

13.1 Waste treatment methods

Normally it is possible to empty small amounts (diluted!) into drains.

SECTION 14: Transport information

14.1. UN number:	3316	14.2. UN proper shipping name:	Chemical Kit
14.3. Class:	9	14.4. Packing group:	II
<i>Road transport</i>			
Classification code:	M11	Tunnel restriction code:	E
Limited Quantity:	acc. ADR 3.3.1/251: see LQ in Alternative declaration for transportation		
<i>Air transport</i>			
PAX:	960	max. weight PAX:	10 KG
CAO:	960	max. weight CAO:	10 KG

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 701490.1100	Silyl-991, 1x100 mL	Page: 6/7
Printing date: 01.10.2019	Date of issue: 02.01.2019	

Maritime transport
EmS: F-A, S-P Storage category: A

Or use **Alternative declaration for transportation:**

14.1 UN number: 2924

14.2 UN proper shipping name: Flammable liquid, corrosive, n.o.s. (N,O-bis-trimethylsilyl-trifluoroacetamide (BSTFA), trimethylchlorosila

14.3 Class: 3 Additionally class: **8** **14.4 Packing group: III**

Road transport

Classification code: FC
Limited Quantity: 5 L Tunnel restriction code: E
Excepted Quantity: E 1

Air transport

PAX: 354 max. weight PAX: 5 L
CAO: 365 max. weight CAO: 60 L

Maritime transport

EmS: F-E, S-C Storage category: A
Maritime pollutant (5.2.1.6): P* (Limited Quantity (LQ) until 5 L/kg per inner package)

14.5 Environmental hazards

none, contains only small quantities of hazardous substances

14.6 Special precautions for user

not necessary

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013
German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung - GefStoffV), revised on November 2010, according to Directive 98/24/EC
TRGS 200, German engineering rules governing the classification and labelling of hazardous substances, preparations and products, updated October 2011
MN Leaflet/User manual, also see www.mn-net.com
Look for your country-specific regulations.

15.2 Chemical safety assessment

not necessary for these small amounts ---

SECTION 16: Other information

16.1 List of H and P phrases

16.1.1 List of relevant H phrases

H226 Flammable liquid and vapour.
H315 Causes skin irritation.
H319 Causes serious eye irritation.

16.1.2 List of relevant P phrases

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P280sh Wear protective gloves/eye protection.

16.2 Training advice

Regular safety training.

16.3 Recommended restriction on use

Only for professional user.
An individual package of this product or test kit has a moderate hazardous potential.

16.4 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including

www.mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 701490.1100

Silyl-991, 1x100 mL

Page: 7/7

Printing date: 01.10.2019

Date of issue: 02.01.2019

without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.5 Sources of key data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS

Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress

Regulation 669/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress

TRGS 900, German engineering rules governing limits in air at work, updated 03/2018

SUVA .CH, Limits in air at work 2009, revised on 01.2009

KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU