MACHEREY-NAGEL



according to Regulations REACh 1907/2006/EC

REF: 915008	VISOCOLOR HE Sulfite SU 100	Page: 1/11
Printing date: 15.05.2024	Date of issue: 26.09.2022	Version: 2.2.2.16

SECTION 1: Identification of the substance/mixture and of the company

1.1 Product identifier REF

Product name

915008 VISOCOLOR HE Sulfite SU 100

REACH Registration number(s): see SECTION 3.1/3.2 or A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

- 1 x 100 mL Sulphite-1
- 1 x 100 mL TL SU 100
- 1 x 30 mL Sulphite-2
- 1 x 10 mL Sulphite-3

UFI: DWQT-S3D9-F20M-DSJM

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0 The exposure scenario is integrated into sections 1-16. Uses advised against not described

1.3 Details of the supplier of the safety data sheet Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11, 52355 Düren, Germany Phone: +49 2421 969 0

E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service. DE: Gemeinsames Giftinformationszentrum (GGIZ) 99089 Erfurt tel. +49 361 730 730, <https://www.ggiz-erfurt.de>

You find our current versions of SDS in Internet:

<http://www.mn-net.com/SDS>

SECTION 2: Hazard identification

2.0 Classification of the complete product according to Regulation (EC) 1272/2008

	GHS05
Signal word	DANGER
Hazard identification	Hazard classes/categories
H314	Skin Corr. 1 B

2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008 30 mL Sulphite-2

	GHS05
Signal word	DANGER
Hazard identification	Hazard classes/categories
H314	Skin Corr. 1 B



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

 DE
 Tel.: +49 24 21 969-0
 info@mn-net.com

 CH
 Tel.: +41 62 388 55 00
 sales-ch@mn-net.com

 FR
 Tel.: +33 388 68 22 68
 sales-fr@mn-net.com

 US
 Tel.: +1 888 321 62 24
 sales-us@mn-net.com

CHEREY-NAGE



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

REF: 915008	VISOCOLOR HE Sulfite SU 100	Page: 2/11
Printing date: 15.05.2024	Date of issue: 26.09.2022	Version: 2.2.2.16
100 mL Sulphite-1		
	GHS03 GHS05	
Signal word	DANGER	
Hazard identification	Hazard classes/categories	
H272 H318	Ox. Liq. 2 Eye Dam. 1	
100 mL TL SU 100		
Signal word	Do not need labelling as hazardous -	
No hazard class		
10 mL Sulphite-3		
Signal word	Do not need labelling as hazardous -	
No hazard class		
List of H phrases: see section 16.2	2	
According CLP directive inner pa	Label elements according regulation (EC) 1272/2008 According CLP directive inner packages must be only labelled with GHS symbol(s) and product identificator(s) (EU 1272/2008 Annex I - 1.5.1.2).	

30 mL Sulphite-2



Signal word: DANGER

H314

Causes severe skin burns and eye damage. P260sh, P264, P280sh, P303+361+353, P305+351+338, P310, P405, P501

Do not breathe dust/vapours.Wash hands thoroughly after handling.Wear protective gloves/eye protection.IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.Store locked up.Dispose of contents/container to regulated waste treatment.

100 mL Sulphite-1

Do not need labelling as hazardous Signal word: -

100 mL TL SU 100

Do not need labelling as hazardous Signal word: -

10 mL Sulphite-3

Do not need labelling as hazardous

Signal word: -

Label elements of the complete product





MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

- DE Tel.: +49 24 21 969-0 info@mn-net.com
- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
- FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
- US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Software: M2 V 6.1.5.0



according to Regulations REACh 1907/2006/EC

REF: 915008	VISOCOLOR HE Sulfite SU 100	Page: 3/11
Printing date: 15.05.2024	Date of issue: 26.09.2022	Version: 2.2.2.16

Signal word: DANGER

H314

Causes severe skin burns and eye damage.

P260sh, P264, P280sh, P303+361+353, P305+351+338, P310, P405, P501 Do not breathe dust/vapours.Wash hands thoroughly after handling.Wear protective gloves/eye protection.IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.Immediately call a POISON CENTER/doctor.Store locked up.Dispose of contents/container to regulated waste treatment.

2.3 Other hazards

Possible hazards from physicochemical properties

Generally in the case of pH values are less than 2 or higher than 11.5 then it is corrosive.

Information pertaining to particular risks to human and possible symptoms

Causes varying degrees of acid burns on the skin, to the eyes and to the mucous membranes and wounds which do not heal quickly depending on the concentration, temperature and the exposure time. Vapours especially which steam from hot liquids and mist can have a severe irritant effect upon the eyes and the respiratory organs.

Information pertaining to particular risks to the environment

Should not be released into the environment. PBT: not applicable

vPvB:	not applicable	

Possible endocrine disrupting effects no data available

SECTION 3: Composition / information on ingredients

3.1 Substances or 3.2 Mixtures

30 mL Sulphite-2

Substance name: CAS No.:	<i>sulfuric acid</i> 7664-93-9		
Substance rating: Formula: REACH Reg. No.: EC No.: Specific concentration 1A; H314 c ≥ 15% Concentration: acc. CLP (GHS):	H314, Skin Corr. 1 B H ₂ SO ₄ (•H ₂ O) 01-2119458838-20-xxxx 231-639-5 n limit: Eye Irrit. 2; H 51 - <65 % H314, Skin Corr. 1 B	Indice No.: 319: 5 % ≤ C < 15 % - Skin Irri	016-020-00-8 t. 2; H315: 5 % ≤ C < 15 % - Skin Corr

100 mL Sulphite-1

100 mL TL SU 100

Substance name:	sodium thiosulfate
CAS No.:	7772-98-7
Substance rating:	No criteria for classification or naming of chemical not required.
Formula:	Na $_2$ O $_3$ S $_2$
REACH Reg. No.:	01-2119531537-38-xxxx
EC No.:	231-867-5
Concentration:	0,1 - <1 %
acc. CLP (GHS):	The criteria for classification are not fulfilled.

10 mL Sulphite-3

3.3 Remarks


When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.List of H and P phrases: see section 16.2.



DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



according to Regulations REACh 1907/2006/EC

REF: 915008	VISOCOLOR HE Sulfite SU 100	Page: 4/11
Printing date: 15.05.2024	Date of issue: 26.09.2022	Version: 2.2.2.16

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice. Remove contaminated clothing. Show product package, packing insert and this material safety data sheet to the doctor

4.1.1 After SKIN Contact

Remove contaminated clothing immediately. Rinse the affected skin or mucous membrane thoroughly for min. 15 minutes under running water. (If possible) use soap. Avoid neutralisation. Then apply a loose bandage.

4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open for min. 10 minutes with eye washing bottle, eye douche or running water (protect intact eye). Before (if possible) apply eye drops Proxymetacaine 0.5%, if the opening the eyelid convulsion is painful. Further treatment to be carried out by an eye specialist.

After INHALATION of vapours 4.1.3

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. If vomiting and if insensible place patient in recovery position and keep airways free. ---

After ORAL Intake 4.1.4

After oral intake lots of water with activated charcoal supplement should be drunk after it has been ingested. Do not induce vomiting under any circumstances. Do not make any efforts to neutralise it. Contact medical advice for possible consequences.

4.2 Most important symptoms and effects, both acute and delayed

Rapid penetration and destruction of the skin. Especially in the heated form. Causes severe skin burns and eye damage.

4.3 Indication of any immediate medical attention and special treatment needed

CORROSIVE DAMAGE: After SKIN CONTACT rinse with water for a long time. Efforts to neutralise the substance can frequently make matters worse. Apply glucocorticosteroides following inflammatory reactions. After EYE CONTACT rinse immediately with plenty of water for a long time. Eyelid convulsion measures. Name the corrosive chemical. Further treatment must to be carried out by an eye specialist. After INTAKÉ administer aluminium oxide drug suspensions. Administer a prophylaxis to counter pulmonary oedema following the INGESTION of corrosive aerosols. In the event of RESPIRATORY DISTREES ensure that the patient inhales oxygen. ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

5.1.1 Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.1.2 Unsuitable extinguishing media no data available

5.2 Special hazards arising from the substance or mixture

Formation of hazardous and caustic vapour-air mixtures possible.

5.3 Advice for firefighters

Product package burns like paper or plastic. Spray any vapours released with water. Retent fire water. Use only acid-resistant safety equipment

For great amount - if necessary - protective breathing apparatus which is independent of the ambient air (isolated equipment), and sealed protective clothing is necessary in the event of a large-scale formation of toxic substances.

5.4 Additional information

Danger for environment only in the event of a large-scale leakage or formation of hazardous substances.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Wear suitable protective gloves (see 8.2.2). Wear eye protection, respectively face protection. Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.

6.2 **Environmental precautions**

Should not be released into the environment. PBT: not applicable vPvB: not applicable



Software: M2 V 6.1.5.0

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 - FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com



according to Regulations REACh 1907/2006/EC

REF: 9	915008	VISOCOLOR HE Sulfite SU 100	Page: 5/11
Printin	g date: 15.05.2024	Date of issue: 26.09.2022	Version: 2.2.2.16
6.3	Bind any escaping liquid with ine Clean any contaminated equipment	r containment and cleaning up rt absorbent. And dispose in accordance to local regulations for the ent and floors with plenty of water. liquid and flush with water into drains.	e disposal of hazardous chemicals.

6.4 **Reference to other sections**

see information in section 5.4,7,8 and 13

... .

SECI	TION 7: Handling and storage	
7.1	Precautions for safe handling Handling in accordance with the test instruction, that cor	mes with the product.
7.2	Conditions for safe storage, including any Safe storage is guaranteed in the original packaging from 12.1 Storage class (VCI): Water hazard class (DE):	/ incompatibilities m MACHEREY-NAGEL. Storage class (German chemical industry): see chapter 5.1B 1
7.2.1	Requirements for stock rooms and containers Keep original product packages tightly closed during ha	ndling and storage. Use inbreakable container for transport of glass bottles.
7.3	Specific end use(s) Product for analytical use.	
SECT	TION 8: Exposure controls /personal	protection
8.1	Control parameters	
		CAS No.: 7772-98-7 8 hours, [STEL] Short-term exposure limit related to a 15-minute period
	OSHA: not listed	
	30 mL Sulphite-2 Chemical: sulfuric acid DNEL: [inh] 50 μg/m³ DNEL = Derived No-Effect Level (for workers) PNEC (fresh water): 2.5 μg/L PNEC = Predicted No Effected Concentration EU value: 0.1 e mg/m³	CAS No.: 7664-93-9

e mg/m TRGS 900 (DE): 0.1 E mg/m³ E/e respirable Short-term exposure factor: 1 (I), Y skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded SUVA(CH) MAK value: 0,1 e mg/m³ I: NTP Report on Carcinogens (RoC) List Yes (Known to be a human carcinogen); [TWA] 1 mg/m³ [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period NIOSH: OSHA: [TWA] 1 mg/m³

8.2 **Exposure controls**

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

8.2.1 **Respiratory protection**

No additional recommendations.

8.2.2 Skin protection / Hand protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

Eye / Face Protection Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection or face protection.

8.2.4 Skin protection

Recommended to avoid clothing damage, and to avoid contamination with these hazards.



8.2.3

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



according to Regulations REACh 1907/2006/EC

REF: 9	915008	VISOCOLOR HE Sulfite SU 100	Page: 6/11
Printing date: 15.05.2024		Date of issue: 26.09.2022	Version: 2.2.2.16
8.2.5	Personal hygiene		
	Eating, drinking, smoking, taking s with the skin, eyes and clothing. R	snuff and storage of food in work areas and at outdoor workp tinse any clothing on which the substance has been spilled, a hen stopping work and before eating, and then apply protecti	and soak it in water. Wash hands
8.2.6	Thermal hazards no data available		
8.3	Limitation and monitoring of environmental exposure Do not release product into environment.		
SECT	ΓΙΟΝ 9: Physical and chem	ical properties	
9.1	Information on basic physica	and chemical properties	
	100 mL TL SU 100		
	a) State of aggregation:	liquid	
	b) Colour:	colourless	
	c) Odor:	odorless	
	d) Melting point:	no data available	
	e) Boiling point:	no data available	
	f) Flammability:	no data available	
	g) Explosive limits (lower / upper):	no data available	
	h) Flash point:	no data available	
	i) Flashing temperature:	no data available	
	j) Decomposition temperature:	no data available	
	k) pH value:	11-11,5	
	I) Kinematic viscosity:	no data available	
	m) Solubility in water:	no data available	
	n) Dispersion coefficient (K o/w):	no data available	
	o) Vapour pressure (20°C):	no data available	
	p) Specific gravity:	no data available	
	q) Relative vapour density (air=1):	no data available	
	r) Particle size:	no data available	
	30 mL Sulphite-2		
	a) State of aggregation:	liquid	
	b) Colour:	colourless	
	c) Odor:	odorless	
	d) Melting point:	no data available	
	e) Boiling point:	no data available	
	f) Flammability:	no data available	
	g) Explosive limits (lower / upper):		
	h) Flash point:	no data available	
	i) Flashing temperature:	no data available	
	j) Decomposition temperature:	no data available	
	k) pH value:	0-1	
	I) Kinematic viscosity:	no data available	
	m) Solubility in water:	0-100 %	
	n) Dispersion coefficient (K _{o/w}):	no data available	
	o) Vapour pressure (20°C):	no data available	
	p) Specific gravity:	1,77 g/cm ³	
	q) Relative vapour density (air=1):	no data available	

9.2 Other information

9.2.1

Information on physical hazard classes no data available

9.2.2

Other safety-related parameters

No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required.

Substances are highly corrosive.





according to Regulations REACh 1907/2006/EC

REF: 9	15008	VISOCOLOR HE Sulfite SU 100	Page: 7/11		
Printin	g date: 15.05.2024	Date of issue: 26.09.2022	Version: 2.2.2.16		
SECT	SECTION 10: Stability and reactivity				
10.1	Reactivity no further data available.				
10.2	Chemical stability no known instability.				
10.3	Possibility of hazardous rea Can react violently with organic mate				
10.4	Conditions to avoid No more required.				
10.5	Incompatible materials no additional data available				
10.6	Hazardous decomposition p In the original package all parts/all rea period under recommended condition	agents are safety and separated stored. Decompositions are no	ot observed during the expiration		
SEC	FION 11: Toxicological inf	ormation			
11.1	Information on the hazard c	lasses according regulation (EC) 1272/2008			

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

100 mL TL SU 100		
Chemical: so	odium thiosulfate	CAS No.: 7772-98-7
TSCA Inventory:	listed	California Proposition 65 List: not listed
Australia NICNAS:	not listed	Canada CEPA 1999: DSL yes
Japan CSCL/PRTR:	not listed, Japan P	PDSCL: not listed
Japan ISHL:	not listed	
South Korea TCCA:	not listed	
Korea Exist.Chem.Inven	tory: KE-31633	
LD50 orl rat :	> 5000 mg/kg	

30 mL Sulphite-2		
• · · · · · ·	ulfuric acid	CAS No.: 7664-93-9
TSCA Inventory:	listed	California Proposition 65 List: not listed
ACGIH:	1 ppm	
Exposure Routes:	inhalation, inges	tion, skin and/or eye contact
Target Organs:	Eyes, skin, respi	ratory system, teeth
Symptoms:	irritation eyes, sł	in, nose, throat; pulmonary edema, bronchitis; emphysema; conjunctivitis; stomatis;
dental erosion; eye, skir	n burns; dermatitis	
Australia NICNAS:	not listed	Canada CEPA 1999: DSL Yes
Japan CSCL/PRTR:	not listed, Japan	PDSCL: Deleterious Substance
Japan ISHL:	listed ≥1,0%/≥1,0	0%, Article 57-2 (SDS required)
South Korea TCCA:	Accident Precau	tion Chemical Yes
Korea Exist.Chem.Inver	ntory: KE-32570, >10%	5 Toxic 97-1-405, Acc. Precaution Chem.
LD50 orl rat :	2140 mg/kg	
LC50 ihl mus :	0,85 mg/L/4H	
TRGS 905 (DE):	Kat 4	

11.2 Other hazards

Possible endocrine disrupting effects no data available

Other information no additional data available



- FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
- US Tel.: +1 888 321 62 24 sales-us@mn-net.com

MACHEREY-NAGEL

Safety Data Sheet

according to Regulations REACh 1907/2006/EC

REF: 9	15008	VISOCOLOR HE Sulfite SU	100	Page: 8/11
Printing	g date: 15.05.2024	Date of issue: 26.09.2022		Version: 2.2.2.16
SECT	ION 12: Ecological inform	nation		
2.1	Toxicity			
	Following information is valid for p	oure substances.		
	100 mL TL SU 100			
	Substance name: sodium th	iosulfate	CAS-Nr.: 7772-98-7	
	Water hazard class (DE):	1		
	Storage class (VCI):	12-13		
	30 mL Sulphite-2			
	Substance name: sulfuric ac		CAS-Nr.: 7664-93-9	
	Do not release into the environm			
	PNEC (fresh water) - PNEC = Predicted No Effected Concent	$2.5 \ \mu g/L$ ration = concentration at which no effect on the envir	onment is expected	
	LC50 fish/96h :	[NOEC, 65d] 25 µg/L	·	
	EC50 daphnia/48h	100 mg/L		
	EC10 pseudomonas putita/16h	[72h] 100 mg/L		
	Water hazard class (DE):	1 WGK No.: 0182		
	Storage class (VCI):	8 B		
2.2	Persistence and degradabil	ity		
12.3	Bioaccumulative potential			

12.4 Mobility in soil

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

- 12.6 Endocrine disrupting properties
 - no data available

12.7 Other adverse effects

no additional data available

SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

13.1 Waste treatment methods

Normally it is possible to empty small amounts (diluted!) into drains. Empty containers of corrosive reagents prior to disposal, rinse with water.

SECTION 14: Transport information

14.1. UN number: 3316 14.2. UN proper shipping	name: Chemical K	lit			
14.3. Class: 9					
14.4. Packing group: Road transport ADR	11				
Classification code:	M11 Tur	nnel restriction code:	E		
Limited Quantity:	acc. ADR 3.3.1/25	1: see LQ in Alternative	declaration for transp	ortation	
Air transport IATA DGR					
Limited Quantity:	PAX:	960	max	. quantity PAX:	10 KG
2	CAO:	960	max	. quantity CAO:	10 KG
Maritime transport IMDG				. ,	
EmS:	F-A, S-P	Staukategor	ie: A		

Or use Alternative declaration for transportation:

UN No.: (see below) class 8 III, Excepted Quantities (≤30 mL/∑≤1 L) = ADR/ IATA E1

or



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com


- DE
 Tel.: +49 24 21 969-0
 info@mn-net.com

 CH
 Tel.: +41 62 388 55 00
 sales-ch@mn-net.com
- FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 - US Tel.: +1 888 321 62 24 sales-us@mn-net.com



according to Regulations REACh 1907/2006/EC

REF: 915	5008	VISOC	COLOR HE Sulfite SU 100)	Page: 9/11
Printing of	date: 15.05.2024	Date o	Date of issue: 26.09.2022		Version: 2.2.2.16
14.: 14.:	1 UN number: 3264 2 UN proper shipping nam 3 Class: 8 4 Packing group: II Road transport ADR	e: Corrosive liquid, acidic,	inorganic, n.o.s. (sulfuri	c acid solution)	
	Classification cod	e: C1			
	Limited Quantity: Excepted Quantit	1 L	Tunnel restriction c	ode: E	
	Air transport IATA DGR Limited Quantity: Excepted Quantit	PAX: 851 CAO: 855 y: E 2	max. quantity PAX: max. quantity CAO:		
	<i>Maritime transport IMDG</i> EmS: Special instruction	F-A, S-B ns: 274	Staukategorie:	В	
14.5	Environmental hazar		22000		
14.6	Special precautions not necessary				
14.7	Carriage in bulk by sea in accordance with IMO instruments Not applicable.				
SECTI	ON 15: Regulatory	information			
15.1	Dangerous Substances Pro Ordinance on protection ag TRGS 201, Classification al TRGS 220, National aspect TRGS 400, Risk assessmen TRGS 401, Skin contact ha BekGS 408, Application of t 2012 TRGS 500, Protective meas TRGS 510, Storage of haza Chapter 4, Measure Wasserhaushaltsgesetz - W MN leaflet/instructions for u	ainst dangerous substances ad labeling of activities involves when preparing safety data at for activities involving haza zard - identification, assessm he GefStoffV and the TRGS	ngesetz - ChemG), Aug 20 (E: Gefahrstoffverordnung ving hazardous substance a sheets, Jan 2017 ardous substances, Jul 20 nent, action, Jun 2008, sta with the entry into force of e containers from March 2 bstances up to 50 kg (sm stances hazardous to wat	013, Stand: Okt 2020 g - GefStoffV), Nov 2010, S s, Feb 2017 17 itus: Feb 2011 f the CLP regulation, Decer 2013, status: Oct 2015 all quantity regulation)	tand: Mrz 2017 nber 2009, status: Jan
15.2	Chemical safety asso not necessary for these s				
SECTI	ON 16: Other infor	mation			
16.1	Changes compared for Between versions 2.2.2.16	to the last version and 2.2.2.2 following change	s were applied: - 14 subs	tance data corrected	
16.2	List of H and P phras	es			
16.2.1		ases Between versions 2.2.2.16 a Causes severe skin burns a		ges were applied: - 14 subs	stance data corrected
16.2.2		ases Do not breathe dust/vapours Wash hands thoroughly afte Wear protective gloves/eye	r handling.		





US	Tel.: +1 888 321 62 24	sales-us@mn-net.com



according to Regulations REACh 1907/2006/EC

15008	VISOCOLOR HE Sulfite SU 100	Page: 10/11
g date: 15.05.2024	Date of issue: 26.09.2022 Version	
P305+351+338 P310 P405 P501	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact le do. Continue rinsing. Immediately call a POISON CENTER/doctor. Store locked up. Dispose of contents/container to regulated waste treatment.	enses, if present and easy to
Recommended rea	striction on use	
Look about employee re Look about employee re	estrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)! estrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11	-13 MuSchG 2017)!
Sources of key da	ta	
Directive 1999/92/EG M atmospheres SUVA .CH, limit values i Regulation 790/2009/EL Regulation 453/2010/EL Regulation 487/2013/EL Regulation 1221/2015/E	inimum requirements to improve the safety and health protection of workers at risk t in the air at work 2009, revised on 01/2009 J, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st A J, adaptation of the REACH regulation 1907/2006/EG J, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th A ⁻ EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th A	TP) TP) ATP)
Regulation 1480/2018/E Regulation 521/2019/EL TRGS 900, German rule Regulation 217/2020/EL Regulation 878/2020/EL Regulation 1182/2020/E Regulation 643/2021/EL Regulation 849/2021/EL	U, adaptation of regulation 1272/2008/EG to technical and scientific progress (13th J, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th s of technology on limit values in the air at work, as of 03/2019 J, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and sciel J, adaptation of Annex II of the REACH regulation 1907/2006/EG :U, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and sciel J, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and sciel J, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and sciel J, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and sciel J, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and sciel	ATP) ATP) ntific progress (14th ATP) entific progress (15th ATP) ntific progress (16th ATP) ntific progress (17th ATP)
20	014-04 adjustment according Regulation 487/2013/EU	necessary
Further informatio	n	
revision time. This docur person using this produc appropriateness for a pa MACHEREY-NAGEL Gr without limitation any wa product to which the info	ment is intended only as a guide to the appropriate precautionary handling of the mo ct. Individuals receiving the information must exercise their independent judgement articular purpose. mbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expresse arranties of merchantability, fitness for a particular purpose with respect to the inform prmation refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be respo	aterial by a properly trained in determining its ed or implied, including nation set forth herein or the onsible for damages resulting
	P305+351+338 P310 P405 P501 Recommended re Only for professional us Look about employee re Look about employee re An individual package o Sources of key da KÜHN, BIRETT, Leaflet Directive 1999/92/EG M atmospheres SUVA .CH, limit values Regulation 790/2009/EL Regulation 453/2010/EL Regulation 1221/2015/E Regulation 1221/2015/E Regulation 1221/2015/E Regulation 521/2019/EL TRGS 900, German rule Regulation 521/2019/EL Regulation 51/2019/EL Regulation 878/2020/EL Regulation 643/2021/EL Regulation 643/2021/EL Regulation 643/2021/EL Regulation 643/2021/EL Regulation 643/2021/EL Regulation 692/2022/EL revisions/updates <i>Reason for revision:</i> 24 24 24 24 24 24 24 24 24 24 24 24 24 2	P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact le do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor. P405 Store locked up. P501 Dispose of contents/container to regulated waste treatment. Recommended restriction on use Only for professional user. Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)! Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11 An individual package of this product or test kit has a moderate hazardous potential. Sources of key data KUHN, BIRETT, Leaflets on hazardous materials, 2021 Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk atmospheres SUVA . CH, limit values in the air at work 2009, revised on 01/2009 Regulation 453/2010/EU, adaptation of Regulation 1272/2008/EG to technical and scientific progress (1st A Regulation 1453/2013/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (1th A Regulation 1272/13/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (1th A Regulation 76/2017/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (1th A Regulation 669/2018/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (1th A Regulation 669/2018/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (1th A Regulation 521/2019/EU, adaptation of regulation 1272/2008/EG to technical and scientific progr

16.6 Legend / Abbreviations

Legenu / P	Abbieviations
acc:	according
ADR:	Convention concerning the International Carriage of Dangerous Goods by Road
Act:	acute
BAT:	biological workplace tolerance value
CAO:	Cargo Aircraft Only
Carc:	carcinogen
CAS:	Chemical Abstracts Service
CLP:	Classification, Labelling and Packaging regulation
CMR:	carcinogen, mutagen, reproduction toxic
Corr:	corrosive
COD:	chemical oxigen demand
CSCL:	Chemical Substance Control Law (Jp)
Dam:	damage
DNEL:	Derived No-Effect Level (for workers)
derm:	dermal
dog:	dog



 MACHEREY-NAGEL GmbH & Co. KG
 DE
 Tel.: +49 24 21 969-0
 info@mn-net.com

 Valencienner Str. 11
 CH
 Tel.: +41 62 388 55 00
 sales-ch@mn-net.com

 52355 Düren · Germany
 FR
 Tel.: +33 388 68 22 68
 sales-fr@mn-net.com

 www.mn-net.com
 US
 Tel.: +1 888 321 62 24
 sales-us@mn-net.com

MACHEREY-NAGEL



according to Regulations REACh 1907/2006/EC

EF: 915008	VISOCOLOR HE Sulfite SU 100	Page: 11/11
rinting date: 15.05.20	24 Date of issue: 26.09.2022	Version: 2.2.2.1
EC10:	Concentration causing a toxic effect in 10% of the test organisms	
EC:	European Community	
EC-Nr:	Substance number of the EC substance inventory	
EmS:	Guide to accident management measures on ships	
EU:	European Union	
fish:	fish (not spezified)	
GHS:	Global Harmonized System of Classification and Labeling of Chemicals	
gpg:	quinea pig	
ICAO:	International Civil Aviation Organization	
ihl:	inhaled	
IMDG:	International Maritime Dangerous Goods Code	
intrav:	intravenous	
ipt:	intraperitonaeal	
ISHL:	Industrial Safety and Health Law (Jp)	
LC50:	letale concentration 50%	
LD50:	letale dosis 50%	
leuciscus idu		
MAK:	maximum workplace concentration	
Met:	Metall	
mus:	mouse	
Muta:	mutagen	
NIOSH:	National Institute for Occupational Safety and Health (US)	
NRD:	Non-rapidly degradable	
onchorhynch		
orl:	oral	
OSHA:	Occupational Safety and Health Administration	
PAX:	transport on passenger planes allowed	
PBT:	persistent, bioaccumulating, toxic substance	
pH:	pH value	
pimephales p		
PNEC:	Predicted No Effected Concentration	
PROC 15:	Process category 'for laboratory use'	
PRTR:	Law for PRTR and Promotion of Chemical Management (Jp)	
PVC:	polyvinyl chloride	
quail:	bird, quail	
rat:	rat	
rbt:	rabbit	
RD:	rapidly degradable	
RE:	repeated	
REACh:	Registration, Evaluation, Authorisation and Restriction of Chemicals	
REF:	item number, reference number	
Reg.No.:	rRegistration number	
Repr:	harmful to reproduction	
Resp:	respiratory	
RIP:	REACH Implementations Projects	
scu:	sub cutan	
SDS:	safety data sheet	
Sens:	sensitisation	
STEL:	short term exposure limit	
STOT:	Specific Target Organ Toxicity	
SVHC:	Substance of Very High Concern	
t/a:	tons per year	
TCCA:	Toxic Chemicals Control Act (S. Korea)	
Tox:	toxic	
TSCA:	The Toxic Substances Control Act (US)	
TWA:	time weighted average	
TRGS:	technical regulations (DE)	
vPvB:	very persistent, very bioaccumulating substance	
	to portioion, to polocountraiding substance	

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.



MACHEREY-NAGEL GmbH & Co. KG DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com