

according to Regulation (EC) No 1907/2006

26597-42 StablCal Formazin Turbidity Standard, < 0.1 NTU

Revision date: 10.04.2018

Product code: 2659742

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

26597-42 StablCal Formazin Turbidity Standard, < 0.1 NTU

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: Street:	HACH LANGE GmbH Willstätterstr. 11
Place:	D-40549 Düsseldorf
Telephone: e-mail: Internet: Responsible Department:	+49 (0)211 5288-383 SDS@hach.com www.de.hach.com HACH LANGE Ltd. 5, Pacific Way Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324 e-Mail: info-uk@hach.com
	HACH LANGE Ltd. Unit 1, Chestnut Road Western Industrial Estate IRL-Dublin 12 Tel. +353 (0)1 4602522 e-Mail: info-ie@hach.com
1.4. Emergency telephone number:	Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Respiratory or skin sensitisation: Resp. Sens. 1 Respiratory or skin sensitisation: Skin Sens. 1 Hazard Statements: May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

methenamine; hexamethylenetetramine Danger

Signal word:

Pictograms:



Hazard statements

H317 H334 May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled.



26597-42 StablCal Formazin Turbidity Standard, < 0.1 NTU

Revision date: 10.04.2018

Product code: 2659742

Page 2 of 8

Precautionary statements

· · · · · · · , · · · ·	
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P304+P341	IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
P342+P311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
P302+P352	IF ON SKIN: Wash with plenty of water.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

<u>2.3. Other haz</u>ards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	GHS Classification		•		
7732-18-5	Water			>90 %	
	231-791-2				
100-97-0	methenamine; hexamethylenetetramine			5-10 %	
	202-905-8	612-101-00-2			
	Flam. Sol. 2, Resp. Sens				
50-00-0	formaldehyde %			<0,1 %	
	200-001-8	605-001-00-5			
	Carc. 1B, Muta. 2, Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, Skin Corr. 1B, Skin Sens. 1; H350 H341 H331 H311 H301 H314 H317				

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately.

After inhalation

Move to fresh air.

After contact with skin

Wash off immediately with plenty of water.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

After ingestion

Induce vomiting, but only if victim is fully conscious.

4.2. Most important symptoms and effects, both acute and delayed

sensitising effects

4.3. Indication of any immediate medical attention and special treatment needed



according to Regulation (EC) No 1907/2006

26597-42 StablCal Formazin Turbidity Standard, < 0.1 NTU

Revision date: 10.04.2018

Product code: 2659742

Page 3 of 8

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas.

Advice on protection against fire and explosion

See also section 5

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in a dry, cool place.

Hints on joint storage None known.

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
50-00-0	Formaldehyde	2	2.5		TWA (8 h)	WEL
		2	2.5		STEL (15 min)	WEL



according to Regulation (EC) No 1907/2006

26597-42 StablCal Formazin Turbidity Standard, < 0.1 NTU

Revision date: 10.04.2018

Product code: 2659742

Page 4 of 8

Additional advice on limit values

None known.

8.2. Exposure controls

Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Wash hands before breaks and after work.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Skin protection

Remove and wash contaminated clothing before re-use.

Respiratory protection

Breathing apparatus only if aerosol or dust is formed. Recommended Filter type: ABEK-filter

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour: Odour:	liquid colourless odourless	
pH-Value (at 20 °C):		7,5-8,5
Changes in the physical state		
Melting point:		no data available
Initial boiling point and boiling range:		100 °C
Sublimation point:		not applicable
Softening point:		not applicable
Pour point:		not applicable
:		no data available
Flash point:		not applicable
Sustaining combustion:		No data available
Flammability		
Solid:		not applicable
Gas:		not applicable
Explosive properties not applicable		
Lower explosion limits:		not applicable
Upper explosion limits:		not applicable
Ignition temperature:		no data available
Auto-ignition temperature Solid:		not applicable
Sulu.		not applicable



26597-42 StablCal Formazin Turbidity Standard, < 0.1 NTU

Revision date: 10.04.2018	Product code: 2659742	Page 5 of 8	
Gas:	not applicable		
Decomposition temperature:	no data available		
Oxidizing properties not applicable			
Vapour pressure:	no data available		
Vapour pressure:	no data available		
Density (at 20 °C): Bulk density:	1,04 g/cm³ not applicable		
Water solubility: (at 20 °C)	completely soluble		
Solubility in other solvents no data available			
Partition coefficient:	no data available		
Viscosity / dynamic:	no data available		
Viscosity / kinematic:	no data available		
Flow time:	no data available		
Vapour density:	no data available		
Evaporation rate:	no data available		
Solvent separation test:	no data available		
Solvent content:	no data available		
9.2. Other information			
Solid content:	not applicable		
no data available			
SECTION 10: Stability and reactivity			

10.1. Reactivity

See also section 10.3

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid

Extremes of temperature and direct sunlight.

10.5. Incompatible materials

No dangerous reaction known under conditions of normal use. Oxidizing agents

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

Further information

None known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

No data is available on the product itself.



according to Regulation (EC) No 1907/2006

26597-42 StablCal Formazin Turbidity Standard, < 0.1 NTU

Revision date: 10.04.2018

Product code: 2659742

Page 6 of 8

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
100-97-0	methenamine; hexamethylenetetramine					
	oral	LD50 mg/kg	9200	Ratte		
50-00-0	formaldehyde %					
	oral	ATE mg/kg	100			
	dermal	ATE mg/kg	300			
	inhalation (4 h) vapour	LC50	250 mg/l	rat		
	inhalation aerosol	ATE	0,5 mg/l			

Irritation and corrosivity

No known effect.

Sensitising effects

May cause sensitisation by skin contact.

May cause sensitisation by inhalation. (List of references: Asthma in the workplace, I.Leonard Bernstein)

STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

No data is available on the product itself.

Additional information on tests

no data available

Practical experience

Observations relevant to classification

no data available

Other observations

no data available

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

No data is available on the product itself.

Do not flush into surface water or sanitary sewer system.

CAS No	Chemical name				
	Aquatic toxicity	Dose	[h] [d] Species	Source	Method
100-97-0	methenamine; hexamethylenetetramine				
	Acute fish toxicity	LC50 49800 mg/l	96 h Fisch		

12.2. Persistence and degradability

No data is available on the product itself.



according to Regulation (EC) No 1907/2006

26597-42 StablCal Formazin Turbidity Standard, < 0.1 NTU

Revision date: 10.04.2018

Product code: 2659742

Page 7 of 8

12.3. Bioaccumulative potential

No data is available on the product itself.

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

No known effect.

Further information

no data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

In accordance with local and national regulations.

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

Land transport (ADR/RID)

Other applicable information (land transport)

Not subject to transport regulations.

Inland waterways transport (ADN)

Other applicable information (inland waterways transport) Not tested

Marine transport (IMDG)

Other applicable information (marine transport) Not subject to transport regulations.

Air transport (ICAO-TI/IATA-DGR)

Other applicable information (air transport)

Not subject to transport regulations.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

no data available



26597-42 StablCal Formazin Turbidity Standard, < 0.1 NTU

Revision date: 10.04.2018

Product code: 2659742

Page 8 of 8

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

Other applicable information

no data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII): Entry 28: formaldehyde ... %

National regulatory information

Water hazard class (D):

1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

-	
Revision: 10.04.2018	
Safety datasheet sections which have been updated:	2, 3, 11, 16
Revision: 10.12.2015	
Safety datasheet sections which have been updated:	2, 11
Revision: 24.11.2015	
Safety datasheet sections which have been updated:	2, 3, 11
Revision: 26.05.2015	
Safety datasheet sections which have been updated:	2, 4, 11

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Resp. Sens. 1; H334	Calculation method
Skin Sens. 1; H317	Calculation method

Relevant H and EUH statements (number and full text)

H228	Flammable solid.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H331	Toxic if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H341	Suspected of causing genetic defects.
H350	May cause cancer.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)



according to Regulation (EC) No 1907/2006

28967-42 StablCal Stabilized Formazin Turbidity Standard; 3 NTU

Revision date: 23.06.2016

Product code: 2896742

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

28967-42 StablCal Stabilized Formazin Turbidity Standard; 3 NTU

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name:	HACH LANGE GmbH
Street:	Willstätterstr. 11
Place:	D-40549 Düsseldorf
Telephone:	+49 (0)211 5288-383
e-mail:	SDS@hach.com
Internet:	www.de.hach.com
Responsible Department:	HACH LANGE Ltd.
	5, Pacific Way
	Salford Manchester M50 1DL - United Kingdom
	Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
	e-Mail: info-uk@hach.com
	HACH LANGE Ltd.
	Unit 1, Chestnut Road Western Industrial Estate
	IRL-Dublin 12
	Tel. +353 (0)1 4602522
	e-Mail: info-ie@hach.com
I. Emergency telephone_ mber:	Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Respiratory or skin sensitisation: Resp. Sens. 1 Respiratory or skin sensitisation: Skin Sens. 1 Hazard Statements: May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling methenamine; hexamethylenetetramine

Signal word: Pictograms:

Danger



Hazard statements

H334

May cause allergy or asthma symptoms or breathing difficulties if inhaled.



according to Regulation (EC) No 1907/2006

28967-42 StablCal Stabilized Formazin Turbidity Standard; 3 NTU

	•	
Revision date: 23.06.2016	Product code: 2896742	Page 2 of 8
H317	May cause an allergic skin reaction.	
Precautionary statemer	nts	
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	
P302+P352	IF ON SKIN: Wash with plenty of water.	
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.	
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
P342+P311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor.	

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	GHS Classification		·		
7732-18-5	Water			> 90 %	
	231-791-2				
100-97-0	methenamine; hexam	ethylenetetramine		1-5 %	
	202-905-8	612-101-00-2			
	Flam. Sol. 2, Resp. Se	ens. 1, Skin Sens. 1; H228 H334 H317			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately.

After inhalation

Move to fresh air.

After contact with skin

Wash off immediately with plenty of water. If skin irritation persists, call a physician.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Show this safety data sheet to the doctor in attendance.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Call a physician immediately. Show this safety data sheet to the doctor in attendance.

4.2. Most important symptoms and effects, both acute and delayed sensitising effects

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.



28967-42 StablCal Stabilized Formazin Turbidity Standard; 3 NTU

Revision date: 23.06.2016

Product code: 2896742

Page 3 of 8

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas. Avoid contact with skin and eyes.

Advice on protection against fire and explosion

See also section 5

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep containers tightly closed in a cool, well-ventilated place.

Hints on joint storage

None known.

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

None known.

8.2. Exposure controls

Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal



28967-42 StablCal Stabilized Formazin Turbidity Standard; 3 NTU

Revision date: 23.06.2016

Product code: 2896742

Page 4 of 8

protective equipment.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Wash hands before breaks and after work.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Skin protection

Remove and wash contaminated clothing before re-use.

Respiratory protection

Provide adequate ventilation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	suspension
Colour:	cloudy, milky
Odour:	odourless
pH-Value (at 20 °C):	8
Changes in the physical state	
Melting point:	no data available
Initial boiling point and boiling range:	100 °C
Sublimation point:	not applicable
Softening point:	not applicable
Pour point:	not applicable
:	no data available
Flash point:	not applicable
Sustaining combustion:	No data available
Flammability	
Solid:	not applicable
Gas:	not applicable
Explosive properties not applicable	
Lower explosion limits:	not applicable
Upper explosion limits:	not applicable
Ignition temperature:	no data available
Auto-ignition temperature	
Solid:	not applicable
Gas:	not applicable
Decomposition temperature:	no data available
Oxidizing properties not applicable	



28967-42 StablCal Stabilized Formazin Turbidity Standard; 3 NTU

Revision date: 23.06.2016	Product code: 2896742	Page 5 of 8
Vapour pressure:	no data available	
Vapour pressure:	no data available	
Density (at 20 °C):	1,002 g/cm³	
Bulk density:	not applicable	
Water solubility: (at 20 °C)	miscible	
Solubility in other solvents no data available		
Partition coefficient:	no data available	
Viscosity / dynamic:	no data available	
Viscosity / kinematic:	no data available	
Flow time:	no data available	
Vapour density:	no data available	
Evaporation rate:	no data available	
Solvent separation test:	no data available	
Solvent content:	no data available	
9.2. Other information		
Solid content:	not applicable	
no data available		

SECTION 10: Stability and reactivity

10.1. Reactivity

See also section 10.3

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid

Extremes of temperature and direct sunlight.

10.5. Incompatible materials

Oxidizing agents

10.6. Hazardous decomposition products

Ammonia, Carbon monoxide, nitrogen oxides (NOx)

Further information

Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

No data is available on the product itself.



according to Regulation (EC) No 1907/2006

28967-42 StablCal Stabilized Formazin Turbidity Standard; 3 NTU

Revision date: 23.06.2016

Product code: 2896742

Page 6 of 8

CAS No	Chemical name					
	Exposure route Dose			Species	Source	Method
100-97-0	7-0 methenamine; hexamethylenetetramine					
	oral	LD50 9200 mg/kg		Ratte		

Irritation and corrosivity

No known effect.

Sensitising effects

May cause sensitisation by skin contact.

May cause sensitisation by inhalation. (List of references: Asthma in the workplace, I.Leonard Bernstein)

Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

No data is available on the product itself.

Additional information on tests

no data available

Practical experience

Observations relevant to classification

no data available

Other observations

no data available

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

No data is available on the product itself.

Do not flush into surface water or sanitary sewer system.

CAS No	Chemical name				
Aquatic toxicity Dose [h] [d] Species Source					Method
100-97-0	methenamine; hexamethylenetetramine				
	Acute fish toxicity	LC50 49800 mg/l	96 h Fisch		

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

No data is available on the product itself.

12.4. Mobility in soil

no data available



28967-42 StablCal Stabilized Formazin Turbidity Standard; 3 NTU

Revision date: 23.06.2016

Product code: 2896742

Page 7 of 8

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

No known effect.

Further information

no data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

In accordance with local and national regulations.

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

Land transport (ADR/RID)

Other applicable information (land transport)

Not subject to transport regulations.

Inland waterways transport (ADN)

Other applicable information (inland waterways transport) Not tested

Marine transport (IMDG)

Other applicable information (marine transport) Not subject to transport regulations.

Air transport (ICAO-TI/IATA-DGR)

Other applicable information (air transport) Not subject to transport regulations.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

no data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

Other applicable information



28967-42 StablCal Stabilized Formazin Turbidity Standard; 3 NTU

Revision date: 23.06.2016

Product code: 2896742

Page 8 of 8

no data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Employment restrictions:

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). 1 - slightly hazardous to water

Water hazard class (D):

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Revision: 23.06.2016 Safety datasheet sections which have been updated: 2, 3 Revision: 29.05.2015 Safety datasheet sections which have been updated: 2, 4, 11

Relevant H and EUH statements (number and full text)

H228	Flammable solid.
H317	May cause an allergic skin reaction.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)



according to Regulation (EC) No 1907/2006

28968-42 StablCal Reference Suspension II; 6 NTU

Revision date: 23.06.2016

Product code: 2896842

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

28968-42 StablCal Reference Suspension II; 6 NTU

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name:	HACH LANGE GmbH
Street:	Willstätterstr. 11
Place:	D-40549 Düsseldorf
Telephone:	+49 (0)211 5288-383
e-mail:	SDS@hach.com
Internet:	www.de.hach.com
Responsible Department:	HACH LANGE Ltd.
	5, Pacific Way
	Salford Manchester M50 1DL - United Kingdom
	Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
	e-Mail: info-uk@hach.com
	HACH LANGE Ltd.
	Unit 1, Chestnut Road Western Industrial Estate
	IRL-Dublin 12
	Tel. +353 (0)1 4602522
	e-Mail: info-ie@hach.com
<u>1.4. Emergency telephone</u> number:	Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Respiratory or skin sensitisation: Resp. Sens. 1 Respiratory or skin sensitisation: Skin Sens. 1 Hazard Statements: May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling methenamine; hexamethylenetetramine

Signal word: Pictograms:

Danger



Hazard statements

H334

May cause allergy or asthma symptoms or breathing difficulties if inhaled.



according to Regulation (EC) No 1907/2006

28968-42 StablCal Reference Suspension II; 6 NTU

Revision date: 23.06.2016	Product code: 2896842	Page 2 of 8
H317	May cause an allergic skin reaction.	
Precautionary statemer	nts	
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	
P302+P352	IF ON SKIN: Wash with plenty of water.	
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.	
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	

P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	GHS Classification	•	-		
7732-18-5	Water			> 90 %	
	231-791-2				
100-97-0	methenamine; hexame	thylenetetramine		1-5 %	
	202-905-8	612-101-00-2			
	Flam. Sol. 2, Resp. Sens. 1, Skin Sens. 1; H228 H334 H317				

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately.

After inhalation

Move to fresh air.

After contact with skin

Wash off immediately with plenty of water. If skin irritation persists, call a physician.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Show this safety data sheet to the doctor in attendance.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Call a physician immediately. Show this safety data sheet to the doctor in attendance.

4.2. Most important symptoms and effects, both acute and delayed

sensitising effects

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.



28968-42 StablCal Reference Suspension II; 6 NTU

Revision date: 23.06.2016

Product code: 2896842

Page 3 of 8

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas. Avoid contact with skin and eyes.

Advice on protection against fire and explosion

See also section 5

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep containers tightly closed in a cool, well-ventilated place.

Hints on joint storage

None known.

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

None known.

8.2. Exposure controls

Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal



according to Regulation (EC) No 1907/2006

28968-42 StablCal Reference Suspension II; 6 NTU

Revision date: 23.06.2016

Product code: 2896842

Page 4 of 8

protective equipment.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Wash hands before breaks and after work.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Skin protection

Remove and wash contaminated clothing before re-use.

Respiratory protection

Provide adequate ventilation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	suspension
Colour:	cloudy, milky
Odour:	odourless
pH-Value (at 20 °C):	8
Changes in the physical state	
Melting point:	no data available
Initial boiling point and boiling range:	100 °C
Sublimation point:	not applicable
Softening point:	not applicable
Pour point:	not applicable
:	no data available
Flash point:	not applicable
Sustaining combustion:	No data available
Flammability	
Solid:	not applicable
Gas:	not applicable
Explosive properties not applicable	
Lower explosion limits:	not applicable
Upper explosion limits:	not applicable
Ignition temperature:	no data available
Auto-ignition temperature	
Solid:	not applicable
Gas:	not applicable
Decomposition temperature:	no data available
Oxidizing properties not applicable	

Revision No: 2,1



according to Regulation (EC) No 1907/2006

28968-	42 StablCal Reference Suspension II; 6 NTU	
Revision date: 23.06.2016	Product code: 2896842	Page 5 of 8
Vapour pressure:	no data available	
Vapour pressure:	no data available	
Density (at 20 °C):	1,002 g/cm³	
Bulk density:	not applicable	
Water solubility: (at 20 °C)	miscible	
Solubility in other solvents no data available		
Partition coefficient:	no data available	
Viscosity / dynamic:	no data available	
Viscosity / kinematic:	no data available	
Flow time:	no data available	
Vapour density:	no data available	
Evaporation rate:	no data available	
Solvent separation test:	no data available	
Solvent content:	no data available	
0.2. Other information		
Solid content:	not applicable	
no data available		

SECTION 10: Stability and reactivity

10.1. Reactivity

See also section 10.3

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid

Extremes of temperature and direct sunlight.

10.5. Incompatible materials

Oxidizing agents

10.6. Hazardous decomposition products

Ammonia, Carbon monoxide, nitrogen oxides (NOx)

Further information

Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

No data is available on the product itself.



according to Regulation (EC) No 1907/2006

28968-42 StablCal Reference Suspension II; 6 NTU

Revision date: 23.06.2016

Product code: 2896842

Page 6 of 8

CAS No	Chemical name						
	Exposure route	Dose	Species		Source	Method	
100-97-0	methenamine; hexamethylenetetramine						
	oral	LD50 9200 mg/kg	Ratte				

Irritation and corrosivity

No known effect.

Sensitising effects

May cause sensitisation by skin contact.

May cause sensitisation by inhalation. (List of references: Asthma in the workplace, I.Leonard Bernstein)

Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

No data is available on the product itself.

Additional information on tests

no data available

Practical experience

Observations relevant to classification

no data available

Other observations

no data available

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

No data is available on the product itself.

Do not flush into surface water or sanitary sewer system.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d] Species	Source	Method	
100-97-0	methenamine; hexamethyl	enetetramine				
	Acute fish toxicity	LC50 49800 mg/l	96 h Fisch			

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

No data is available on the product itself.

12.4. Mobility in soil

no data available



28968-42 StablCal Reference Suspension II; 6 NTU

Revision date: 23.06.2016

Product code: 2896842

Page 7 of 8

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

No known effect.

Further information

no data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

In accordance with local and national regulations.

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

Land transport (ADR/RID)

Other applicable information (land transport)

Not subject to transport regulations.

Inland waterways transport (ADN)

Other applicable information (inland waterways transport) Not tested

Marine transport (IMDG)

Other applicable information (marine transport) Not subject to transport regulations.

Air transport (ICAO-TI/IATA-DGR)

Other applicable information (air transport) Not subject to transport regulations.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

no data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

Other applicable information



28968-42 StablCal Reference Suspension II; 6 NTU

Revision date: 23.06.2016

Product code: 2896842

Page 8 of 8

no data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Employment restrictions:

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). 1 - slightly hazardous to water

Water hazard class (D):

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Revision: 23.06.2016 Safety datasheet sections which have been updated: 2, 3 Revision: 26.05.2015 Safety datasheet sections which have been updated: 2, 4, 11

Relevant H and EUH statements (number and full text)

H228	Flammable solid.
H317	May cause an allergic skin reaction.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)



according to Regulation (EC) No 1907/2006

28969-42 StablCal Reference Suspension III, 18 NTU

Revision date: 23.06.2016

Product code: 2896942

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

28969-42 StablCal Reference Suspension III, 18 NTU

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name:	HACH LANGE GmbH
Street:	Willstätterstr. 11
Place:	D-40549 Düsseldorf
Telephone:	+49 (0)211 5288-383
e-mail:	SDS@hach.com
Internet:	www.de.hach.com
Responsible Department:	HACH LANGE Ltd.
	5, Pacific Way
	Salford Manchester M50 1DL - United Kingdom
	Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
	e-Mail: info-uk@hach.com
	HACH LANGE Ltd.
	Unit 1, Chestnut Road Western Industrial Estate
	IRL-Dublin 12
	Tel. +353 (0)1 4602522
	e-Mail: info-ie@hach.com
1.4. Emergency telephone number:	Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Respiratory or skin sensitisation: Resp. Sens. 1 Respiratory or skin sensitisation: Skin Sens. 1 Hazard Statements: May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling methenamine; hexamethylenetetramine

Signal word: Pictograms:

Danger



Hazard statements

H334

May cause allergy or asthma symptoms or breathing difficulties if inhaled.



according to Regulation (EC) No 1907/2006

28969-42 StablCal Reference Suspension III, 18 NTU

	•	
Revision date: 23.06.2016	Product code: 2896942	Page 2 of 8
H317	May cause an allergic skin reaction.	
Precautionary statemer	nts	
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	
P302+P352	IF ON SKIN: Wash with plenty of water.	
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.	
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
P342+P311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor.	

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name					
	EC No	Index No	REACH No			
	GHS Classification	•	-			
7732-18-5	Water					
	231-791-2					
100-97-0	methenamine; hexamet	hylenetetramine		1-5 %		
	202-905-8 612-101-00-2					
	Flam. Sol. 2, Resp. Sens. 1, Skin Sens. 1; H228 H334 H317					

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately.

After inhalation

Move to fresh air.

After contact with skin

Wash off immediately with plenty of water. If skin irritation persists, call a physician.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Show this safety data sheet to the doctor in attendance.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Call a physician immediately. Show this safety data sheet to the doctor in attendance.

4.2. Most important symptoms and effects, both acute and delayed sensitising effects

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.



according to Regulation (EC) No 1907/2006

28969-42 StablCal Reference Suspension III, 18 NTU

Revision date: 23.06.2016

Product code: 2896942

Page 3 of 8

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas. Avoid contact with skin and eyes.

Advice on protection against fire and explosion

See also section 5

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep containers tightly closed in a cool, well-ventilated place.

Hints on joint storage

None known.

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

None known.

8.2. Exposure controls

Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal



28969-42 StablCal Reference Suspension III, 18 NTU

Revision date: 23.06.2016

Product code: 2896942

Page 4 of 8

protective equipment.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Wash hands before breaks and after work.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Skin protection

Remove and wash contaminated clothing before re-use.

Respiratory protection

Provide adequate ventilation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	suspension	
Colour:	cloudy, milky	
Odour:	odourless	
pH-Value (at 20 °C):	8,54	
Changes in the physical state		
Melting point:	no data available	
Initial boiling point and boiling range:	100 °C	
Sublimation point:	not applicable	
Softening point:	not applicable	
Pour point:	not applicable	
:	no data available	
Flash point:	not applicable	
Sustaining combustion:	No data available	
Flammability		
Solid:	not applicable	
Gas:	not applicable	
Explosive properties not applicable		
Lower explosion limits:	not applicable	
Upper explosion limits:	not applicable	
Ignition temperature:	no data available	
Auto-ignition temperature		
Solid:	not applicable	
Gas:	not applicable	
Decomposition temperature:	no data available	
Oxidizing properties not applicable		



according to Regulation (EC) No 1907/2006

Vapour pressure: no data available Vapour pressure: no data available Density (at 20 °C): 1,01 g/cm³ Bulk density: not applicable Water solubility: miscible (at 20 °C) miscible Solubility in other solvents no data available Partition coefficient: no data available Viscosity / dynamic: no data available Viscosity / kinematic: no data available Flow time: no data available Vapour density: no data available Evaporation rate: no data available Solvent separation test: no data available Solvent content: no data available 9.2. Other information not applicable		28969-42 StablCal Reference Suspension III, 18 NT	U
Vapour pressure:no data availableDensity (at 20 °C):1,01 g/cm³Bulk density:not applicableWater solubility:miscible(at 20 °C)miscibleSolubility in other solvents no data availablePartition coefficient:no data availableViscosity / dynamic:no data availableViscosity / kinematic:no data availableFlow time:no data availableFlow time:no data availableVapour density:no data availableSolvent separation test:no data availableSolvent content:no data availableSolvent content:no data availableSolid content:not applicable	Revision date: 23.06.2016	Product code: 2896942	Page 5 of 8
Density (at 20 °C):1,01 g/cm³Bulk density:not applicableWater solubility:miscible(at 20 °C)miscibleSolubility in other solvents no data availableno data availablePartition coefficient:no data availableViscosity / dynamic:no data availableViscosity / kinematic:no data availableFlow time:no data availableVapour density:no data availableVapour density:no data availableSolvent separation test:no data availableSolvent content:no data availableSolid content:no data availableSolid content:no data available	Vapour pressure:	no data available	
Bulk density:not applicableWater solubility: (at 20 °C)miscibleSolubility in other solvents no data availableno data availablePartition coefficient:no data availableViscosity / dynamic:no data availableViscosity / kinematic:no data availableFlow time:no data availableVapour density:no data availableEvaporation rate:no data availableSolvent separation test:no data availableSolvent content:no data available92. Other informationno data availableSolid content:not applicable	Vapour pressure:	no data available	
Water solubility: miscible (at 20 °C) Solubility in other solvents no data available no data available Partition coefficient: no data available Viscosity / dynamic: no data available Viscosity / kinematic: no data available Flow time: no data available Vapour density: no data available Evaporation rate: no data available Solvent separation test: no data available Solvent content: no data available 92. Other information not applicable	Density (at 20 °C):	1,01 g/cm³	
(at 20 °C)Solubility in other solvents no data availablePartition coefficient:no data availableViscosity / dynamic:no data availableViscosity / kinematic:no data availableFlow time:no data availableVapour density:no data availableEvaporation rate:no data availableSolvent separation test:no data availableSolvent content:no data available92. Other informationnot applicable	Bulk density:	not applicable	
no data availablePartition coefficient:no data availableViscosity / dynamic:no data availableViscosity / kinematic:no data availableFlow time:no data availableVapour density:no data availableEvaporation rate:no data availableSolvent separation test:no data availableSolvent content:no data available9.2. Other informationnot applicable	-	miscible	
Viscosity / dynamic:no data availableViscosity / kinematic:no data availableFlow time:no data availableVapour density:no data availableEvaporation rate:no data availableSolvent separation test:no data availableSolvent content:no data available9.2. Other informationnot applicable	-		
Viscosity / kinematic:no data availableFlow time:no data availableVapour density:no data availableEvaporation rate:no data availableSolvent separation test:no data availableSolvent content:no data available9.2. Other informationsolvent:Solid content:not applicable	Partition coefficient:	no data available	
Flow time:no data availableVapour density:no data availableEvaporation rate:no data availableSolvent separation test:no data availableSolvent content:no data available9.2. Other informationSolid content:Solid content:not applicable	Viscosity / dynamic:	no data available	
Vapour density:no data availableEvaporation rate:no data availableSolvent separation test:no data availableSolvent content:no data available9.2. Other informationsolution test:Solid content:not applicable	Viscosity / kinematic:	no data available	
Evaporation rate:no data availableSolvent separation test:no data availableSolvent content:no data available9.2. Other informationSolid content:Solid content:not applicable	Flow time:	no data available	
Solvent separation test: no data available Solvent content: no data available 9.2. Other information Solid content: Solid content: not applicable	Vapour density:	no data available	
Solvent content: no data available 9.2. Other information not applicable	Evaporation rate:	no data available	
9.2. Other information Solid content: not applicable	Solvent separation test:	no data available	
Solid content: not applicable	Solvent content:	no data available	
	9.2. Other information		
no data available	Solid content:	not applicable	
	no data available		

SECTION 10: Stability and reactivity

10.1. Reactivity

See also section 10.3

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid

Extremes of temperature and direct sunlight.

10.5. Incompatible materials

Oxidizing agents

10.6. Hazardous decomposition products

Ammonia, Carbon monoxide, nitrogen oxides (NOx)

Further information

Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

No data is available on the product itself.



according to Regulation (EC) No 1907/2006

28969-42 StablCal Reference Suspension III, 18 NTU

Revision date: 23.06.2016

Product code: 2896942

Page 6 of 8

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
100-97-0	methenamine; hexamethylenetetramine					
		LD50 920 ma/ka	00	Ratte		

Irritation and corrosivity

No known effect.

Sensitising effects

May cause sensitisation by skin contact.

May cause sensitisation by inhalation. (List of references: Asthma in the workplace, I.Leonard Bernstein)

Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

No data is available on the product itself.

Additional information on tests

no data available

Practical experience

Observations relevant to classification

no data available

Other observations

no data available

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

No data is available on the product itself.

Do not flush into surface water or sanitary sewer system.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d] Species	Source	Method	
100-97-0	methenamine; hexamethylenetetramine					
	Acute fish toxicity	LC50 49800 mg/l	96 h Fisch			

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

No data is available on the product itself.

12.4. Mobility in soil

no data available



28969-42 StablCal Reference Suspension III, 18 NTU

Revision date: 23.06.2016

Product code: 2896942

Page 7 of 8

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

No known effect.

Further information

no data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

In accordance with local and national regulations.

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

Land transport (ADR/RID)

Other applicable information (land transport)

Not subject to transport regulations.

Inland waterways transport (ADN)

Other applicable information (inland waterways transport) Not tested

Marine transport (IMDG)

Other applicable information (marine transport) Not subject to transport regulations.

Air transport (ICAO-TI/IATA-DGR)

Other applicable information (air transport) Not subject to transport regulations.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

no data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

Other applicable information



according to Regulation (EC) No 1907/2006

28969-42 StablCal Reference Suspension III, 18 NTU

Revision date: 23.06.2016

Product code: 2896942

Page 8 of 8

no data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Employment restrictions:

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). 1 - slightly hazardous to water

Water hazard class (D):

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Revision: 23.06.2016 Safety datasheet sections which have been updated: 2, 3 Revision: 18.06.2015 Safety datasheet sections which have been updated: 2, 4, 11

Relevant H and EUH statements (number and full text)

H228	Flammable solid.
H317	May cause an allergic skin reaction.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)



according to Regulation (EC) No 1907/2006

28970-42 StablCal Reference Suspension IV, 30 NTU

Revision date: 18.06.2015

Product code: 2897042

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

28970-42 StablCal Reference Suspension IV, 30 NTU

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name:	HACH LANGE GmbH
Street:	Willstätterstr. 11
Place:	D-40549 Düsseldorf
Telephone:	+49 (0)211 5288-383
e-mail:	SDS@hach.com
Internet:	www.de.hach.com
Responsible Department:	HACH LANGE Ltd.
	5, Pacific Way
	Salford Manchester M50 1DL - United Kingdom
	Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
	e-Mail: info-uk@hach.com
	HACH LANGE Ltd.
	Unit 1, Chestnut Road Western Industrial Estate
	IRL-Dublin 12
	Tel. +353 (0)1 4602522
	e-Mail: info-ie@hach.com
L Emergency telephone_ mber:	Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Respiratory or skin sensitisation: Resp. Sens. 1 Respiratory or skin sensitisation: Skin Sens. 1 Hazard Statements: May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling methenamine; hexamethylenetetramine

Signal word: Pictograms:

Danger



Hazard statements

H334

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

according to Regulation (EC) No 1907/2006

28970-42 StablCal Reference Suspension IV, 30 NTU

Revision date: 18.06.2015		Product code: 2897042	Page 2 of 8
	H317	May cause an allergic skin reaction.	
Precautionary statements			
	5001	• • • • • • • • • • • • • • • • • • • •	

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P342+P311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

Additional advice on labelling

Classification according to EU Directives 67/548/EEC or 1999/45/EC

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification	•		
7732-18-5	Water			> 90 %
	231-791-2			
100-97-0	methenamine; hexamethylenetetramine			
	202-905-8	612-101-00-2		
	Flam. Sol. 2, Skin Sens. 1; H228 H317			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately.

After inhalation

Move to fresh air.

After contact with skin

Wash off immediately with plenty of water. If skin irritation persists, call a physician.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Show this safety data sheet to the doctor in attendance.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Call a physician immediately. Show this safety data sheet to the doctor in attendance.

4.2. Most important symptoms and effects, both acute and delayed

sensitising effects

4.3. Indication of any immediate medical attention and special treatment needed



according to Regulation (EC) No 1907/2006

28970-42 StablCal Reference Suspension IV, 30 NTU

Revision date: 18.06.2015

Product code: 2897042

Page 3 of 8

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas. Avoid contact with skin and eyes.

Advice on protection against fire and explosion

See also section 5

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep containers tightly closed in a cool, well-ventilated place.

Hints on joint storage

None known.

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values None known.

NOTE KTOWN

8.2. Exposure controls



28970-42 StablCal Reference Suspension IV, 30 NTU

Revision date: 18.06.2015

Product code: 2897042

Page 4 of 8

Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Wash hands before breaks and after work.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Skin protection

Remove and wash contaminated clothing before re-use.

Respiratory protection

Provide adequate ventilation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

suspension
cloudy, milky odourless
8,00
no data available
100 °C
not applicable
not applicable
not applicable
no data available
not applicable
No data available
not applicable
not applicable
not applicable
not applicable
no data available
not applicable
not applicable
no data available



28970-42 StablCal Reference Suspension IV, 30 NTU

Revision date: 18.06.2015	Product code: 2897042	Page 5 of 8	
Oxidizing properties not applicable			
Vapour pressure:	no data available		
Vapour pressure:	no data available		
Density (at 20 °C):	1,01 g/cm³		
Bulk density:	not applicable		
Water solubility: (at 20 °C)	miscible		
Solubility in other solvents no data available			
Partition coefficient:	no data available		
Viscosity / dynamic:	no data available		
Viscosity / kinematic:	no data available		
Flow time:	no data available		
Vapour density:	no data available		
Evaporation rate:	no data available		
Solvent separation test:	no data available		
Solvent content:	no data available		
9.2. Other information			
Solid content:	not applicable		
no data available			

SECTION 10: Stability and reactivity

10.1. Reactivity

See also section 10.3

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid

Extremes of temperature and direct sunlight.

10.5. Incompatible materials

Oxidizing agents

10.6. Hazardous decomposition products

Ammonia, Carbon monoxide, nitrogen oxides (NOx)

Further information

Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

LD50/oral/rat = > 5000 mg/kg



according to Regulation (EC) No 1907/2006

28970-42 StablCal Reference Suspension IV, 30 NTU

Revision date: 18.06.2015

Product code: 2897042

Page 6 of 8

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
100-97-0 methenamine; hexamethylenetetramine					
	oral	LD50 569 ma/ka	Ratte		

Irritation and corrosivity

No known effect.

Sensitising effects

May cause sensitisation by skin contact.

May cause sensitisation by inhalation. (List of references: Asthma in the workplace, I.Leonard Bernstein)

Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

No data is available on the product itself.

Additional information on tests

no data available

Practical experience

Observations relevant to classification

no data available

Other observations

no data available

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

No data is available on the product itself.

Do not flush into surface water or sanitary sewer system.

CAS No	Chemical name				
	Aquatic toxicity	Dose	[h] [d] Species	Source	Method
100-97-0	methenamine; hexamethylenetetramine				
	Acute fish toxicity	LC50 49800 mg/l	96 h Fisch		

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

No data is available on the product itself.

12.4. Mobility in soil

no data available



according to Regulation (EC) No 1907/2006

28970-42 StablCal Reference Suspension IV, 30 NTU

Revision date: 18.06.2015

Product code: 2897042

Page 7 of 8

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

No known effect.

Further information

no data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

In accordance with local and national regulations.

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

Land transport (ADR/RID)

Other applicable information (land transport)

Not subject to transport regulations.

Inland waterways transport (ADN)

Other applicable information (inland waterways transport) Not tested

Marine transport (IMDG)

Other applicable information (marine transport) Not subject to transport regulations.

Air transport (ICAO-TI/IATA-DGR)

Other applicable information (air transport) Not subject to transport regulations.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

no data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

Other applicable information



according to Regulation (EC) No 1907/2006

28970-42 StablCal Reference Suspension IV, 30 NTU

Revision date: 18.06.2015

Product code: 2897042

Page 8 of 8

no data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Employment restrictions:

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). 1 - slightly hazardous to water

Water hazard class (D):

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Revision: 18.06.2015 Safety datasheet sections which have been updated: 2, 4, 11

Relevant H and EUH statements (number and full text)

H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H317	May cause an allergic skin reaction.
H228	Flammable solid.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)