

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**LCK 514 CSB/COD/DCO**

Revision date: 11.03.2019

Product code: LCK514

Page 1 of 11

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

LCK 514 CSB/COD/DCO

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Water analysis

**1.3. Details of the supplier of the safety data sheet**

Company name: HACH LANGE GmbH  
Street: Willstätterstr. 11  
Place: D-40549 Düsseldorf  
Telephone: +49 (0)211 5288-383  
e-mail: SDS@hach.com  
Internet: www.de.hach.com  
Responsible Department: HACH LANGE Ltd.  
5, Pacific Way  
Salford Manchester M50 1DL - United Kingdom  
Tel. +44 (0) 161 872 1487 \* Fax +44 (0) 161 848 7324  
e-Mail: info-uk@hach.com

HACH LANGE Ltd.  
Unit 1, Chestnut Road Western Industrial Estate  
IRL-Dublin 12  
Tel. +353 (0)1 4602522  
e-Mail: info-ie@hach.com

**1.4. Emergency telephone number:**

Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Substance or mixture corrosive to metals: Met. Corr. 1

Acute toxicity: Acute Tox. 3

Acute toxicity: Acute Tox. 3

Acute toxicity: Acute Tox. 4

Skin corrosion/irritation: Skin Corr. 1A

Germ cell mutagenicity: Muta. 1B

Carcinogenicity: Carc. 1B

Reproductive toxicity: Repr. 1B

Specific target organ toxicity - repeated exposure: STOT RE 2

Hazardous to the aquatic environment: Aquatic Chronic 1

Hazard Statements:

May be corrosive to metals.

Toxic in contact with skin.

Toxic if inhaled.

Harmful if swallowed.

Causes severe skin burns and eye damage.

May cause genetic defects.

May cause cancer.

May damage fertility. May damage the unborn child.

May cause damage to organs through prolonged or repeated exposure.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### LCK 514 CSB/COD/DCO

Revision date: 11.03.2019

Product code: LCK514

Page 2 of 11

Very toxic to aquatic life with long lasting effects.

#### 2.2. Label elements

##### Regulation (EC) No. 1272/2008

##### Hazard components for labelling

sulphuric acid ... %  
Mercury(II) sulfate  
potassium dichromate

**Signal word:** Danger

##### Pictograms:



##### Hazard statements

H290	May be corrosive to metals.
H311	Toxic in contact with skin.
H331	Toxic if inhaled.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H340	May cause genetic defects.
H350	May cause cancer.
H360FD	May damage fertility. May damage the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H410	Very toxic to aquatic life with long lasting effects.

##### Precautionary statements

P201	Obtain special instructions before use.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P391	Collect spillage.

##### Special labelling of certain mixtures

EUH208	Contains potassium dichromate. May produce an allergic reaction. Restricted to professional users.
--------	---

##### Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

#### 2.3. Other hazards

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**LCK 514 CSB/COD/DCO**

Revision date: 11.03.2019

Product code: LCK514

Page 3 of 11

**Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
7664-93-9	sulphuric acid ... %			90 %
	231-639-5	016-020-00-8		
	Skin Corr. 1A; H314			
7732-18-5	Water			> 8 %
	231-791-2			
7783-35-9	Mercury(II) sulfate			< 1,5 %
	231-992-5	080-002-00-6		
	Acute Tox. 1, Acute Tox. 2, Acute Tox. 2, STOT RE 2, Aquatic Acute 1, Aquatic Chronic 1; H310 H330 H300 H373 H400 H410			
7778-50-9	potassium dichromate			< 1 %
	231-906-6	024-002-00-6		
	Ox. Sol. 2, Carc. 1B, Muta. 1B, Repr. 1B, Acute Tox. 2, Acute Tox. 3, STOT RE 1, Acute Tox. 4, Skin Corr. 1B, Resp. Sens. 1, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H272 H350 H340 H360FD H330 H301 H372 ** H312 H314 H334 H317 H400 H410			
10294-26-5	Silver sulfate			< 0,5 %
	233-653-7			
	Eye Dam. 1, Aquatic Acute 1 (M-Factor = 100), Aquatic Chronic 1 (M-Factor = 100); H318 H400 H410			

Full text of H and EUH statements: see section 16.

**Further Information**

This product contains substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

**SECTION 4: First aid measures**
**4.1. Description of first aid measures**
**General information**

Take off all contaminated clothing immediately.  
Consult a physician. Show this safety data sheet to the doctor in attendance.

**After inhalation**

Move to fresh air.  
Consult a physician. Show this safety data sheet to the doctor in attendance.

**After contact with skin**

Wash off immediately with plenty of water for at least 15 minutes.  
Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. Show this safety data sheet to the doctor in attendance.

**After contact with eyes**

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Show this safety data sheet to the doctor in attendance.

**After ingestion**

Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting.  
Consult a physician. Show this safety data sheet to the doctor in attendance.

**4.2. Most important symptoms and effects, both acute and delayed**

Irritation and corrosion

**4.3. Indication of any immediate medical attention and special treatment needed**

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### LCK 514 CSB/COD/DCO

Revision date: 11.03.2019

Product code: LCK514

Page 4 of 11

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

### 5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours. The following may develop in event of fire: sulfur oxides, mercury vapors.

### 5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

#### Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste.

### 6.4. Reference to other sections

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Use only in well-ventilated areas. Do not breathe vapours/dust.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep tightly closed in a dry, cool and well-ventilated place. Protect against light. Accessible only for authorized persons.

### 7.3. Specific end use(s)

Reagent for analysis

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
7664-93-9	Sulphuric acid (mist)	-	0.05		TWA (8 h)	WEL

#### Additional advice on limit values

None known.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### LCK 514 CSB/COD/DCO

Revision date: 11.03.2019

Product code: LCK514

Page 5 of 11

#### 8.2. Exposure controls

##### **Appropriate engineering controls**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

##### **Protective and hygiene measures**

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Wash hands before breaks and after work.

##### **Eye/face protection**

Safety glasses with side-shields

##### **Hand protection**

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact:

Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0.40 mm, Breakthrough time: > 30 min

##### **Skin protection**

Remove and wash contaminated clothing before re-use.

##### **Respiratory protection**

Breathing apparatus only if aerosol or dust is formed. Recommended Filter type: ABEK-filter

##### **Environmental exposure controls**

Do not flush into surface water or sanitary sewer system.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	dark orange
Odour:	odourless
pH-Value (at 20 °C):	< 1

##### **Changes in the physical state**

Melting point:	not applicable
Initial boiling point and boiling range:	300 °C
Sublimation point:	not applicable
Softening point:	not applicable
Pour point:	not applicable
:	no data available
Flash point:	not applicable
Sustaining combustion:	No data available

##### **Flammability**

Solid:	not applicable
Gas:	not applicable

##### **Explosive properties**

not applicable

Lower explosion limits:	not applicable
Upper explosion limits:	not applicable
Ignition temperature:	not applicable

##### **Auto-ignition temperature**

Solid:	not applicable
--------	----------------

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**LCK 514 CSB/COD/DCO**

Revision date: 11.03.2019

Product code: LCK514

Page 6 of 11

Gas:	not applicable
Decomposition temperature:	no data available
<b>Oxidizing properties</b>	
no data available	
Vapour pressure:	no data available
Vapour pressure:	no data available
Density (at 20 °C):	1,81 g/cm <sup>3</sup>
Bulk density:	not applicable
Water solubility: (at 20 °C)	completely soluble
<b>Solubility in other solvents</b>	
no data available	
Partition coefficient:	no data available
Viscosity / dynamic:	no data available
Viscosity / kinematic:	no data available
Flow time:	no data available
Vapour density:	no data available
Evaporation rate:	no data available
Solvent separation test:	no data available
Solvent content:	no data available

**9.2. Other information**

Solid content:	not applicable
Corrosive in contact with metals	

**SECTION 10: Stability and reactivity****10.1. Reactivity**

Corrosive to metals

**10.2. Chemical stability**

Stable under recommended storage conditions.

**10.3. Possibility of hazardous reactions**

Hazardous polymerisation does not occur.

**10.4. Conditions to avoid**

To avoid thermal decomposition, do not overheat. Above 300 °C, hazardous fumes may be released.

**10.5. Incompatible materials**Organic materials, Bases, Alkali metals, Metals, Ammonia, Reducing agents, Nitric acid.  
Reacts violently with water.**10.6. Hazardous decomposition products**Sulphur trioxide  
Chromium oxides**Further information**

very reactive

**SECTION 11: Toxicological information****11.1. Information on toxicological effects**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**LCK 514 CSB/COD/DCO**

Revision date: 11.03.2019

Product code: LCK514

Page 7 of 11

**Acute toxicity**

Toxic in contact with skin.

Toxic if inhaled.

Harmful if swallowed.

No data is available on the product itself. Information given is based on data on the components and the toxicology of similar products.

**ATEmix calculated**

ATE (oral) 304,9 mg/kg; ATE (dermal) 333,8 mg/kg; ATE (inhalation vapour) 9,49 mg/l; ATE (inhalation aerosol) 2,266 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7783-35-9	Mercury(II) sulfate				
	oral	ATE 5 mg/kg			
	dermal	ATE 5 mg/kg			
	inhalation vapour	ATE 0,5 mg/l			
	inhalation aerosol	ATE 0,05 mg/l			
7778-50-9	potassium dichromate				
	oral	ATE 100 mg/kg			
	dermal	ATE 1100 mg/kg			
	inhalation (4 h) vapour	LC50 0,094 mg/l	Rat		
	inhalation (4 h) aerosol	LC50 0,094 mg/l	Rat		
10294-26-5	Silver sulfate				
	oral	LD50 5000 mg/kg	rat		

**Irritation and corrosivity**

Causes severe skin burns and eye damage.

**Sensitising effects**

Contains potassium dichromate. May produce an allergic reaction.

**Carcinogenic/mutagenic/toxic effects for reproduction**

May cause genetic defects. (potassium dichromate)

May cause cancer. (potassium dichromate)

May damage fertility. May damage the unborn child. (potassium dichromate)

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

May cause damage to organs through prolonged or repeated exposure. (Mercury(II) sulfate)

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Specific effects in experiment on an animal**

No toxicology information is available.

**Further information**

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

**SECTION 12: Ecological information**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**LCK 514 CSB/COD/DCO**

Revision date: 11.03.2019

Product code: LCK514

Page 8 of 11

**12.1. Toxicity**

May cause long-term adverse effects in the aquatic environment.

Do not flush into surface water or sanitary sewer system.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
7783-35-9	Mercury(II) sulfate					
	Acute fish toxicity	LC50 mg/l	0,19	96 h		
7778-50-9	potassium dichromate					
	Acute fish toxicity	LC50 mg/l	26,13	96 h	Pimephales promelas	
	Acute algae toxicity	ErC50 mg/l	0,16 - 0,59	96 h	Chlorella vulgaris	
10294-26-5	Silver sulfate					
	Acute crustacea toxicity	EC50 mg/l	0,0045	48 h	Crustaceans	

**12.2. Persistence and degradability**

No data is available on the product itself.

**12.3. Bioaccumulative potential**

no data available

**12.4. Mobility in soil**

no data available

**12.5. Results of PBT and vPvB assessment**

no data available

**12.6. Other adverse effects**

Discharge into the environment must be avoided.

**SECTION 13: Disposal considerations**
**13.1. Waste treatment methods**
**Advice on disposal**

Our local agencies will accept used cuvettes to ensure their proper disposal.

In accordance with local and national regulations.

**Waste disposal number of waste from residues/unused products**

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

**Waste disposal number of used product**

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

**SECTION 14: Transport information**
**Land transport (ADR/RID)**
**14.1. UN number:**

UN 2922

**14.2. UN proper shipping name:**

CORROSIVE LIQUID, TOXIC, N.O.S. (Chromosulphuric acid, Mercury(II) sulfate)

**14.3. Transport hazard class(es):**

8

**14.4. Packing group:**

I



**Safety Data Sheet**

according to Regulation (EC) No 1907/2006


**LCK 514 CSB/COD/DCO**

Revision date: 11.03.2019

Product code: LCK514

Page 9 of 11

Hazard label: 8+6.1



Classification code: CT1  
 Special Provisions: 274  
 Limited quantity: 0  
 Excepted quantity: E0  
 Transport category: 1  
 Hazard No: 886  
 Tunnel restriction code: C/D

**Inland waterways transport (ADN)**

**Other applicable information (inland waterways transport)**

Not tested

**Marine transport (IMDG)**

**14.1. UN number:** UN 2922  
**14.2. UN proper shipping name:** CORROSIVE LIQUID, TOXIC, N.O.S. (Chromosulphuric acid, mercury sulphate)  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** I  
 Hazard label: 8+6.1



Marine pollutant: P  
 Special Provisions: 274  
 Limited quantity: 0  
 Excepted quantity: E0  
 EmS: F-A, S-B  
 Segregation group: acids

**Air transport (ICAO-TI/IATA-DGR)**

**14.1. UN number:** UN 2922  
**14.2. UN proper shipping name:** CORROSIVE LIQUID, TOXIC, N.O.S. (Chromosulphuric acid, mercury sulphate)  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** I  
 Hazard label: 8+6.1



Special Provisions: A3 A803  
 Limited quantity Passenger: Forbidden  
 Passenger LQ: Forbidden  
 Excepted quantity: E0  
 IATA-packing instructions - Passenger: 850  
 IATA-max. quantity - Passenger: 0.5 L  
 IATA-packing instructions - Cargo: 854  
 IATA-max. quantity - Cargo: 2.5 L

**14.5. Environmental hazards**

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### LCK 514 CSB/COD/DCO

Revision date: 11.03.2019

Product code: LCK514

Page 10 of 11

ENVIRONMENTALLY HAZARDOUS: yes



Danger releasing substance: Mercury(II) sulfate  
potassium dichromate  
Silver sulfate

#### **14.6. Special precautions for user**

Use personal protective equipment.

#### **14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

not applicable

#### **Other applicable information**

no data available

### **SECTION 15: Regulatory information**

#### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

##### **EU regulatory information**

Authorisations (REACH, annex XIV):  
potassium dichromate

Restrictions on use (REACH, annex XVII):  
Entry 28: potassium dichromate

##### **National regulatory information**

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water contaminating class (D): 3 - highly water contaminating

#### **15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

#### **Changes**

Revision: 11.03.2019  
Safety datasheet sections which have been updated: 2, 11, 15  
Revision: 02.05.2018  
Safety datasheet sections which have been updated: 16  
Revision Date 05.05.2017  
Safety datasheet sections which have been updated: 3, 9, 14  
Revision Date 01.06.2016  
Safety datasheet sections which have been updated: 8, 11  
Revision Date 07.04.2016  
Safety datasheet sections which have been updated: 3  
Revision Date 02.10.2015  
Safety datasheet sections which have been updated: 2  
  
Revision Date 13.10.2014  
Safety datasheet sections which have been updated: 2  
  
Revision Date 27.11.2013  
Safety datasheet sections which have been updated: 4-16

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### LCK 514 CSB/COD/DCO

Revision date: 11.03.2019

Product code: LCK514

Page 11 of 11

#### Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	Calculation method
Acute Tox. 3; H311	Calculation method
Acute Tox. 3; H331	Calculation method
Acute Tox. 4; H302	Calculation method
Skin Corr. 1A; H314	Calculation method
Muta. 1B; H340	Calculation method
Carc. 1B; H350	Calculation method
Repr. 1B; H360FD	Calculation method
STOT RE 2; H373	Calculation method
Aquatic Chronic 1; H410	Calculation method

#### Relevant H and EUH statements (number and full text)

H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H300	Fatal if swallowed.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H340	May cause genetic defects.
H350	May cause cancer.
H360FD	May damage fertility. May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH208	Contains potassium dichromate. May produce an allergic reaction.

#### Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*