



Be Right™

Safety Data Sheet

according to Regulation (EC) No 1907/2006

21057-69 FerroVer Iron Reagent

Revision date: 10.04.2019 Product code: 2105769 Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

21057-69 FerroVer Iron Reagent

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.

5, Pacific Way

Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324

e-Mail: info-uk@hach.com

HACH LANGE Ltd.

Unit 1, Chestnut Road Western Industrial Estate

IRL-Dublin 12

Tel. +353 (0)1 4602522 e-Mail: info-ie@hach.com

1.4. Emergency telephone Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency

number: service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Acute toxicity: Acute Tox. 4 Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Dam. 1

Respiratory or skin sensitisation: Resp. Sens. 1

Specific target organ toxicity - single exposure: STOT SE 3

Hazard Statements: Harmful if swallowed. Causes skin irritation.

Causes serious eye damage.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause respiratory irritation.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

Sodium thiosulfate sodium metabisulphite

sodium dithionite; sodium hydrosulphite 1,10-Phenanthroline-p-Toluolsulfonacid salt

Signal word: Danger





Be Right™

Safety Data Sheet

according to Regulation (EC) No 1907/2006

21057-69 FerroVer Iron Reagent

Revision date: 10.04.2019 Product code: 2105769 Page 2 of 10

Pictograms:







Hazard statements

H302 Harmful if swallowed. H315 Causes skin irritation. H318

Causes serious eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection. P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor. IF INHALED: Remove person to fresh air and keep comfortable for breathing. P304+P340

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor. IF ON SKIN: Wash with plenty of water. P302+P352

If skin irritation occurs: Get medical advice/attention. P332+P313

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P301+P312

Additional advice on labelling

None known.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



according to Regulation (EC) No 1907/2006

21057-69 FerroVer Iron Reagent

Revision date: 10.04.2019 Product code: 2105769 Page 3 of 10

Hazardous components

CAS No	Chemical name						
	EC No	Index No	REACH No				
	GHS Classification	•	•				
7772-98-7	Sodium thiosulfate			45-55 %			
	231-867-5						
	Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H315 H319 H335						
7681-57-4	sodium metabisulphite						
	231-673-0	016-063-00-2					
	Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Resp. Sens. 1, STOT SE 3; H332 H302 H315 H318 H334 H335 EUH031						
7775-14-6	sodium dithionite; sodium hydrosulphite						
	231-890-0	016-028-00-1					
	Self-heat. 1, Acute Tox. 4; H251 H302 EUH031						
68-04-2	tri-Sodium citrate						
	200-675-3						
92798-16-8	1,10-Phenanthroline-p-Toluolsulfonacid salt						
	Acute Tox. 3, Skin Irrit. 2, Eye Irrit. 2; H301 H315 H319						

Full text of H and EUH statements: see section 16.

Further Information

None known.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately.

After inhalation

Move to fresh air. Consult a physician. Show this safety data sheet to the doctor in attendance.

After contact with skin

Wash off with soap and water. Take off all contaminated clothing immediately.

If symptoms persist, call a physician.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

After ingestion

Drink 1 or 2 glasses of water. Prevent vomiting if possible. Call a physician immediately. Show this safety data sheet to the doctor in attendance.

4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media



Be Right"

Safety Data Sheet

HACH LANGE GmbH

according to Regulation (EC) No 1907/2006

21057-69 FerroVer Iron Reagent

Revision date: 10.04.2019 Product code: 2105769 Page 4 of 10

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

None known.

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

The following may develop in event of fire: sulfur oxides., Sodium oxides, Carbon monoxide, Carbon dioxide (CO2)

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable container for disposal.

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes. Use only in well-ventilated areas. Do not breathe vapours/dust.

Advice on protection against fire and explosion

See also section 5

Further information on handling

Observe label precautions.

Avoid contact with skin, eyes and clothing.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store at room temperature in the original container. Protect from light, moisture and damage.

Hints on joint storage

Do not store near acids.

Further information on storage conditions

Store between 5 and 25 °C in a dry, well ventilated place away from sources of heat, ignition and direct sunlight.

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



according to Regulation (EC) No 1907/2006

21057-69 FerroVer Iron Reagent

Revision date: 10.04.2019 Product code: 2105769 Page 5 of 10

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7681-57-4	Disodium disulphite	-	5		TWA (8 h)	WEL

Additional advice on limit values

None known.

8.2. Exposure controls

Appropriate engineering controls

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Protective and hygiene measures

Wash hands before breaks and after work.

General industrial hygiene practice.

Ensure that eye flushing systems and safety showers are located close to the working place.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0.20 mm, Breakthrough time: > 30 min

Skin protection

Avoid contact with skin, eyes and clothing.

Respiratory protection

Breathing apparatus only if aerosol or dust is formed.

Recommended Filter type: ABEK-filter

Environmental exposure controls

Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: crystalline
Colour: white, light yellow
Odour: sulphurous

pH-Value (at 20 °C): 5,29 (5 % solution)

Changes in the physical state

Melting point:192 °CInitial boiling point and boiling range:not applicableSublimation point:not applicableSoftening point:no data availablePour point:not applicableFlash point:not applicable

Flammability

Solid: no data available
Gas: no data available

Explosive properties

no data available



Be Right™

Safety Data Sheet

according to Regulation (EC) No 1907/2006

21057-69 FerroVer Iron Reagent

Revision date: 10.04.2019 Product code: 2105769 Page 6 of 10

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not applicable

not applicable

Auto-ignition temperature

Solid: no data available
Gas: no data available
Decomposition temperature: 192 °C

Oxidizing properties

no data available

Vapour pressure:

Vapour pressure:

Density (at 20 °C):

Bulk density:

Water solubility:

(at 20 °C)

soluble

(at 20 °C)

Solubility in other solvents

no data available

Partition coefficient: no data available no data available Viscosity / dynamic: Viscosity / kinematic: no data available no data available Flow time: Vapour density: no data available no data available Evaporation rate: Solvent separation test: no data available no data available Solvent content:

9.2. Other information

Solid content: no data available

no data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Reacts with the following substances: Organic materials, Oxidizing agents, Acids, Aluminium, Sodium nitrite

10.4. Conditions to avoid

Product is sensitive to light and moisture.

10.5. Incompatible materials

Organic materials, Oxidizing agents, Acids

10.6. Hazardous decomposition products

Carbon monoxide, Carbon dioxide (CO2), Sulphur oxides

Further information

This information is not available.



according to Regulation (EC) No 1907/2006

21057-69 FerroVer Iron Reagent

Revision date: 10.04.2019 Product code: 2105769 Page 7 of 10

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No toxicology information is available.

Acute toxicity

No data is available on the product itself.

ATEmix calculated

ATE (oral) 1491,3 mg/kg

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
7772-98-7	Sodium thiosulfate						
	oral	LD50 mg/kg	>5000	rat	RTECS		
7681-57-4	sodium metabisulphite						
	oral	LD50 mg/kg	1131	Rat			
	dermal	LD50 mg/kg	>2000	Rat			
	inhalation vapour	ATE	11 mg/l				
	inhalation (4 h) aerosol	LC50	2,01 mg/l	Rat			
7775-14-6	sodium dithionite; sodium hydrosulphite						
	oral	ATE mg/kg	500				
92798-16-8	1,10-Phenanthroline-p-Toluolsulfonacid salt						
	oral	LD50 mg/kg	245,6	rat			

Irritation and corrosivity

Risk of serious damage to eyes.

May cause skin irritation.

Sensitising effects

May cause sensitisation by inhalation.

Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

STOT-single exposure

The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

No data is available on the product itself.

Additional information on tests

May cause allergic respiratory reaction.

Practical experience



according to Regulation (EC) No 1907/2006

21057-69 FerroVer Iron Reagent

Revision date: 10.04.2019 Product code: 2105769 Page 8 of 10

Observations relevant to classification

Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Other observations

None known.

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

No data is available on the product itself. Do not let product enter drains.

The data is a railable on the product toom 20 hours product once.							
CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
7772-98-7	Sodium thiosulfate						
	Acute fish toxicity	LC50 mg/l	24000		Gambusia affinis (Mosquito fish)	IUCLID	
7681-57-4	sodium metabisulphite						
	Acute fish toxicity	LC50 220 mg/l	150 -		Onchorhynchus mykiss		
	Acute crustacea toxicity	EC50	89 mg/l		Daphnia magna (Water flea)		

12.2. Persistence and degradability

no data available

12.3. Bioaccumulative potential

no data available

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
7772-98-7	Sodium thiosulfate	-4,35

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

no data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

In accordance with local and national regulations.

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste





according to Regulation (EC) No 1907/2006

21057-69 FerroVer Iron Reagent

Revision date: 10.04.2019 Product code: 2105769 Page 9 of 10

SECTION 14: Transport information

Land transport (ADR/RID)

Other applicable information (land transport)

Not subject to transport regulations.

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)

Other applicable information (marine transport)

Not subject to transport regulations.

Air transport (ICAO-TI/IATA-DGR)

Other applicable information (air transport)

Not subject to transport regulations.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

no data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Water hazard class (D): 3 - strongly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Revision: 16.03.2017

Safety datasheet sections which have been updated: 2, 3

Revision: 17.06.2016

Safety datasheet sections which have been updated: 11

Revision: 19.08.2015

Safety datasheet sections which have been updated: 3

Revision: 16.04.2015

Safety datasheet sections which have been updated: 2, 4, 11

This data sheet contains changes from the previous version in section(s): 2,4,7,9, 11,12,14,15 Revision:

23.0.1.2013

Safety datasheet sections which have been updated: 4.2

Revision: 18.06.2014

Relevant H and EUH statements (number and full text)

H251 Self-heating: may catch fire.

H301 Toxic if swallowed.
H302 Harmful if swallowed.



Be Right [™]	according to Regulation (EC) No 1907/2006	
	21057-69 FerroVer Iron Reagent	
Revision date: 10.04.2019	Product code: 2105769	Page 10 of 10
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
H335	May cause respiratory irritation.	
EUH031	Contact with acids liberates toxic gas.	
Further Information The information is ba	ased on the present level of our knowledge. It does not, however, give assurance of	

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

product properties and establishes no contract legal rights.