



according to Regulation (EC) No 1907/2006

LCK 1014 CSB/COD/DCO

Revision date: 11.03.2019 Product code: LCK1014 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

LCK 1014 CSB/COD/DCO

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.
5, Pacific Way

Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324

e-Mail: info-uk@hach.com

HACH LANGE Ltd.

Unit 1, Chestnut Road Western Industrial Estate

IRL-Dublin 12

Tel. +353 (0)1 4602522 e-Mail: info-ie@hach.com

1.4. Emergency telephone Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency

number: service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Substance or mixture corrosive to metals: Met. Corr. 1

Acute toxicity: Acute Tox. 3 Acute toxicity: Acute Tox. 3 Acute toxicity: Acute Tox. 4

Skin corrosion/irritation: Skin Corr. 1A Germ cell mutagenicity: Muta. 1B Carcinogenicity: Carc. 1B

Reproductive toxicity: Repr. 1B

Specific target organ toxicity - repeated exposure: STOT RE 2 Hazardous to the aquatic environment: Aquatic Chronic 1

Hazard Statements:

May be corrosive to metals. Toxic in contact with skin.

Toxic if inhaled.
Harmful if swallowed.

Causes severe skin burns and eye damage.

May cause genetic defects.

May cause cancer.

May damage fertility. May damage the unborn child.

May cause damage to organs through prolonged or repeated exposure.





according to Regulation (EC) No 1907/2006

LCK 1014 CSB/COD/DCO

Revision date: 11.03.2019 Product code: LCK1014 Page 2 of 11

Very toxic to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

sulphuric acid ... % Mercury(II) sulfate potassium dichromate

Signal word: Danger

Pictograms:









Hazard statements

H290 May be corrosive to metals.
H311 Toxic in contact with skin.
Toxic if fining and

H331 Toxic if inhaled. H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H340 May cause genetic defects.

H350 May cause cancer.

H360FD May damage fertility. May damage the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P201 Obtain special instructions before use.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water or shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P309+P311 IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician.

Special labelling of certain mixtures

EUH208 Contains potassium dichromate. May produce an allergic reaction.

Restricted to professional users.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



according to Regulation (EC) No 1907/2006

LCK 1014 CSB/COD/DCO

Revision date: 11.03.2019 Product code: LCK1014 Page 3 of 11

Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	GHS Classification	•	·	
7664-93-9	sulphuric acid %			80-90 %
	231-639-5	016-020-00-8		
	Skin Corr. 1A; H314			
7732-18-5	Water			10-20 %
	231-791-2			
7783-35-9	Mercury(II) sulfate	< 3 %		
	231-992-5	080-002-00-6		
	Acute Tox. 1, Acute Tox. 2, Acute H330 H300 H373 H400 H410			
7778-50-9	potassium dichromate	< 1 %		
	231-906-6	024-002-00-6		
	Ox. Sol. 2, Carc. 1B, Muta. 1B, F Skin Corr. 1B, Resp. Sens. 1, SI H340 H360FD H330 H301 H372			
10294-26-5	Silver sulfate	< 0,5 %		
	233-653-7			
	Eye Dam. 1, Aquatic Acute 1 (M H410			

Full text of H and EUH statements: see section 16.

Further Information

This product contains substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57). potassium dichromate

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately.

Consult a physician. Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air.

Consult a physician. Show this safety data sheet to the doctor in attendance.

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes.

Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. Show this safety data sheet to the doctor in attendance.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Show this safety data sheet to the doctor in attendance.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting.

Consult a physician. Show this safety data sheet to the doctor in attendance.

4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion



according to Regulation (EC) No 1907/2006

LCK 1014 CSB/COD/DCO

Revision date: 11.03.2019 Product code: LCK1014 Page 4 of 11

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours. The following may develop in event of fire: sulfur oxides, mercury vapors.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste.

6.4. Reference to other sections

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas. Do not breathe vapours/dust.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep tightly closed in a dry, cool and well-ventilated place. Protect against light.

Further information on storage conditions

Accessible only for authorized persons.

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7664-93-9	Sulphuric acid (mist)	-	0.05		TWA (8 h)	WEL



according to Regulation (EC) No 1907/2006

LCK 1014 CSB/COD/DCO

Revision date: 11.03.2019 Product code: LCK1014 Page 5 of 11

8.2. Exposure controls

Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Wash hands before breaks and after work.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0.40 mm, Breakthrough time: > 30 min

Skin protection

Remove and wash contaminated clothing before re-use.

Respiratory protection

Breathing apparatus only if aerosol or dust is formed.

Recommended Filter type: ABEK-filter

Environmental exposure controls

Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: dark orange
Odour: odourless

pH-Value (at 20 °C): < 1

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Sublimation point:

Softening point:

Pour point:

Flash point:

Sustaining combustion:

No data available

Flammability

Solid: not applicable
Gas: not applicable

Explosive properties

not applicable

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not applicable

not applicable

Auto-ignition temperature

Solid: not applicable



according to Regulation (EC) No 1907/2006

LCK 1014 CSB/COD/DCO

Revision date: 11.03.2019 Product code: LCK1014 Page 6 of 11

Gas: not applicable

Decomposition temperature: no data available

Oxidizing properties

no data available

Vapour pressure:no data availableVapour pressure:no data availableDensity (at 20 °C):1,81 g/cm³Bulk density:not applicableWater solubility:completely soluble

(at 20 °C)

Solubility in other solvents

no data available

Partition coefficient: no data available Viscosity / dynamic: no data available Viscosity / kinematic: no data available no data available Flow time: no data available Vapour density: Evaporation rate: no data available Solvent separation test: no data available no data available Solvent content:

9.2. Other information

Solid content: not applicable

Corrosive in contact with metals

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat. Above 300 °C, hazardous fumes may be released.

10.5. Incompatible materials

Organic materials, Bases, Alkali metals, Metals, Ammonia, Reducing agents, Nitric acid. Reacts violently with water.

10.6. Hazardous decomposition products

Sulphur trioxide Chromium oxides

Further information

very reactive

SECTION 11: Toxicological information

11.1. Information on toxicological effects



according to Regulation (EC) No 1907/2006

LCK 1014 CSB/COD/DCO

Revision date: 11.03.2019 Product code: LCK1014 Page 7 of 11

Acute toxicity

Toxic in contact with skin.

Toxic if inhaled.

Harmful if swallowed.

No data is available on the product itself. Information given is based on data on the components and the toxicology of similar products.

ATEmix calculated

ATE (oral) 168,9 mg/kg; ATE (dermal) 176,9 mg/kg; ATE (inhalation vapour) 7,83 mg/l; ATE (inhalation aerosol) 1,431 mg/l

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
7783-35-9	Mercury(II) sulfate							
	oral	ATE	5 mg/kg					
	dermal	ATE	5 mg/kg					
	inhalation vapour	ATE	0,5 mg/l					
	inhalation aerosol	ATE	0,05 mg/l					
7778-50-9	9 potassium dichromate							
	oral	ATE mg/kg	100					
	dermal	ATE mg/kg	1100					
	inhalation (4 h) vapour	LC50 mg/l	0,094	Rat				
	inhalation (4 h) aerosol	LC50 mg/l	0,094	Rat				
10294-26-5	Silver sulfate							
	oral	LD50 mg/kg	5000	rat				

Irritation and corrosivity

Causes severe skin burns and eye damage.

The product causes burns of eyes, skin and mucous membranes.

Sensitising effects

Contains potassium dichromate. May produce an allergic reaction.

May cause sensitisation by inhalation and skin contact.

Carcinogenic/mutagenic/toxic effects for reproduction

May cause genetic defects. (potassium dichromate)

May cause cancer. (potassium dichromate)

May damage fertility. May damage the unborn child. (potassium dichromate)

Known carcinogen. Mutagen toxic effects for reproduction

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. (Mercury(II) sulfate)

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.





according to Regulation (EC) No 1907/2006

LCK 1014 CSB/COD/DCO

Revision date: 11.03.2019 Product code: LCK1014 Page 8 of 11

SECTION 12: Ecological information

12.1. Toxicity

May cause long-term adverse effects in the aquatic environment.

Do not flush into surface water or sanitary sewer system.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
7783-35-9	Mercury(II) sulfate						
	Acute fish toxicity	LC50 mg/l	0,19	96 h			
7778-50-9	potassium dichromate						
	Acute fish toxicity	LC50 mg/l	26,13	96 h	Pimephales promelas		
	Acute algae toxicity	ErC50 0,59 mg/l	0,16 -	96 h	Chlorella vulgaris		
10294-26-5	-26-5 Silver sulfate						
	Acute crustacea toxicity	EC50 mg/l	0,0045	48 h	Crustaceans		

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

no data available

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Our local agencies will accept used cuvettes to ensure their proper disposal.

In accordance with local and national regulations.

Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: UN 2922

14.2. UN proper shipping name: CORROSIVE LIQUID, TOXIC, N.O.S. (Chromosulphuric acid, Mercury(II)

sulfate)



Be Right™

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 1014 CSB/COD/DCO

Revision date: 11.03.2019 Product code: LCK1014 Page 9 of 11

14.3. Transport hazard class(es):814.4. Packing group:I

Hazard label: 8+6.1



Classification code: CT1
Special Provisions: 274
Limited quantity: 0
Excepted quantity: E0
Transport category: 1
Hazard No: 886
Tunnel restriction code: C/D

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)

14.1. UN number: UN 2922

14.2. UN proper shipping name: CORROSIVE LIQUID, TOXIC, N.O.S. (Chromosulphuric acid, mercury

sulphate)

14.3. Transport hazard class(es): 8
14.4. Packing group:

Hazard label: 8+6.1



Marine pollutant:

Special Provisions:

Limited quantity:

Excepted quantity:

EmS:

F-A, S-B

Segregation group:

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 2922

14.2. UN proper shipping name: CORROSIVE LIQUID, TOXIC, N.O.S. (Chromosulphuric acid, mercury

sulphate)

14.3. Transport hazard class(es): 8
14.4. Packing group:

Hazard label: 8+6.1



Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Excepted quantity:

Forbidden

Forbidden

Excepted quantity:

E0

IATA-packing instructions - Passenger: 850
IATA-max. quantity - Passenger: 0.5 L





Be Right[™]

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 1014 CSB/COD/DCO

Revision date: 11.03.2019 Product code: LCK1014 Page 10 of 11

IATA-packing instructions - Cargo: 854
IATA-max. quantity - Cargo: 2.5 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: yes

*2

Danger releasing substance: Mercury(II) sulfate

potassium dichromate

Silver sulfate

14.6. Special precautions for user

Use personal protective equipment.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

Other applicable information

no data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Authorisations (REACH, annex XIV):

potassium dichromate

Restrictions on use (REACH, annex XVII):

Entry 28: potassium dichromate

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water contaminating class (D): 3 - highly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Revision Date 11.03.2019

Safety datasheet sections which have been updated: 2, 15

Revision Date 05.05.2017

Safety datasheet sections which have been updated: 9, 14

Revision Date 07.04.2016

Safety datasheet sections which have been updated: 3

Revision Date 22.12.2014

Safety datasheet sections which have been updated: 2

Revision: 26.11.2013

Safety datasheet sections which have been updated: 4-16

Relevant H and EUH statements (number and full text)

H272 May intensify fire; oxidiser.



according to Regulation (EC) No 1907/2006

LCK 1014 CSB/COD/DCO							
Revision date: 11.03.2019	Product code: LCK1014	Page 11 of 11					
H290	May be corrosive to metals.						
H300	Fatal if swallowed.						
H301	Toxic if swallowed.						
H302	Harmful if swallowed.						
H310	Fatal in contact with skin.						
H311	Toxic in contact with skin.						
H312	Harmful in contact with skin.						
H314	Causes severe skin burns and eye damage.						
H317	May cause an allergic skin reaction.						
H318	Causes serious eye damage.						
H330	Fatal if inhaled.						
H331	Toxic if inhaled.						
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.						
H340	May cause genetic defects.						
H350	May cause cancer.						

Causes damage to organs through prolonged or repeated exposure. H373 May cause damage to organs through prolonged or repeated exposure.

Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.

EUH208 Contains potassium dichromate. May produce an allergic reaction.

May damage fertility. May damage the unborn child.

Further Information

H360FD

H372

H400

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)