

# Safety Data Sheet

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

AQUADUR 4-21 / 5000 pcs Page: 1/6

Printing date: 02.06.2020 Date of issue: 14.02.2019

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 **Product identifier**

REF 91222

Product name AQUADUR 4-21 / 5000 pcs

REACH Registration number(s): see SECTION 3.1/3.2 or
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or

the substance or its use is excluded from registration.

5000 x Test strips

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

### Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0

The exposure scenario is integrated into sections 1-16.

Uses advised against

not described

#### 1.3 Details of the supplier of the safety data sheet

### Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG

Neumann-Neander-Str. 6-8, 52355 Dueren, GERMANY

Tel: +49 2421 969 0

E-mail: sds@mn-net.com (msds@mn-net.com)

#### 1.4 Emergency telephone number

Information not necessary.

You find our current versions of SDS (22 languages) in Internet:

http://www.mn-net.com/SDS

### **SECTION 2: Hazard identification**

#### 2.1 Classification of the substance or mixture

### **Test strips**

Do not need labelling as hazardous

Signal word

No hazard class

#### 2.2 Label elements

### **Test strips**

Do not need labelling as hazardous Signal word: -

#### 2.3 Other hazards

### Possible hazards from physicochemical properties

According to our current status of knowledge and experience we state, that this product does not contain any substances, which in accordance with EC regulations 1272/2008/EC, 1907/2006/EC and German Regulations for Hazardous goods - have to be declared as dangerous goods, either because of their applied concentration or because of their total amount in anyone kit. An individual package has considerably less hazardous potential. ---

Information pertaining to particular risks to human and possible symptoms

Information pertaining to particular risks to the environment

www.mn-net.com

AACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 +1 484 821 1272 Fax:

Version: M V 4.12.0 E-mail: info@mn-net.com

E-mail: sales-ch@mn-net.com

E-mail: sales-fr@mn-net.com

E-mail: sales-us@mn-net.com

US:



# **Safety Data Sheet**

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

AQUADUR 4-21 / 5000 pcs Page: 2/6 Printing date: 02.06.2020 Date of issue: 14.02.2019

Other hazards

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances or 3.2 Mixtures

**Test strips** 

Chemical: cellulose CAS No.: 9004-34-6

Classification: No criteria for classification or naming of chemical not required.

Formula: (C<sub>6</sub> H<sub>10</sub> O<sub>5</sub> )<sub>n</sub> TSCA Inventory: listed REACH Reg. No.: exempt, Annex IV EC No.: 232-674-9 RTECS: FJ5691460 KE No.: KE-05339 Concentration: 1 - < 10 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

Chemical: chemicals/mixture < 1% CAS No .: -

Classification: No criteria for classification or naming of chemical not required.

all listed, <1% TSCA Inventory: KE No.: listed Concentration: 0.1 - <1 %

acc. CLP (GHS): The criteria for classification are not fulfilled

Chemical: PVC foil (CAS 9002-86-2) CAS No .: -

Classification: No criteria for classification or naming of chemical not required.

TSCA Inventory: listed 95 - <100 % Concentration:

acc. CLP (GHS): The criteria for classification are not fulfilled

#### 3.3 Remarks

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately.

4.1.1 **After SKIN Contact** 

Remove dust with wetted tissue.

4.1.2 After EYE Contact

Rub dust with teardrops from eyes

4.1.3 After INHALATION of vapours

After inhalation of dust fresh air should be inhaled. ---

4.1.4 After ORAL Intake

#### 4.2 Most important symptoms and effects, both acute and delayed

#### 4.3 Indication of any immediate medical attention and special treatment needed

No additionally recommendations. ---

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

#### 5.2 Special hazards arising from the substance or mixture

None.

www.mn-net.com

US:

AACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

## IACHEREY-NAGEI



# **Safety Data Sheet**

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

AQUADUR 4-21 / 5000 pcs Page: 3/6 Printing date: 02.06.2020 Date of issue: 14.02.2019

5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic.

5.4 Additional information

### SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

**Environmental precautions** not necessary

6.3 Methods and material for containment and cleaning up

Clean working area with water. Flush used water into drains.

6.4 Reference to other sections

6.2

## SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

7.2 Conditions for safe storage, including any incompatibilities

The original product package of MACHEREY-NAGEL allows a safe storage.

Storage class (VCI): Water hazard class (DE):

Requirements for stock rooms and containers 7.2.1

Keep original product packages tightly closed during handling and storage.

7.3 Specific end use(s)

Product for analytical use.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

**Test strips** 

Chemical: cellulose CAS No : 9004-34-6

Staub 1.25 A / 4 E mg/m³ E/e respirable TRGS 900 (DE):

SUVA(CH) MAK value: 3 a ppm

TWA 10 (total) / 5 (resp) mg/m<sup>3</sup>

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: TWA 15 (total) / 5 (resp) mg/m<sup>3</sup>

chemicals/mixture < 1% CAS No .: -Chemical: PVC foil (CAS 9002-86-2) Chemical: CAS No .: -

#### 8.2 **Exposure controls**

Not necessary.

821 Respiratory protection

Not necessary

8.2.2 Hand protection

Not necessary

Eye protection 8.2.3

Not necessary

8.2.4 Skin protection

Not necessary.

www.mn-net.com

ACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR:

US: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

## MACHEREY-NAGEI



# **Safety Data Sheet**

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

AQUADUR 4-21 / 5000 pcs Page: 4/6

Printing date: 02.06.2020 Date of issue: 14.02.2019

8.2.5 Personal hygiene

Information not necessary.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

**Test strips** 

Appearance: solid Colour: colored Odor: odorless

#### 9.2 Other information

**Relevant Properties of Substance Group** 

## **SECTION 10: Stability and reactivity**

10.1 Reactivity

None

10.2 Chemical stability

No known instability.

10.3 Possibility of hazardous reactions

None

10.4 Conditions to avoid

Not known. ---

10.5 Incompatible materials

Not known. Avoid contact with concentrated acids and oxidizing agents.

10.6 Hazardous decomposition products

> In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Following information is valid for pure substances.

Test strips

Chemical: cellulose CAS No.: 9004-34-6

TSCA Inventory: California Proposition 65 List: not listed listed

**Exposure Routes:** inhalation, skin and/or eye contact Target Organs: Eyes, skin, respiratory system

Symptoms: irritation eyes, skin, mucous membrane

Australia NICNAS: not listed Canada CEPA 1999: DSL yes

Japan CSCL/PRTR: not listed, Japan PDSCL: not listed

Japan ISHL: not listed South Korea TCCA: not listed Korea Exist.Chem.Inventory: KE-05339 LD50<sub>orl rat</sub>: >5000 mg/kg >5800<sub>4h</sub> mg/m³ LC50<sub>ihl rat</sub>: >2000 mg/kg LD50<sub>drm rbt</sub>:

Chemical: chemicals/mixture < 1% CAS No .: -

TSCA Inventory: all listed. <1%

Korea Exist.Chem.Inventory: listed

PVC foil (CAS 9002-86-2) CAS No .: -Chemical:

TSCA Inventory: listed

www.mn-net.com

US:

MACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272

Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

## MACHEREY-NAGEL



CAS No.: 9004-34-6

CAS No .: -

# **Safety Data Sheet**

## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

AQUADUR 4-21 / 5000 pcs Page: 5/6 Date of issue: 14.02.2019 Printing date: 02.06.2020

## **SECTION 12: Ecological information**

#### 12.1 **Toxicity**

Following information is valid for pure substances.

**Test strips** 

Chemical:

nwg

Water hazard class (DE): Storage class (VCI):

Chemical: chemicals/mixture < 1%

Water hazard class (DE):

Storage class (VCI): 12-13

Chemical: PVC foil (CAS 9002-86-2) CAS No.: -

12.2 Persistence and degradability

not necessary

12.3 Bioaccumulative potential

not necessary

12.4 Mobility in soil

not necessary

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no additional data available

### **SECTION 13: Disposal considerations**

Not necessary.

13.1 Waste treatment methods

GENERAL: Empty solids into municipal waste, empty liquids diluted into drains.

## **SECTION 14: Transport information**

14.1 - 14.4 Not necessary

14.5 **Environmental hazards** 

14.6 Special precautions for user

not necessary

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013 German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung -GefStoffV), revised on November 2010, according to Directive 98/24/EC MN Leaflet/User manual, also see www.mn-net.com

Look for your country-specific regulations.

15.2 Chemical safety assessment

www.mn-net.com

US:

AACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

## **MACHEREY-NAGEL**



# **Safety Data Sheet**

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

AQUADUR 4-21 / 5000 pcs Page: 6/6 Printing date: 02.06.2020 Date of issue: 14.02.2019

### **SECTION 16: Other information**

#### 16.1 List of H and P phrases

- 16 1 1 List of relevant H phrases
- 16.1.2 List of relevant P phrases

#### 16.2 Training advice

Regular safety training.

#### 16.3 Recommended restriction on use

#### 16.4 **Further information**

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

#### 16.5 Sources of key data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS Regulation 487/2013/EU, 4<sup>th</sup> adaptation of CLP regulation to technical and scientific progress Regulation 669/2018/EU, 4<sup>th</sup> adaptation of CLP regulation to technical and scientific progress Regulation 1480/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress TRGS 900, German engineering rules governing limits in air at work, updated 03/2019

SUVA .CH, Limits in air at work 2009, revised on 01.2009

KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

### Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU

www.mn-net.com

US:

(MN

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com