



according to Regulation (EC) No 1907/2006

LCK 314 CSB/COD/DCO

Revision date: 24.07.2018 Product code: LCK314 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

LCK 314 CSB/COD/DCO

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.

5, Pacific Way

Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324

e-Mail: info-uk@hach.com

HACH LANGE Ltd.

Unit 1, Chestnut Road Western Industrial Estate

IRL-Dublin 12

Tel. +353 (0)1 4602522 e-Mail: info-ie@hach.com

1.4. Emergency telephone Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency

number: service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Substance or mixture corrosive to metals: Met. Corr. 1

Acute toxicity: Acute Tox. 3 Acute toxicity: Acute Tox. 4 Acute toxicity: Acute Tox. 4

Skin corrosion/irritation: Skin Corr. 1A

Specific target organ toxicity - repeated exposure: STOT RE 2 Hazardous to the aquatic environment: Aquatic Chronic 1

Hazard Statements:
May be corrosive to metals.
Toxic in contact with skin.
Harmful if swallowed.

Harmful if inhaled.

Causes severe skin burns and eye damage.

May cause damage to organs through prolonged or repeated exposure.

Very toxic to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008





Be Right[™]

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 314 CSB/COD/DCO

Revision date: 24.07.2018 Product code: LCK314 Page 2 of 11

Hazard components for labelling

sulphuric acid ... % Mercury(II) sulfate

Signal word: Danger

Pictograms:









Hazard statements

H290	May be corrosive to meta
H311	Toxic in contact with skin.
H302	Harmful if swallowed.
H332	Harmful if inhaled.

H314 Causes severe skin burns and eye damage.

H373 May cause damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

or shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P309+P311 IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



according to Regulation (EC) No 1907/2006

LCK 314 CSB/COD/DCO

Revision date: 24.07.2018 Product code: LCK314 Page 3 of 11

Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	GHS Classification	•	·	
7664-93-9	sulphuric acid %			90 %
	231-639-5	016-020-00-8		
	Skin Corr. 1A; H314	•	•	
7732-18-5	Water			>8 %
	231-791-2			
7783-35-9	Mercury(II) sulfate			< 2,0 %
	231-992-5	080-002-00-6		
	Acute Tox. 1, Acute Tox. 2 H330 H300 H373 H400 H	•	c Acute 1, Aquatic Chronic 1; H310	
10294-26-5	Silver sulfate	<0,5 %		
	233-653-7			
	Eye Dam. 1, Aquatic Acute H410	e 1 (M-Factor = 100), Aquatic Chro	nic 1 (M-Factor = 100); H318 H400	
7778-50-9	potassium dichromate			<0,1 %
	231-906-6	024-002-00-6		
	Skin Corr. 1B, Resp. Sens		e Tox. 3, STOT RE 1, Acute Tox. 4, Aquatic Chronic 1; H272 H350 H340 H410	

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately.

Consult a physician. Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air.

Consult a physician. Show this safety data sheet to the doctor in attendance.

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes.

Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. Show this safety data sheet to the doctor in attendance.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Show this safety data sheet to the doctor in attendance.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting.

Consult a physician. Show this safety data sheet to the doctor in attendance.

4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.





according to Regulation (EC) No 1907/2006

LCK 314 CSB/COD/DCO

Revision date: 24.07.2018 Product code: LCK314 Page 4 of 11

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours. The following may develop in event of fire: sulfur oxides, mercury vapors.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste.

6.4. Reference to other sections

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas. Do not breathe vapours/dust.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep tightly closed in a dry, cool and well-ventilated place. Protect against light. Accessible only for authorized persons.

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7664-93-9	Sulphuric acid (mist)	-	0.05		TWA (8 h)	WEL

8.2. Exposure controls

Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.





according to Regulation (EC) No 1907/2006

LCK 314 CSB/COD/DCO

Revision date: 24.07.2018 Product code: LCK314 Page 5 of 11

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Wash hands before breaks and after work.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0.40 mm, Breakthrough time: > 30 min

Skin protection

Remove and wash contaminated clothing before re-use.

Respiratory protection

Breathing apparatus only if aerosol or dust is formed.

Recommended Filter type: ABEK-filter

Environmental exposure controls

Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid

Colour: yellow-orange Odour: odourless

Test method

pH-Value (at 20 °C): ~ 1 ASTM D 1287:2011

Changes in the physical state

Melting point: not applicable

Initial boiling point and boiling range: 300 °C Calculation method

Sublimation point:

Softening point:

Pour point:

not applicable

no data available

no data available

Flash point:

not applicable

no data available

No data available

No data available

Flammability

Solid: not applicable
Gas: not applicable

Explosive properties

not applicable

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not applicable
not applicable

Auto-ignition temperature

Solid: no data available
Gas: no data available
Decomposition temperature: no data available



Be Right™

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 314 CSB/COD/DCO

Revision date: 24.07.2018 Product code: LCK314 Page 6 of 11

Oxidizing properties

no data available

Vapour pressure:

Vapour pressure:

no data available

no data available

no data available

no data available

1,89 g/cm³

Bulk density:

not applicable

Water solubility:

completely soluble

(at 20 °C)

Solubility in other solvents

no data available

Partition coefficient: no data available Viscosity / dynamic: no data available Viscosity / kinematic: no data available Flow time: no data available no data available Vapour density: no data available Evaporation rate: Solvent separation test: no data available Solvent content: no data available

9.2. Other information

Solid content: 0,06 %

Corrosive in contact with metals

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat. Above 300 °C, hazardous fumes may be released.

10.5. Incompatible materials

Organic materials, Bases, Alkali metals, Metals, Ammonia, Reducing agents, Nitric acid. Reacts violently with water.

10.6. Hazardous decomposition products

Sulphur trioxide Chromium oxides

Further information

very reactive

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity





according to Regulation (EC) No 1907/2006

LCK 314 CSB/COD/DCO

Revision date: 24.07.2018 Product code: LCK314 Page 7 of 11

Toxic in contact with skin. Harmful if swallowed. Harmful by inhalation.

No data is available on the product itself. Information given is based on data on the components and the toxicology of similar products.

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
7783-35-9	Mercury(II) sulfate							
	oral	ATE	5 mg/kg					
	dermal	ATE	5 mg/kg					
	inhalation vapour	ATE	0,5 mg/l					
	inhalation aerosol	ATE	0,05 mg/l					
10294-26-5	Silver sulfate							
	oral	LD50 mg/kg	5000	rat				
7778-50-9	potassium dichromate							
	oral	ATE mg/kg	100					
	dermal	ATE mg/kg	1100					
	inhalation (4 h) vapour	LC50 mg/l	0,094	Rat				
	inhalation (4 h) aerosol	LC50 mg/l	0,094	Rat				

Irritation and corrosivity

The product causes burns of eyes, skin and mucous membranes.

Sensitising effects

No known effect.

Carcinogenic/mutagenic/toxic effects for reproduction

no data available

STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

H373 - May cause damage to organs through prolonged or repeated exposure. (Mercury(II) sulfate)

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

No toxicology information is available.

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Do not flush into surface water or sanitary sewer system.



according to Regulation (EC) No 1907/2006

LCK 314 CSB/COD/DCO

Revision date: 24.07.2018 Product code: LCK314 Page 8 of 11

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
7783-35-9	Mercury(II) sulfate						
	Acute fish toxicity	LC50 mg/l	0,19	96 h			
10294-26-5	Silver sulfate						
	Acute crustacea toxicity	EC50 mg/l	0,0045	48 h	Crustaceans		
7778-50-9	potassium dichromate						
	Acute fish toxicity	LC50 mg/l	26,13	96 h	Pimephales promelas		
	Acute algae toxicity	ErC50 0,59 mg/l	0,16 -	96 h	Chlorella vulgaris		

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

no data available

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Our local agencies will accept used cuvettes to ensure their proper disposal.

In accordance with local and national regulations.

Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: UN 3316 **14.2. UN proper shipping name:** Chemical kit

14.3. Transport hazard class(es):914.4. Packing group:IIHazard label:9



according to Regulation (EC) No 1907/2006

LCK 314 CSB/COD/DCO

Revision date: 24.07.2018 Product code: LCK314 Page 9 of 11



Classification code: M11
Special Provisions: 251 340
Limited quantity: SP251
Excepted quantity: SP340
Transport category: 2
Hazard No: Tunnel restriction code: E

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)

14.1. UN number:UN 331614.2. UN proper shipping name:CHEMICAL KIT14.3. Transport hazard class(es):9

14.4. Packing group:
Hazard label:
9



Marine pollutant:

Special Provisions:251, 340Limited quantity:See SP251Excepted quantity:SP340EmS:F-A, S-P

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:UN 331614.2. UN proper shipping name:CHEMICAL KIT

14.3. Transport hazard class(es):914.4. Packing group:IIHazard label:9



Special Provisions: A44 A163
Limited quantity Passenger: 1 kg
Passenger LQ: Y960
Excepted quantity: E0

IATA-packing instructions - Passenger:960IATA-max. quantity - Passenger:10 kgIATA-packing instructions - Cargo:960IATA-max. quantity - Cargo:10 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: yes





Be Right™

Safety Data Sheet

HACH LANGE GmbH

according to Regulation (EC) No 1907/2006

LCK 314 CSB/COD/DCO

Revision date: 24.07.2018 Product code: LCK314 Page 10 of 11

Danger releasing substance: sulphuric acid ... % Mercury(II) sulfate

14.6. Special precautions for user

Use personal protective equipment.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Authorisations (REACH, annex XIV):

potassium dichromate

Restrictions on use (REACH, annex XVII):

Entry 28: potassium dichromate

Information according to 2012/18/EU

(SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water contaminating class (D): 3 - highly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Revision: 24.07.2018

Safety datasheet sections which have been updated: 15

Revision: 14.02.2018

Safety datasheet sections which have been updated: 8, 9, 11, 13

Revision Date 13.12.2017

Safety datasheet sections which have been updated: 8, 15

Revision Date 09.03.2017

Safety datasheet sections which have been updated: 14

Revision: 17.11.2016

Safety datasheet sections which have been updated: 11

Revision: 18.07.2016

Safety datasheet sections which have been updated: 11

Revision: 7.09.2015

Safety datasheet sections which have been updated: 11, 12

Revision: 04.11.2014

Safety datasheet sections which have been updated: 2

Revision: 28.11.2013

Safety datasheet sections which have been updated: 4-16





according to Regulation (EC) No 1907/2006

LCK 314 CSB/COD/DCO

Revision date: 24.07.2018 Product code: LCK314 Page 11 of 11

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure			
Met. Corr. 1; H290	On basis of test data			
Acute Tox. 3; H311	Calculation method			
Acute Tox. 4; H302	Calculation method			
Acute Tox. 4; H332	Calculation method			
Skin Corr. 1A; H314	Calculation method			
STOT RE 2; H373	Calculation method			
Aquatic Chronic 1; H410	Calculation method			

Relevant H and EUH statements (number and full text)

elevalit n aliu E	on statements (number and run text)
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H300	Fatal if swallowed.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H340	May cause genetic defects.
H350	May cause cancer.
H360FD	May damage fertility. May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)