

according to Regulation (EC) No 1907/2006

2236-32 Molybdate Reagent

Revision date: 17.01.2017

Product code: 223632

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

2236-32 Molybdate Reagent

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name:	HACH LANGE GmbH
Street:	Willstätterstr. 11
Place:	D-40549 Düsseldorf
Telephone:	+49 (0)211 5288-383
e-mail:	SDS@hach.com
Internet:	www.de.hach.com
Responsible Department:	HACH LANGE Ltd.
	5, Pacific Way
	Salford Manchester M50 1DL - United Kingdom
	Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
	e-Mail: info-uk@hach.com
	HACH LANGE Ltd.
	Unit 1, Chestnut Road Western Industrial Estate
	IRL-Dublin 12
	Tel. +353 (0)1 4602522
	e-Mail: info-ie@hach.com
<u>1.4. Emergency telephone</u> number:	Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Substance or mixture corrosive to metals: Met. Corr. 1 Skin corrosion/irritation: Skin Corr. 1A Hazard Statements: May be corrosive to metals. Causes severe skin burns and eye damage.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

sulphuric acid ... %

Signal word:

Pictograms:



Danger

Hazard statements

H290 H314 May be corrosive to metals. Causes severe skin burns and eye damage.



according to Regulation (EC) No 1907/2006

2236-32 Molybdate Reagent

Revision date: 17.01.2017

Product code: 223632

Page 2 of 9

Precautionary statements

P234	Keep only in original packaging.
P264	Wash thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water
	or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.

Additional advice on labelling

Classification according to European directive on classification of hazardous preparations 1999/45/EC.

2.3. Other hazards

no data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name					
	EC No	Index No	REACH No			
	Classification according to Regulati	on (EC) No. 1272/2008 [CLP]				
7732-18-5	Water			35-45 %		
	231-791-2					
		•				
7664-93-9	sulphuric acid %	-		40 - 50 %		
	231-639-5					
	Met. Corr. 1, Skin Corr. 1A; H290 H	1314				
12054-85-2	Ammonium heptamolybdate tetrahy	vdrate		1-10 %		
	234-722-4					
	Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2	2, STOT SE 3; H302 H315 H319 H3	35			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately. Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air. Consult a physician.

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes. Call a physician immediately. Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

After ingestion

Drink 1 or 2 glasses of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician immediately.



according to Regulation (EC) No 1907/2006

2236-32 Molybdate Reagent

Revision date: 17.01.2017

Product code: 223632

Page 3 of 9

4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion,

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2), Dry chemical

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

Water

5.2. Special hazards arising from the substance or mixture

The following may develop in event of fire: sulfur oxides., nitrogen oxides (NOx), Ammonia

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable container for disposal.

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes. Avoid contact with clothing. Do not breathe vapours or spray mist.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep containers tightly closed in a cool, well-ventilated place.

Hints on joint storage

Do not store together with Oxidizing agents, Solvent, Bases, Metals

Further information on storage conditions

Keep locked up or in an area accessible only to qualified or authorised persons.

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection



according to Regulation (EC) No 1907/2006

2236-32 Molybdate Reagent

Revision date: 17.01.2017

Product code: 223632

Page 4 of 9

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7664-93-9	Sulphuric acid (mist)	-	0.05		TWA (8 h)	WEL

8.2. Exposure controls

Appropriate engineering controls

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Protective and hygiene measures

Wash hands before breaks and at the end of workday.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Skin protection

Avoid contact with skin, eyes and clothing.

Respiratory protection

Ensure adequate ventilation, especially in confined areas.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

1. Information on basic physical and chei	mical properties	
Physical state: Colour: Odour:	liquid colourless odourless	
pH-Value (at 20 °C):		<0,5
Changes in the physical state		
Melting point:		not applicable
Initial boiling point and boiling range:		no data available
Sublimation point:		not applicable
Softening point:		not applicable
Pour point:		no data available
:		no data available
Flash point:		not applicable
Flammability Solid: Gas:		not applicable not applicable
Explosive properties not applicable		
Lower explosion limits:		not applicable
Upper explosion limits:		not applicable
Ignition temperature:		not applicable
Auto-ignition temperature		



according to Regulation (EC) No 1907/2006

223	86-32 Molybdate Reagent	
Revision date: 17.01.2017	Product code: 223632	Page 5 of 9
Solid:	not applicable	
Gas:	not applicable	
Decomposition temperature:	no data available	
Oxidizing properties not applicable		
Vapour pressure:	no data available	
Vapour pressure:	no data available	
Density (at 20 °C):	1,30 g/cm ³	
Bulk density:	no data available	
Water solubility: (at 20 °C)	miscible	
Solubility in other solvents Acids		
Partition coefficient:	no data available	
Viscosity / dynamic:	no data available	
Viscosity / kinematic:	no data available	
Flow time:	no data available	
Vapour density:	no data available	
Evaporation rate:	no data available	
Solvent separation test:	no data available	
Solvent content:	no data available	
9.2. Other information		
Solid content:	no data available	
Corrosive in contact with metals		

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

Extremes of temperature and direct sunlight. To avoid thermal decomposition, do not overheat.

10.5. Incompatible materials

Strong bases, Solvent, Acetic acid Incompatible with oxidizing agents. Gives off hydrogen by reaction with metals.

10.6. Hazardous decomposition products

Sulphur oxides, nitrogen oxides (NOx), Ammonia

Further information

Stable under recommended storage conditions.

SECTION 11: Toxicological information



according to Regulation (EC) No 1907/2006

2236-32 Molybdate Reagent

Revision date: 17.01.2017

Product code: 223632

Page 6 of 9

11.1. Information on toxicological effects

Acute toxicity

No data is available on the product itself.

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
7664-93-9	sulphuric acid %					
	oral	LD50 214 mg/kg	40	rat		
12054-85-2	Ammonium heptamolybdate tetrahydrate					
		ATE 500 mg/kg	0			

Irritation and corrosivity

The product causes burns of eyes, skin and mucous membranes.

Sensitising effects

No known effect.

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Specific effects in experiment on an animal

No toxicology information is available.

Additional information on tests

None known.

Practical experience

Other observations

None known.

Further information

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

No data is available on the product itself.

CAS No	Chemical name

CASINO							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
12054-85-2	Ammonium heptamolybda	te tetrahydrate					
	Acute fish toxicity	LC50 42	20 mg/l	96 h			
	Acute crustacea toxicity	EC50 14	40 mg/l	48 h			

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

no data available

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

Discharge into the environment must be avoided.



according to Regulation (EC) No 1907/2006

2236-32 Molybdate Reagent

Revision date: 17.01.2017

Product code: 223632

Page 7 of 9

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

In accordance with local and national regulations.

Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

SECTION 14: Transport information

Land transport (ADR/RID)

Lanu transport (ADR/RID)	
<u>14.1. UN number:</u>	UN 3264
14.2. UN proper shipping name:	Corrosive liquid, acidic, inorganic, n.o.s. (sulphuric acid < 45 % - solution)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Classification code:	C1
Special Provisions:	274
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	80
Tunnel restriction code:	E
Inland waterways transport (ADN)	
Other applicable information (inland wa Not tested	terways transport)
Marine transport (IMDG)	
<u>14.1. UN number:</u>	UN 3264
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (<45% Sulphuric acid solution)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8



Be Right [™]	according to Regulation (EC) No 1907/2006	
	2236-32 Molybdate Reagent	
Revision date: 17.01.2017	Product code: 223632	Page 8 of 9
Marine pollutant:		
Special Provisions:	223, 274	
Limited quantity:	5 L	
Excepted quantity:	E1	
EmS:	F-A, S-B	
Air transport (ICAO-TI/IATA-DGR)		
<u>14.1. UN number:</u>	UN 3264	
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (<45% Sulphuric acid solution)	
14.3. Transport hazard class(es):	8	
14.4. Packing group:	III	
Hazard label:	8	
Special Provisions:	A3 A803	
Limited quantity Passenger:	1 L	
Passenger LQ:	Y841	
Excepted quantity:	E1	
IATA-packing instructions - Passenger:	852	
IATA-max. quantity - Passenger: IATA-packing instructions - Cargo:	5 L 856	
IATA-packing institucions - Cargo: IATA-max. quantity - Cargo:	60 L	
<u>14.5. Environmental hazards</u>		
ENVIRONMENTALLY HAZARDOUS:	no	
14.6. Special precautions for user		
Use personal protective equipment.		
14.7. Transport in bulk according to Annex Not relevant	x II of Marpol and the IBC Code	
Other applicable information		
dangerous goods for analytical or tes	nay be shipped as part of a chemical kit composed of various compatible sting purposes. This kit would have the following classification: Proper d Class: 9, UN Number3316, Package group II, EMS Code: F-A, S-P	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental reg	ulations/legislation specific for the substance or mixture	
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.	3
Water contaminating class (D):	1 - slightly water contaminating	
15.2. Chemical safety assessment		
Chemical safety assessments for sul	bstances in this mixture were not carried out.	

SECTION 16: Other information

Changes

Revision: 16.05.2013



according to Regulation (EC) No 1907/2006

2236-32 Molybdate Reagent

Revision date: 17.01.2017

Product code: 223632

Page 9 of 9

Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)