



The Power to Question

SAFETY DATA SHEET

Santa Cruz Biotechnology, Inc.

Revision date 31-Oct-2022

Version 1.3

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name

β -Mercaptoethanol

Product Code

SC-202966

Recommended use of the chemical and restrictions on use

For research use only. Not intended for diagnostic or therapeutic use.

Details of the supplier of the safety data sheet

Santa Cruz Biotechnology, Inc.

10410 Finnell Street

Dallas, TX 75220

831.457.3800

800.457.3801

scbt@scbt.com

Emergency telephone number

Chemtrec

1.800.424.9300 (Within USA)

+1.703.527.3887 (Outside USA)

2. HAZARDS IDENTIFICATION

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Classification

Acute toxicity - Oral

Acute toxicity - Dermal

Skin corrosion/irritation

Serious eye damage/eye irritation

Skin sensitization

Specific target organ toxicity (single exposure)

Specific target organ toxicity (repeated exposure)

Flammable liquids

Category 3

Category 2

Category 2

Category 1

Category 1

Category 3

Category 2

Category 4

Label elements

Signal word

Hazard statements

Danger

Toxic if swallowed

Fatal in contact with skin

Causes skin irritation

Causes serious eye damage

May cause an allergic skin reaction

May cause respiratory irritation. May cause drowsiness or dizziness

May cause damage to organs through prolonged or repeated exposure

Combustible liquid

Symbols/Pictograms



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Do not get in eyes, on skin, or on clothing

Wear protective gloves/protective clothing/eye protection/face protection

Contaminated work clothing should not be allowed out of the



Precautionary Statements - Response

workplace
 Use only outdoors or in a well-ventilated area
 Do not breathe dust/fume/gas/mist/vapors/spray
 Keep away from heat/sparks/open flames/hot surfaces. — No smoking
 Keep cool
 Get medical advice/attention if you feel unwell
 IF IN EYES: Rinse cautiously with water for several minutes.
 Remove contact lenses, if present and easy to do. Continue rinsing
 Immediately call a POISON CENTER or doctor/physician
 IF ON SKIN: Gently wash with plenty of soap and water
 Immediately call a POISON CENTER or doctor/physician
 Remove/Take off immediately all contaminated clothing
 Wash contaminated clothing before reuse
 If skin irritation or rash occurs: Get medical advice/attention
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
 Call a POISON CENTER or doctor/physician if you feel unwell
 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
 Rinse mouth
 In case of fire: Use CO₂, dry chemical, or foam for extinction
 Store locked up Store in a well-ventilated place. Keep container tightly closed
 Dispose of contents/container to an approved waste disposal plant

Precautionary Statements - Storage

Precautionary Statements - Disposal

Hazards not otherwise classified (HNOC)

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

Other hazards

Toxic to aquatic life with long lasting effects. Very toxic to aquatic life.

NFPA

Health hazards 3
 Flammability 2
 Stability 0
 Physical and chemical properties -

**HMIS**

Health hazards 3
 Flammability 2
 Physical hazards 1
 Personal protection -

3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS No 60-24-2
 Molecular Weight 78.1
 Formula C₂H₆OS

Chemical name	CAS No.	Weight-%	Oral LD50	Dermal LD50	Inhalation LC50
β -Mercaptoethanol	60-24-2	>98	= 244 mg/kg (Rat)	112 - 224 mg/kg (Rabbit) = 150 μ L/kg (Rabbit)	-

4. FIRST AID MEASURES**First Aid Measures**

General advice
 Eye contact

Immediate medical attention is required. If symptoms persist, call a physician.
 Keep eye wide open while rinsing. Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Do not rub



	affected area. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. If symptoms persist, call a physician.
Skin Contact	Immediate medical attention is required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash off immediately with soap and plenty of water. If skin irritation persists, call a physician.
Inhalation	Remove to fresh air Call a physician or poison control center immediately If not breathing, give artificial respiration If breathing is difficult, give oxygen Immediate medical attention is not required If symptoms persist, call a physician Move to fresh air in case of accidental inhalation of vapors or decomposition products
Ingestion	Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. Immediate medical attention is required. Remove from exposure, lie down. Clean mouth with water and drink afterwards plenty of water. Call a physician or poison control center immediately. Call a physician.
Self-protection of the first aider	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use. Dry chemical. Carbon dioxide (CO₂). Water spray (fog). Alcohol resistant foam.

Unsuitable Extinguishing Media No information available.

Specific hazards arising from the chemical

Specific hazards arising from the chemical The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes. Keep product and empty container away from heat and sources of ignition. Risk of ignition.

Hazardous combustion products Hydrogen sulfide. Carbon oxides.

Explosion data

Sensitivity to Mechanical Impact No information available.
Sensitivity to Static Discharge No information available.

Protective equipment and precautions for firefighters

Protective equipment and precautions for firefighters Wear self-contained breathing apparatus and protective suit.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Pay attention to flashback. Take precautionary measures against static discharges.

**Environmental precautions**

Environmental precautions

Do not allow into any sewer, on the ground or into any body of water. Should not be released into the environment. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so. Cover powder spill with plastic sheet or tarp to minimize spreading. Dike far ahead of liquid spill for later disposal.

Methods for cleaning up

Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Prevent product from entering drains. Dam up. After cleaning, flush away traces with water. Pick up and transfer to properly labeled containers. Take precautionary measures against static discharges.

7. HANDLING AND STORAGE**Precautions for safe handling**

Advice on safe handling

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed systems. Noxious vapor/odor. Use with local exhaust ventilation. All equipment used when handling the product must be grounded. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Do not breathe dust/fume/gas/mist/vapors/spray. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep containers tightly closed in a cool, well-ventilated place. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep away from heat. Store at room temperature.

Incompatible materials

Incompatible with strong acids and bases. Incompatible with oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Control parameters**

Exposure Guidelines

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Appropriate engineering controls

Engineering Controls

Ensure adequate ventilation, especially in confined areas

Individual protection measures, such as personal protective equipment

Eye/face protection

Tight sealing safety goggles. Face protection shield.

Skin and Body Protection

Wear protective gloves and protective clothing.

Respiratory protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene Considerations

When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Keep away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing and wash it before reuse. Wear suitable gloves and eye/face protection.



9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	liquid
Appearance	No information available
Odor	unpleasant May be unpleasant

<u>Property</u>	<u>Values</u>
pH	No information available
Melting point/freezing point	-100 °C
Boiling point	157.2 °C
Flash point	73 °C
Liquid Density	1.11 g/mL
Evaporation rate	No information available
Upper flammability limits	18%
Lower flammability limit	2.3%
Vapor pressure	1.0 mmHg
Vapor density	No information available
Specific gravity	1.11
Water solubility	No information available
Solubility in other solvents	No information available
Partition coefficient	-0.20
Autoignition temperature	295 °C
Decomposition temperature	No information available
Kinematic viscosity	No information available
Explosive properties	No information available
Oxidizing properties	No information available

10. STABILITY AND REACTIVITY

Reactivity	Not applicable
Chemical stability	Stable under recommended storage conditions.
Possibility of Hazardous Reactions	None under normal processing.
Hazardous polymerization	No information available.
Conditions to avoid	Exposure to air or moisture over prolonged periods. Heat, flames and sparks.
Incompatible materials	Incompatible with strong acids and bases. Incompatible with oxidizing agents.
Hazardous Decomposition Products	Thermal decomposition can lead to release of irritating and toxic gases and vapors. Hydrogen sulfide. Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation	No data available.
Eye contact	No data available.
Skin Contact	No data available.
Ingestion	No data available.

Information on toxicological effects

Symptoms	No information available.
----------	---------------------------

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic Toxicity	Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure.
------------------	---



Possible risk of irreversible effects.

Numerical measures of toxicity - Product Information

Unknown acute toxicity

No information available

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 100 mg/kg

ATEmix (dermal) 50 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects

Chemical name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
β -Mercaptoethanol 60-24-2	12: 72 h Desmodesmus subspicatus mg/L EC50	46 - 100: 96 h Leuciscus idus mg/L LC50 static	-	1.52: 48 h Daphnia magna mg/L EC50

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Mobility

No information available.

Chemical name	Partition coefficient
β -Mercaptoethanol 60-24-2	-0.056

13. DISPOSAL CONSIDERATIONS

Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

Do not reuse container.

Other Information

Waste codes should be assigned by the user based on the application for which the product was used.

14. TRANSPORT INFORMATION

DOT

UN/ID no UN2966
Hazard Class 6.1
Packing Group II
Proper shipping name Thioglycol
Description UN2966, Thioglycol, 6.1, II
Emergency Response Guide Number 153

IMDG

UN/ID no UN2966
Hazard Class 6.1
Packing Group II
Proper shipping name Thioglycol
Description UN2966, Thioglycol, 6.1, II, Marine pollutant
EmS-No F-A, S-A

IATA



UN/ID no	UN2966
Hazard Class	6.1
Packing Group	II
Proper shipping name	Thioglycol
Description	UN2966, Thioglycol, 6.1, II
ERG Code	6L

15. REGULATORY INFORMATION

International Inventories

All of the components in the product are on the following Inventory lists

TSCA (United States): Canada (DSL/NDSL) Europe (EINECS/ELINCS/NLP) Australia (AICS) South Korea (KECL): China (IECSC)
ENCS (Japan): Philippines (PICCS)

Chemical name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
β -Mercaptoethanol	X	X	-	X	-	X	X	X	X	X

X - Listed

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
β -Mercaptoethanol 60-24-2	X	X	X

16. OTHER INFORMATION

Revision note	No information available
---------------	--------------------------

**Disclaimer**

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet