



according to Regulation (EC) No 1907/2006

1055-99 Sulfamic Acid

Revision date: 03.01.2019 Product code: 105599 Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

1055-99 Sulfamic Acid

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.

5, Pacific Way

Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324

e-Mail: info-uk@hach.com

HACH LANGE Ltd.

Unit 1, Chestnut Road Western Industrial Estate

IRL-Dublin 12

Tel. +353 (0)1 4602522 e-Mail: info-ie@hach.com

1.4. Emergency telephone Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency

number: service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Substance or mixture corrosive to metals: Met. Corr. 1

Acute toxicity: Acute Tox. 4 Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:
May be corrosive to metals.
Harmful if swallowed.
Causes skin irritation.
Causes serious eve irritation.

Causes serious eye irritation.

Harmful to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

sulfamic acid, sulphamic acid, sulphamidic acid

Signal word: Warning



Be Right[™]

Safety Data Sheet

according to Regulation (EC) No 1907/2006

1055-99 Sulfamic Acid

Revision date: 03.01.2019 Product code: 105599 Page 2 of 9

Pictograms:





Hazard statements

H290 May be corrosive to metals.
H302 Harmful if swallowed.
H315 Causes skin irritation.
H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name	Chemical name				
	EC No	Index No	REACH No			
	Classification according to Regulation (EC) No. 1272/2008 [CLP]					
5329-14-6	sulfamic acid, sulphamic acid, sulpl	sulfamic acid, sulphamic acid, sulphamidic acid				
	226-218-8					
	Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Aquatic Chronic 3; H302 H315 H319 H412					

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off contaminated clothing and shoes immediately. Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air.

If symptoms persist, call a physician.

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes.

Call a physician immediately.

After contact with eyes

In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.





according to Regulation (EC) No 1907/2006

1055-99 Sulfamic Acid

Revision date: 03.01.2019 Product code: 105599 Page 3 of 9

After ingestion

Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

irritant effects, Cough, Shortness of breath

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

Water, Carbon dioxide (CO2), Alcohol-resistant foam Dry powder

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours. The following may develop in event of fire: sulfur oxides.

5.3. Advice for firefighters

In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

In the event of fire, wear self-contained breathing apparatus.

In the case of respirable dust and/or fumes, use self-contained breathing apparatus and dust impervious protective suit.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Only qualified personnel equipped with suitable protective equipment may intervene. Immediately evacuate personnel to safe areas.

Do not breathe vapours, mist or gas. Ensure adequate ventilation.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local/national regulations (see section 13).

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas. Avoid contact with skin and eyes. Do not breathe vapours/dust.

Advice on protection against fire and explosion

None known.

See also section 5

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a dry and well-ventilated place.





according to Regulation (EC) No 1907/2006

1055-99 Sulfamic Acid

Revision date: 03.01.2019 Product code: 105599 Page 4 of 9

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

None known.

8.2. Exposure controls









Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Protective and hygiene measures

Wash hands before breaks and after work.

General industrial hygiene practice.

Ensure that eye flushing systems and safety showers are located close to the working place.

@N07.0011183

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Skin protection

Avoid contact with skin, eyes and clothing.

Respiratory protection

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

Breathing apparatus only if aerosol or dust is formed.

Recommended Filter type: ABEK-filter

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: solid
Colour: white
Odour: odourless

pH-Value (at 20 °C): 1,18

Changes in the physical state

Melting point: 205 °C Initial boiling point and boiling range: not applicable Sublimation point: no data available Softening point: not applicable



according to Regulation (EC) No 1907/2006

1055-99 Sulfamic Acid

Revision date: 03.01.2019 Product code: 105599 Page 5 of 9

Pour point: not applicable
Flash point: no data available
Sustaining combustion: No data available

Flammability

Solid: not applicable
Gas: not applicable

Explosive properties

not applicable

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not applicable

not applicable

Auto-ignition temperature

Solid: not applicable
Gas: not applicable

Decomposition temperature: 205 °C

Oxidizing properties

not applicable

Vapour pressure: 0,0078 hPa

(at 20 °C)

Density (at 20 °C):

Bulk density:

Nature solubility:

2,13 g/cm³

not applicable

213 g/L

(at 20 °C)

Solubility in other solvents

soluble

Partition coefficient: not applicable Viscosity / dynamic: not applicable Viscosity / kinematic: not applicable Flow time: not applicable Vapour density: not applicable Evaporation rate: not applicable Solvent separation test: not applicable Solvent content: not applicable

9.2. Other information

Solid content: no data available

Corrosive in contact with metals Mild steel: 20.67 mm/a

SECTION 10: Stability and reactivity

10.1. Reactivity

May be corrosive to metals.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Reacts with the following substances: Chlorine, Oxidizing agents, Metals, Bases, Nitric acid





Safety Data Sheet

according to Regulation (EC) No 1907/2006

1055-99 Sulfamic Acid

Revision date: 03.01.2019 Product code: 105599 Page 6 of 9

10.4. Conditions to avoid

Heat.

10.5. Incompatible materials

Keep away from oxidising agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

10.6. Hazardous decomposition products

Decomposition products: nitrogen oxides (NOx) Sulphur oxides, Ammonia

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No toxicology information is available.

Acute toxicity

Harmful if swallowed. LD50/oral/rat = 3160 mg/kg

ATEmix calculated

ATE (oral) 1455,8 mg/kg

CAS No	Chemical name							
	Exposure route Dose Species Source Method							
5329-14-6	sulfamic acid, sulphamic acid, sulphamidic acid							
	oral	LD50 1450 mg/kg	Rat					

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

No aspiration toxicity classification

Specific effects in experiment on an animal

No toxicology information is available.

Further information

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

No information on ecology is available.





Be Right"

Safety Data Sheet

according to Regulation (EC) No 1907/2006

1055-99 Sulfamic Acid

Revision date: 03.01.2019 Product code: 105599 Page 7 of 9

CAS No	Chemical name							
	Aquatic toxicity	quatic toxicity Dose [h] [d] Species Source Method						
5329-14-6	sulfamic acid, sulphamic acid, sulphamidic acid							
	Acute fish toxicity	LC50 70,3 mg/l	96 h	Pimephales promelas				

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

No data is available on the product itself.

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

No known effect.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

Contaminated packaging

In accordance with local and national regulations.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: UN 2967

14.2. UN proper shipping name: Sulphamic acid mixture

14.3. Transport hazard class(es): 8
14.4. Packing group: III

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)

14.1. UN number: UN 2967

14.2. UN proper shipping name: Sulphamic acid mixture

14.3. Transport hazard class(es): 8
14.4. Packing group: |||





Safety Data Sheet

according to Regulation (EC) No 1907/2006

1055-99 Sulfamic Acid

Revision date: 03.01.2019 Product code: 105599 Page 8 of 9

Marine pollutant:

EmS: F-A,S-B

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 2967

14.2. UN proper shipping name: Sulphamic acid mixture

14.3. Transport hazard class(es): 8
14.4. Packing group: III

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: ves



14.6. Special precautions for user

no data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Revision: 15.06.2016

Safety datasheet sections which have been updated: 2, 3, 4, 6, 7, 8, 9, 11, 15, 16

Revision: 15.06.2016

Safety datasheet sections which have been updated: 2, 8

Revision: 20.04.2015

Safety datasheet sections which have been updated: 2, 4, 9, 11

Revision: 12.05.2014

Safety datasheet sections which have been updated: 4, 6, 8, 9, 10, 11, 12, 14

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Acute Tox. 4; H302	Calculation method
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H290 May be corrosive to metals.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

1055-99 Sulfamic Acid

Revision date: 03.01.2019 Product code: 105599 Page 9 of 9

H302 Harmful if swallowed. H315 Causes skin irritation.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)





Safety Data Sheet

according to Regulation (EC) No 1907/2006

2203-99 Sulfite 1 Reagent

Revision date: 23.05.2019 Product code: 220399 Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

2203-99 Sulfite 1 Reagent

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.
5, Pacific Way

Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324

e-Mail: info-uk@hach.com

HACH LANGE Ltd.

Unit 1, Chestnut Road Western Industrial Estate

IRL-Dublin 12

Tel. +353 (0)1 4602522 e-Mail: info-ie@hach.com

1.4. Emergency telephone Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency

number: service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Hazard Statements: Causes skin irritation. Causes serious eye irritation.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

Potassium iodide

Signal word: Warning

Pictograms:



Hazard statements

H315 Causes skin irritation.
H319 Causes serious eye irritation.



Be Right[™]

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2203-99 Sulfite 1 Reagent

Revision date: 23.05.2019 Product code: 220399 Page 2 of 8

Precautionary statements

P280 Wear protective gloves/protective clothing/eve protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P362 Take off contaminated clothing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	GHS Classification	•	•		
7681-11-0	Potassium iodide				
	231-659-4				
	Skin Irrit. 2, Eye Irrit. 2; H315 H319				
9005-84-9	Starch				
	232-686-4				
584-08-7	Potassium carbonate			< 5 %	
	209-529-3				
	Skin Irrit. 2, Eye Irrit. 2A, STOT SE 3; H315 H319 H335				

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately.

After inhalation

Move to fresh air.

If symptoms persist, call a physician.

After contact with skin

Wash off immediately with plenty of water.

In the case of skin irritation or allergic reactions see a physician.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

After ingestion

Clean mouth with water and drink afterwards plenty of water.

Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

May cause skin irritation. May cause eye irritation.





according to Regulation (EC) No 1907/2006

2203-99 Sulfite 1 Reagent

Revision date: 23.05.2019 Product code: 220399 Page 3 of 8

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

The product itself does not burn.

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable container for disposal.

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas.

Avoid contact with skin and eyes.

Avoid breathing dust.

Advice on protection against fire and explosion

See also section 5

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in a dry, cool place.

Hints on joint storage

None known.

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

None known.



according to Regulation (EC) No 1907/2006

2203-99 Sulfite 1 Reagent

Revision date: 23.05.2019 Product code: 220399 Page 4 of 8

8.2. Exposure controls

Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Wash hands before breaks and after work.

Smoking, eating and drinking should be prohibited in the application area.

Wash contaminated clothing before re-use.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Skin protection

Avoid contact with skin, eyes and clothing.

Respiratory protection

Avoid breathing dust or vapour.

Provide adequate ventilation.

Breathing apparatus only if aerosol or dust is formed.

Recommended Filter type: ABEK-filter

Environmental exposure controls

Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: solid
Colour: colourless
Odour: odourless

pH-Value (at 20 °C): 9,4 (5 % solution)

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Sublimation point:

Softening point:

Pour point:

Pour point:

Plash point:

Rate of the point and boiling range:

Ino data available available available on data available on data available available on data available on data available on data available on data available Sustaining combustion:

No data available

Flammability

Solid: not applicable
Gas: not applicable

Explosive properties

not applicable

Lower explosion limits: not applicable



according to Regulation (EC) No 1907/2006

2203-99 Sulfite 1 Reagent

Revision date: 23.05.2019 Product code: 220399 Page 5 of 8

Upper explosion limits: not applicable Ignition temperature: not applicable

Auto-ignition temperature

Solid: not applicable
Gas: not applicable

Decomposition temperature: not applicable

Oxidizing properties

not applicable

Vapour pressure:

Vapour pressure:

Density (at 20 °C):

Bulk density:

No data available

2,97 g/cm³

no data available

vater solubility:

soluble

Solubility in other solvents

soluble

Partition coefficient: not applicable Viscosity / dynamic: not applicable not applicable Viscosity / kinematic: Flow time: not applicable Vapour density: not applicable Evaporation rate: not applicable not applicable Solvent separation test: Solvent content: not applicable

9.2. Other information

Solid content: no data available

no data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat. Avoid moisture.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

Further information

None known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Revision No: 2,3 GB - EN Print date: 24.05.2019



according to Regulation (EC) No 1907/2006

2203-99 Sulfite 1 Reagent

Revision date: 23.05.2019 Product code: 220399 Page 6 of 8

Toxicocinetics, metabolism and distribution

No toxicology information is available.

Acute toxicity

No data is available on the product itself.

CAS No	Chemical name							
	Exposure route Dose Species Source Method							
7681-11-0	Potassium iodide							
	oral	LD50 2779 mg/kg	rat					

Irritation and corrosivity

May cause eye irritation. May cause skin irritation.

Sensitising effects

No known effect.

Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

No data is available on the product itself.

Additional information on tests

no data available

Practical experience

Observations relevant to classification

no data available

Other observations

no data available

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

No data is available on the product itself.

Do not flush into surface water or sanitary sewer system.

CAS No	Chemical name						
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method	
7681-11-0	Potassium iodide						
	Acute fish toxicity	LC50 896 m	~	Oncorhynchus mykiss (rainbow trout)	EPA		

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential





according to Regulation (EC) No 1907/2006

2203-99 Sulfite 1 Reagent

Revision date: 23.05.2019 Product code: 220399 Page 7 of 8

No data is available on the product itself.

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

No known effect.

Further information

no data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

In accordance with local and national regulations.

Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

Land transport (ADR/RID)

Other applicable information (land transport)

Not subject to transport regulations.

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)

Other applicable information (marine transport)

Not subject to transport regulations.

Air transport (ICAO-TI/IATA-DGR)

Other applicable information (air transport)

Not subject to transport regulations.

14.5. Environmental hazards

FNVIRONMENTALLY HAZARDOUS: no.

14.6. Special precautions for user

no data available



HACH LANGE GmbH

according to Regulation (EC) No 1907/2006

2203-99 Sulfite 1 Reagent

Revision date: 23.05.2019 Product code: 220399 Page 8 of 8

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

Other applicable information

no data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Revision: 23.05.2019

Safety datasheet sections which have been updated: 15, 16

Revision: 29.03.2018

Safety datasheet sections which have been updated: 4, 7, 8

Revision: 13.04.2016

Safety datasheet sections which have been updated: 2, 3

Revision: 22.04.2015

Safety datasheet sections which have been updated: 2, 11

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure				
Skin Irrit. 2; H315	Calculation method				
Eye Irrit. 2; H319	Calculation method				

Relevant H and EUH statements (number and full text)

H315 Causes skin irritation.
H319 Causes serious eye irritation.

H319 Causes serious eye irritation. H335 May cause respiratory irritation.

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)



Safety Data Sheet

HACH LANGE GmbH

according to Regulation (EC) No 1907/2006

705-32 Sulfite 3 Reagent

Revision date: 17.04.2019 Product code: 70532 Page 1 of 7

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

705-32 Sulfite 3 Reagent

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.

5, Pacific Way

Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324

e-Mail: info-uk@hach.com

HACH LANGE Ltd.

Unit 1, Chestnut Road Western Industrial Estate

IRL-Dublin 12

Tel. +353 (0)1 4602522 e-Mail: info-ie@hach.com

1.4. Emergency telephone Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency

number: service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

2.2. Label elements

Additional advice on labelling

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures





Safety Data Sheet

according to Regulation (EC) No 1907/2006

705-32 Sulfite 3 Reagent

Revision date: 17.04.2019 Product code: 70532 Page 2 of 7

Hazardous components

CAS No	Chemical name			
	EC No	Index No	REACH No	
	GHS Classification	•	·	
7732-18-5	Water			
	231-791-2			
			•	
7758-05-6	Potassium iodate			<1 %
	231-831-9			
	Ox. Sol. 2, Eye Irrit. 2; H272 H319			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately.

After inhalation

Move to fresh air.

After contact with skin

Wash off immediately with plenty of water.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

After ingestion

Clean mouth with water and drink afterwards plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

No known effect.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

The product itself does not burn.

Unsuitable extinguishing media

None known.

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures





according to Regulation (EC) No 1907/2006

705-32 Sulfite 3 Reagent

Revision date: 17.04.2019 Product code: 70532 Page 3 of 7

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas.

Advice on protection against fire and explosion

See also section 5

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in a dry, cool place.

Hints on joint storage

None known.

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

None known.

8.2. Exposure controls

Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Wash hands before breaks and after work.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Skin protection

Remove and wash contaminated clothing before re-use.

Respiratory protection

Breathing apparatus only if aerosol or dust is formed.

Recommended Filter type: ABEK-filter





according to Regulation (EC) No 1907/2006

705-32 Sulfite 3 Reagent

Revision date: 17.04.2019 Product code: 70532 Page 4 of 7

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: colourless
Odour: odourless

pH-Value (at 20 °C): 5,8

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Sublimation point:

Softening point:

Pour point:

Pour point:

Inot applicable

not applicable

not applicable

not applicable

not applicable

not applicable

no data available

Flash point:

Roy data available

Sustaining combustion:

No data available

Flammability

Solid: not applicable
Gas: not applicable

Explosive properties

not applicable

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not applicable

not applicable

Auto-ignition temperature

Solid: not applicable
Gas: not applicable

Decomposition temperature: not applicable

Oxidizing properties

not applicable

Vapour pressure:

Vapour pressure:

Density (at 20 °C):

Bulk density:

Water solubility:

no data available

no data available

no data available

no data available

soluble

Solubility in other solvents

soluble

no data available Partition coefficient: no data available Viscosity / dynamic: Viscosity / kinematic: no data available Flow time: no data available no data available Vapour density: Evaporation rate: no data available Solvent separation test: no data available Solvent content: no data available





Safety Data Sheet

according to Regulation (EC) No 1907/2006

705-32 Sulfite 3 Reagent

Revision date: 17.04.2019 Product code: 70532 Page 5 of 7

9.2. Other information

Solid content: not applicable

no data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

Keep away from heat.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

Further information

None known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No toxicology information is available.

Acute toxicity

No data is available on the product itself.

Irritation and corrosivity

No known effect.

Sensitising effects

No known effect.

Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

No data is available on the product itself.

Additional information on tests

no data available

Practical experience

Observations relevant to classification

no data available



Safety Data Sheet

according to Regulation (EC) No 1907/2006

705-32 Sulfite 3 Reagent

Revision date: 17.04.2019 Product code: 70532 Page 6 of 7

Other observations

no data available

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

No data is available on the product itself.

Do not flush into surface water or sanitary sewer system.

CAS No	Chemical name						
	Aquatic toxicity	Dose	[h] [d] Species	Source	Method		
7758-05-6	Potassium iodate						
	Acute crustacea toxicity	EC50 >100 mg/l	48 h				

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

No data is available on the product itself.

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

No known effect.

Further information

no data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

In accordance with local and national regulations.

Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information



HACH LANGE GmbH

according to Regulation (EC) No 1907/2006

705-32 Sulfite 3 Reagent

Revision date: 17.04.2019 Product code: 70532 Page 7 of 7

Land transport (ADR/RID)

Other applicable information (land transport)

Not subject to transport regulations.

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)

Other applicable information (marine transport)

Not subject to transport regulations.

Air transport (ICAO-TI/IATA-DGR)

Other applicable information (air transport)

Not subject to transport regulations.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

no data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

Other applicable information

no data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Water contaminating class (D): - - not water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Revision: 17.04.2019

Safety datasheet sections which have been updated: 15

Revision: 28.04.2015

Safety datasheet sections which have been updated: 2

Relevant H and EUH statements (number and full text)

H272 May intensify fire; oxidiser. H319 Causes serious eye irritation.

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)