

according to Regulation (EC) No. 1907/2006

Revision Date 31.07.2018

Version 7.13

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalogue No. 170204

Product name Antimony standard solution traceable to SRM from NIST Sb₂O₃ in HCl

2 mol/l 1000 mg/l Sb Certipur®

REACH Registration Number This product is a mixture. REACH Registration Number see section 3.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis

For additional information on uses please refer to the Merck Chemicals

portal (www.merckgroup.com).

1.3 Details of the supplier of the safety data sheet

Company Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0

Responsible Department LS-QHC * e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone

Please contact the regional company representation in your country.

number

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture Classification (REGULATION (EC) No 1272/2008)

Corrosive to metals, Category 1, H290

For the full text of the H-Statements mentioned in this Section, see Section 16.

according to Regulation (EC) No. 1907/2006

Catalogue No. 170204

Product name Antimony standard solution traceable to SRM from NIST Sb₂O₃ in HCl 2 mol/l

1000 mg/l Sb Certipur®

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Warning

Hazard statements

H290 May be corrosive to metals.

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

Chemical nature Aqueous solution

3.1 SubstanceNot applicable

3.2 Mixture

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration)

CAS-No. Registration number Classification

Hydrochloric Acid (>= 5 % - < 10 %)

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

- 01-2119484862-27-

XXXX Corrosive to metals, Category 1, H290

Skin corrosion, Category 1B, H314

Specific target organ toxicity - single exposure, Category 3, H335

according to Regulation (EC) No. 1907/2006

Catalogue No. 170204

Product name Antimony standard solution traceable to SRM from NIST Sb₂O₃ in HCl 2 mol/l

1000 mg/l Sb Certipur®

Antimony trioxide (< 1 %)

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

1309-64-4 01-2119475613-35-

XXXX Carcinogenicity, Category 2, H351

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/shower.

After eye contact: rinse out with plenty of water. Remove contact lenses.

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

4.2 Most important symptoms and effects, both acute and delayed

irritant effects

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

according to Regulation (EC) No. 1907/2006

Catalogue No. 170204

Product name Antimony standard solution traceable to SRM from NIST Sb₂O₃ in HCl 2 mol/l

1000 mg/l Sb Certipur®

5.2 Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapours.

Fire may cause evolution of:

Hydrogen chloride gas

5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapours/mists with a water spray jet.

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10).

Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® H⁺, Merck Art. No. 101595). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

according to Regulation (EC) No. 1907/2006

Catalogue No. 170204

Product name Antimony standard solution traceable to SRM from NIST Sb₂O₃ in HCl 2 mol/l

1000 mg/l Sb Certipur®

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Hygiene measures

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

No metal or light-weight-metal containers.

Storage conditions

Tightly closed.

Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

Derived No Effect Level (DNEL)

Hydrochloric Acid

Worker DNEL, acute Local effects inhalation 15 mg/m³

Worker DNEL, Local effects inhalation 8 mg/m³

longterm

Antimony trioxide (1309-64-4)

Worker DNEL, Systemic effects dermal 281 mg/kg Body weight (as Sb)

longterm

according to Regulation (EC) No. 1907/2006

Catalogue No. 170204

Product name Antimony standard solution traceable to SRM from NIST Sb₂O₃ in HCl 2 mol/l

1000 mg/l Sb Certipur®

Worker DNEL, Local effects inhalation 0,5 mg/m³ (as Sb)

longterm

Predicted No Effect Concentration (PNEC)

Hydrochloric Acid

PNEC Fresh water 0,036 mg/l

PNEC Marine water 0,036 mg/l

PNEC Aquatic intermittent release 0,045 mg/l

PNEC Sewage treatment plant 0,036 mg/l

Antimony trioxide (1309-64-4)

PNEC Fresh water 0,113 mg/l (as Sb)

PNEC Marine water 0,0113 mg/l (as Sb)

PNEC Fresh water sediment 7,8 mg/kg (as Sb)

PNEC Marine sediment 1,56 mg/kg (as Sb)

PNEC Soil 37 mg/kg (as Sb)

PNEC Sewage treatment plant 2,55 mg/l (as Sb)

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

according to Regulation (EC) No. 1907/2006

Catalogue No. 170204

Product name Antimony standard solution traceable to SRM from NIST Sb₂O₃ in HCl 2 mol/l

1000 mg/l Sb Certipur®

Eye/face protection

Safety glasses

Hand protection

full contact:

Glove material: Nitrile rubber

Glove thickness: 0,11 mm

Break through time: > 480 min

splash contact:

Glove material: Nitrile rubber

Glove thickness: 0,11 mm

Break through time: > 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment

Acid-resistant protective clothing

Respiratory protection

required when vapours/aerosols are generated.

Recommended Filter type: filter ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

according to Regulation (EC) No. 1907/2006

Catalogue No. 170204

Product name Antimony standard solution traceable to SRM from NIST Sb₂O₃ in HCl 2 mol/l

1000 mg/l Sb Certipur®

Environmental exposure controls

Do not let product enter drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form liquid

Colour colourless

Odour slight

Odour Threshold No information available.

pH ca. 0

at 20 °C

Melting point No information available.

Boiling point No information available.

Flash point Not applicable

Evaporation rate No information available.

Flammability (solid, gas) No information available.

Lower explosion limit No information available.

Upper explosion limit No information available.

Vapour pressure No information available.

according to Regulation (EC) No. 1907/2006

Catalogue No. 170204

Product name Antimony standard solution traceable to SRM from NIST Sb₂O₃ in HCl 2 mol/l

1000 mg/l Sb Certipur®

Relative vapour density No information available.

Density ca.1,033 g/cm3

at 20 °C

Relative density No information available.

Water solubility No information available.

Partition coefficient: n-

octanol/water

No information available.

Auto-ignition temperature No information available.

Decomposition temperature No information available.

Viscosity, dynamic No information available.

Explosive properties Not classified as explosive.

Oxidizing properties none

9.2 Other data

Corrosion May be corrosive to metals.

SECTION 10. Stability and reactivity

10.1 Reactivity

See section 10.3

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Generates dangerous gases or fumes in contact with:

according to Regulation (EC) No. 1907/2006

Catalogue No. 170204

Product name Antimony standard solution traceable to SRM from NIST Sb₂O₃ in HCl 2 mol/l

1000 mg/l Sb Certipur®

Metals

Violent reactions possible with:

The generally known reaction partners of water.

10.4 Conditions to avoid

no information available

10.5 Incompatible materials

Metals, metal alloys

10.6 Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Mixture

Acute oral toxicity

This information is not available.

Acute inhalation toxicity

This information is not available.

Acute dermal toxicity

This information is not available.

Skin irritation

Possible damages: slight irritation

Eye irritation

Possible damages: slight irritation

Sensitisation

This information is not available.

Germ cell mutagenicity

This information is not available.

according to Regulation (EC) No. 1907/2006

Catalogue No. 170204

Product name Antimony standard solution traceable to SRM from NIST Sb₂O₃ in HCl 2 mol/l

1000 mg/l Sb Certipur®

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

11.2 Further information

The following applies to trivalent antimony compounds in general: after uptake and absorption as a result of misuse or improper handling, drop in blood pressure, hepatotoxic effect, in some circumstances myalgia, dyspnoea, dermatitis.

However, when the product is handled appropriately, hazardous effects are unlikely to occur. Handle in accordance with good industrial hygiene and safety practice.

Components

Hydrochloric Acid

Skin irritation

Rabbit

Result: Corrosive

OECD Test Guideline 404

Eye irritation

Rabbit

Result: Irreversible effects on the eye

OECD Test Guideline 405

according to Regulation (EC) No. 1907/2006

Catalogue No. 170204

Product name Antimony standard solution traceable to SRM from NIST Sb₂O₃ in HCl 2 mol/l

1000 mg/l Sb Certipur®

Sensitisation

Maximisation Test Guinea pig

Result: Does not cause skin sensitisation. Method: OECD Test Guideline 406

Antimony trioxide

Acute oral toxicity

LD50 Rat: > 34.600 mg/kg
(IUCLID)

SECTION 12. Ecological information

Mixture

12.1 Toxicity

No information available.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Substance(s) in the mixture do(es) not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII, or a PBT/vPvB assessment was not conducted.

12.6 Other adverse effects

Additional ecological information

Harmful effect due to pH shift.

Hazard for drinking water supplies.

Discharge into the environment must be avoided.

Components

Hydrochloric Acid

Toxicity to fish

Lepomis macrochirus (Bluegill sunfish): 20,5 mg/l; 96 h

OECD Test Guideline 203

according to Regulation (EC) No. 1907/2006

Catalogue No. 170204

Product name Antimony standard solution traceable to SRM from NIST Sb₂O₃ in HCl 2 mol/l

1000 mg/l Sb Certipur®

Toxicity to daphnia and other aquatic invertebrates

EC50: 1,3 mg/l; 48 h OECD Test Guideline 202

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

Antimony trioxide

Toxicity to fish

LC50 Danio rerio (zebra fish): > 1.000 mg/l; 96 h

OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates EC50 Daphnia magna (Water flea): > 1.000 mg/l; 48 h

OECD Test Guideline 202

Toxicity to algae

IC50 Pseudokirchneriella subcapitata (green algae): 67 mg/l; 72 h

OECD Test Guideline 201

Toxicity to bacteria

EC10 Pseudomonas putida: > 3,5 mg/l; 7 h

(IUCLID)

Biodegradability

The methods for determining the biological degradability are not applicable to inorganic substances.

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

according to Regulation (EC) No. 1907/2006

Catalogue No. 170204

Product name Antimony standard solution traceable to SRM from NIST Sb₂O₃ in HCl 2 mol/l

1000 mg/l Sb Certipur®

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)

14.1 UN number UN 1789

14.2 Proper shipping name HYDROCHLORIC ACID

14.3 Class 8

14.4 Packing group

14.5 Environmentally hazardous ---

14.6 Special precautions for yes

user

Tunnel restriction code E

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

14.1 UN number UN 1789

14.2 Proper shipping name HYDROCHLORIC ACID

14.3 Class 8

14.4 Packing group

14.5 Environmentally hazardous --

14.6 Special precautions for no

user

Sea transport (IMDG)

according to Regulation (EC) No. 1907/2006

Catalogue No. 170204

Product name Antimony standard solution traceable to SRM from NIST Sb₂O₃ in HCl 2 mol/l

1000 mg/l Sb Certipur®

14.1 UN number UN 1789

14.2 Proper shipping name HYDROCHLORIC ACID

14.3 Class 8

14.4 Packing group

14.5 Environmentally hazardous --

14.6 Special precautions for yes

user

EmS F-A S-B

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard SEVESO III
Legislation Not applicable

Occupational restrictions Take note of Dir 94/33/EC on the protection of young people at

work.

Regulation (EC) No 1005/2009 on substances that not regulated

deplete the ozone layer

Regulation (EC) No 850/2004 of the European not regulated

Parliament and of the Council of 29 April 2004 on

persistent organic pollutants and amending

Directive 79/117/EEC

according to Regulation (EC) No. 1907/2006

Catalogue No. 170204

Product name Antimony standard solution traceable to SRM from NIST Sb₂O₃ in HCl 2 mol/l

1000 mg/l Sb Certipur®

Substances of very high concern (SVHC)

This product does not contain substances

of very high concern according to

Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of \geq 0.1 % (w/w).

National legislation

Storage class 8B

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.
H351 Suspected of causing cancer.

Training advice

Provide adequate information, instruction and training for operators.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

according to Regulation (EC) No. 1907/2006

Catalogue No. 170204

Product name Antimony standard solution traceable to SRM from NIST Sb₂O₃ in HCl 2 mol/l

1000 mg/l Sb Certipur®

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.