

Safety Data Sheet

according to Regulation (EC) No 1907/2006

12065-14 SulfaVer 4 Sulfate Reagent

Revision date: 30.01.2017

Product code: 1206514

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

12065-14 SulfaVer 4 Sulfate Reagent

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.
5, Pacific Way
Salford Manchester M50 1DL - United Kingdom
Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
e-Mail: info-uk@hach.com

HACH LANGE Ltd.
Unit 1, Chestnut Road Western Industrial Estate
IRL-Dublin 12
Tel. +353 (0)1 4602522
e-Mail: info-ie@hach.com

1.4. Emergency telephone number:

Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Acute toxicity: Acute Tox. 4

Acute toxicity: Acute Tox. 4

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

Harmful if swallowed.

Harmful if inhaled.

Causes skin irritation.

Causes serious eye irritation.

Harmful to aquatic life with long lasting effects.

2.2. Label elements**Regulation (EC) No. 1272/2008****Hazard components for labelling**

barium chloride dihydrate

Signal word: Warning

Safety Data Sheet

according to Regulation (EC) No 1907/2006

12065-14 SulfaVer 4 Sulfate Reagent

Revision date: 30.01.2017

Product code: 1206514

Page 2 of 9

Pictograms:



Hazard statements

H302	Harmful if swallowed.
H332	Harmful if inhaled.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

Precautionary statements

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312	Call a POISON CENTER/doctor if you feel unwell.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P302+P352	IF ON SKIN: Wash with plenty of water.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P301+P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

no data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name	Quantity
	EC No	Index No
	REACH No	
	GHS Classification	
77-92-9	Citric acid	55-65 %
	201-069-1	01-2119457026-42
	Skin Irrit. 2, Eye Irrit. 2; H315 H319	
10326-27-9	barium chloride dihydrate	40-50 %
	233-788-1	056-004-00-8
	Acute Tox. 3, Acute Tox. 4, Eye Irrit. 2, Aquatic Chronic 3; H301 H332 H319 H412	

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off contaminated clothing and shoes immediately.
Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

12065-14 SulfaVer 4 Sulfate Reagent

Revision date: 30.01.2017

Product code: 1206514

Page 3 of 9

If symptoms persist, call a physician.

After contact with skin

Wash off immediately with plenty of water.

If skin irritation persists, call a physician.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

After ingestion

Induce vomiting if person is conscious. Call a physician immediately. Show this safety data sheet to the doctor in attendance.

4.2. Most important symptoms and effects, both acute and delayed

irritant effects, Shortness of breath, Spasm, Nausea, Vomiting, Diarrhoea, Dizziness, Irregular cardiac activity

Toxic if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Water, Carbon dioxide (CO₂), Alcohol-resistant foam Dry powder,

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours. (Carbon monoxide, Carbon dioxide (CO₂))

5.3. Advice for firefighters

In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

In the case of respirable dust and/or fumes, use self-contained breathing apparatus and dust impervious protective suit.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Only qualified personnel equipped with suitable protective equipment may intervene. Immediately evacuate personnel to safe areas.

Do not breathe vapours, mist or gas.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local/national regulations (see section 13).

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas.

Avoid contact with skin and eyes.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

12065-14 SulfaVer 4 Sulfate Reagent

Revision date: 30.01.2017

Product code: 1206514

Page 4 of 9

Do not breathe vapours/dust.

Advice on protection against fire and explosion

None known.

See also section 5

Further information on handling

Observe label precautions.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Store at room temperature in the original container. Protect from light, moisture and damage.

Further information on storage conditions

Keep locked up or in an area accessible only to qualified or authorised persons.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****PNEC values**

CAS No	Substance	
	Environmental compartment	Value
77-92-9	Citric acid	
	Freshwater	0,44 mg/l
	Marine water	0,044 mg/l
	Freshwater sediment	34,6 mg/kg
	Marine sediment	3,46 mg/kg
	Soil	33,1 mg/kg

Additional advice on limit values

None known.

8.2. Exposure controls**Appropriate engineering controls**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Wash hands before breaks and after work.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact:

Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove

material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Skin protection

Avoid contact with skin, eyes and clothing.

Respiratory protection

Breathing apparatus only if aerosol or dust is formed.

Recommended Filter type: ABEK-filter

Safety Data Sheet

according to Regulation (EC) No 1907/2006

12065-14 SulfaVer 4 Sulfate Reagent

Revision date: 30.01.2017

Product code: 1206514

Page 5 of 9

Environmental exposure controls

Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	powder
Colour:	white
Odour:	none
pH-Value (at 20 °C):	2,01 (5 % solution)

Changes in the physical state

Melting point:	124 °C
Initial boiling point and boiling range:	not applicable
Sublimation point:	not applicable
Softening point:	no data available
Pour point:	no data available
:	no data available
Flash point:	not applicable

Flammability

Solid:	no data available
Gas:	no data available

Explosive properties

no data available

Lower explosion limits:	not applicable
Upper explosion limits:	not applicable
Ignition temperature:	no data available

Auto-ignition temperature

Solid:	no data available
Gas:	no data available

Decomposition temperature: no data available

Oxidizing properties

no data available

Vapour pressure:	no data available
Vapour pressure:	no data available
Density (at 20 °C):	2,0 g/cm ³
Bulk density:	no data available
Water solubility: (at 20 °C)	soluble

Solubility in other solvents

no data available

Partition coefficient:	no data available
Viscosity / dynamic:	no data available
Viscosity / kinematic:	no data available
Flow time:	no data available
Vapour density:	no data available
Evaporation rate:	no data available

Safety Data Sheet

according to Regulation (EC) No 1907/2006

12065-14 SulfaVer 4 Sulfate Reagent

Revision date: 30.01.2017

Product code: 1206514

Page 6 of 9

Solvent separation test: no data available

Solvent content: no data available

9.2. Other information

Solid content: no data available

no data available

SECTION 10: Stability and reactivity

10.1. Reactivity

None known.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Reacts with the following substances: Oxidizing agents

10.4. Conditions to avoid

Product is sensitive to light and moisture.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Carbon monoxide, Carbon dioxide (CO₂)

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

LD50/oral/rat = 680 mg/kg (Information given is based on tests on the mixture itself.)

ATEmix calculated

ATE (oral) 285,0 mg/kg; ATE (inhalation aerosol) 3,622 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
77-92-9	Citric acid				
	oral	LD50 mg/kg	3000	rat	IUCLID
	dermal	LD50 mg/kg	>2000	rat	IUCLID
10326-27-9	barium chloride dihydrate				
	oral	LD50 mg/kg	118	Ratte	IUCLID
	inhalation vapour	ATE	11 mg/l		
	inhalation (4 h) aerosol	LC50	1,1 mg/l	Ratte	

Irritation and corrosivity

May cause eye irritation. May cause skin irritation.

Sensitising effects

No known effect.

Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

Safety Data Sheet

according to Regulation (EC) No 1907/2006

12065-14 SulfaVer 4 Sulfate Reagent

Revision date: 30.01.2017

Product code: 1206514

Page 7 of 9

STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

No toxicology information is available.

Additional information on tests

None known.

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information
12.1. Toxicity

No data is available on the product itself.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
77-92-9	Citric acid					
	Acute fish toxicity	LC50 mg/l	440-760	96 h	Leuciscus idus (Golden orfe)	
	Acute crustacea toxicity	EC50	160 mg/l	48 h	Crustacea	
10326-27-9	barium chloride dihydrate					
	Acute crustacea toxicity	EC50 mg/l	14,5	48 h	Daphnia magna (Water flea)	IUCLID

12.2. Persistence and degradability

No data is available on the product itself.

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation				
77-92-9	Citric acid				
	OECD Test Guideline 302	98 %	2	IUCLID	
	Biochemical Oxygen Demand (BOD)	526 mg/g	5	IUCLID	

12.3. Bioaccumulative potential

No data is available on the product itself.

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

no data available

SECTION 13: Disposal considerations
13.1. Waste treatment methods
Disposal recommendations

In accordance with local and national regulations.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

12065-14 SulfaVer 4 Sulfate Reagent

Revision date: 30.01.2017

Product code: 1206514

Page 8 of 9

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Contaminated packaging

Dispose of as unused product.

The hazard and precautionary statements displayed on the label also apply to any residues left in the container.

SECTION 14: Transport information**Land transport (ADR/RID)****Other applicable information (land transport)**

Not subject to transport regulations.

Inland waterways transport (ADN)**Other applicable information (inland waterways transport)**

Not tested

Marine transport (IMDG)**Other applicable information (marine transport)**

Not subject to transport regulations.

Air transport (ICAO-TI/IATA-DGR)**Other applicable information (air transport)**

Not subject to transport regulations.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

no data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulatory information**

Employment restrictions:

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D):

1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Changes**

Revision: 30.01.2017

Safety Data Sheet

according to Regulation (EC) No 1907/2006

12065-14 SulfaVer 4 Sulfate Reagent

Revision date: 30.01.2017

Product code: 1206514

Page 9 of 9

Safety datasheet sections which have been updated: 2, 3, 8, 11

Revision: 14.10.2015

Safety datasheet sections which have been updated: 2, 3, 11

Revision: 07.07.2014

Safety datasheet sections which have been updated: 4-16

Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H412	Harmful to aquatic life with long lasting effects.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)