

according to Regulation (EC) No. 1907/2006

Revision Date 31.07.2018

Version 4.9

SECTION 1. Identification of the substance/mixture and of the company/undertaking 1.1 Product identifier		
Catalogue No.	170234	
Product name	Zirconium standard solution traceable to SRM from NIST ZrCl₄ in HCl 2 mol/l 1000 mg/l Zr Certipur®	
REACH Registration Number	This product is a mixture. REACH Registration Number see section 3.	
1.2 Relevant identified uses of	the substance or mixture and uses advised against	
Identified uses	Reagent for analysis	
	For additional information on uses please refer to the Merck Chemicals portal (www.merckgroup.com).	
1.3 Details of the supplier of the safety data sheet		
Company	Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0	
Responsible Department	LS-QHC * e-mail: prodsafe@merckgroup.com	
1.4 Emergency telephone number	Please contact the regional company representation in your country.	

## **SECTION 2. Hazards identification**

2.1 Classification of the substance or mixture Classification (REGULATION (EC) No 1272/2008)

Corrosive to metals, Category 1, H290

For the full text of the H-Statements mentioned in this Section, see Section 16.

## according to Regulation (EC) No. 1907/2006

Catalogue No.	170234
Product name	Zirconium standard solution traceable to SRM from NIST ZrCl₄ in HCl 2 mol/l
	1000 mg/l Zr Certipur®

## 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



*Signal word* Warning

*Hazard statements* H290 May be corrosive to metals.

## 2.3 Other hazards

None known.

## **SECTION 3. Composition/information on ingredients**

Chemical nature

Aqueous solution

#### 3.1 Substance

Not applicable

## 3.2 Mixture

## Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration)

CAS-No. Registration number Classification

Hydrochloric Acid (>= 5 % - < 10 %)

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

-	01-2119484862-27-	
	XXXX	Corrosive to metals, Category 1, H290
		Skin corrosion, Category 1B, H314
		Specific target organ toxicity - single exposure, Category 3, H335

## according to Regulation (EC) No. 1907/2006

Catalogue No.	170234	
Product name	Zirconium standard solution traceable to SRM from NIST ZrCl₄ in HCl 2 mol/l	
	1000 mg/l Zr Certipur®	

For the full text of the H-Statements mentioned in this Section, see Section 16.

### **SECTION 4. First aid measures**

## 4.1 Description of first aid measures

After inhalation: fresh air.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

After eye contact: rinse out with plenty of water. Remove contact lenses.

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

# 4.2 Most important symptoms and effects, both acute and delayed

irritant effects

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

## SECTION 5. Firefighting measures

## 5.1 Extinguishing media

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

## 5.2 Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapours.

Fire may cause evolution of:

Hydrogen chloride gas

## 5.3 Advice for firefighters

The Safety Data Sheets for catalogue items are available at www.merckgroup.com

## according to Regulation (EC) No. 1907/2006

Catalogue No.	170234
Product name	Zirconium standard solution traceable to SRM from NIST ZrCl₄ in HCl 2 mol/l
	1000 mg/l Zr Certipur®

### Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### Further information

Suppress (knock down) gases/vapours/mists with a water spray jet.

Prevent fire extinguishing water from contaminating surface water or the ground water system.

### **SECTION 6.** Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

#### 6.2 Environmental precautions

Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10).

Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® H<sup>+</sup>, Merck Art. No.

101595). Dispose of properly. Clean up affected area.

#### 6.4 Reference to other sections

Indications about waste treatment see section 13.

# SECTION 7. Handling and storage

## 7.1 Precautions for safe handling

Advice on safe handling Observe label precautions.

## according to Regulation (EC) No. 1907/2006

Catalogue No.	170234	
Product name	Zirconium standard solution traceable to SRM from NIST ZrCl₄ in HCl 2 mol/l	
	1000 mg/l Zr Certipur®	

### Hygiene measures

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

## 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

No metal or light-weight-metal containers.

Storage conditions

Tightly closed.

Recommended storage temperature see product label.

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

## **SECTION 8. Exposure controls/personal protection**

#### 8.1 Control parameters

Derived No Effect Level (DNEL)			
Hydrochloric Acid			
Worker DNEL, acute	Local effects	inhalation	15 mg/m³
Worker DNEL, longterm	Local effects	inhalation	8 mg/m³
Predicted No Effect Concentration (PNEC)			
Hydrochloric Acid			
PNEC Fresh water		0,036 mg/l	
PNEC Marine water		0,036 mg/l	
PNEC Aquatic intermittent release		0,045 mg/l	
PNEC Sewage treatment plant		0,036 mg/l	

## 8.2 Exposure controls

## according to Regulation (EC) No. 1907/2006

Catalogue No.	170234	
Product name	Zirconium standard solution traceable to SRM from NIST ZrCl₄ in HCl 2 mol/l	
	1000 mg/l Zr Certipur®	

## **Engineering measures**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

### Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

*Eye/face protection* Safety glasses

Hand protection

full contact:

Glove material:	Nitrile rubber
Glove thickness:	0,11 mm
Break through time:	> 480 min

splash contact:

Glove material:	Nitrile rubber
Glove thickness:	0,11 mm
Break through time:	> 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

## according to Regulation (EC) No. 1907/2006

Catalogue No.	170234
Product name	Zirconium standard solution traceable to SRM from NIST ZrCl <sub>4</sub> in HCl 2 mol/l
	1000 mg/l Zr Certipur®

Other protective equipment

Acid-resistant protective clothing

## Respiratory protection

required when vapours/aerosols are generated.

Recommended Filter type: filter ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

## Environmental exposure controls

Do not let product enter drains.

## SECTION 9. Physical and chemical properties 9.1 Information on basic physical and chemical properties

Form	liquid
Colour	colourless
Odour	odourless
Odour Threshold	Not applicable
рН	ca. 0,5 at 20 °C
Melting point	No information available.
Boiling point	No information available.
Flash point	Not applicable

# according to Regulation (EC) No. 1907/2006

Catalogue No. Product name	170234 Zirconium standard solution traceable to SRM from NIST ZrCl₄ in HCl 2 mol/l 1000 mg/l Zr Certipur®
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Vapour pressure	No information available.
Relative vapour density	No information available.
Density	ca.1,034 g/cm3 at 20 °C
Relative density	No information available.
Water solubility	No information available.
Partition coefficient: n- octanol/water	Not applicable
Auto-ignition temperature	No information available.
Decomposition temperature	No information available.
Viscosity, dynamic	No information available.
Explosive properties	Not classified as explosive.
Oxidizing properties	none
9 2 Other data	

## 9.2 Other data

The Safety Data Sheets for catalogue items are available at www.merckgroup.com

## according to Regulation (EC) No. 1907/2006

Catalogue No.	170234
Product name	Zirconium standard solution traceable to SRM from NIST ZrCl <sub>4</sub> in HCl 2 mol/l
	1000 mg/l Zr Certipur®

Corrosion

May be corrosive to metals.

## **SECTION 10. Stability and reactivity**

## 10.1 Reactivity

See section 10.3

## 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### 10.3 Possibility of hazardous reactions

Generates dangerous gases or fumes in contact with:

Metals

Violent reactions possible with:

The generally known reaction partners of water.

## 10.4 Conditions to avoid

no information available

## 10.5 Incompatible materials

Metals, metal alloys

## **10.6 Hazardous decomposition products**

in the event of fire: See section 5.

## SECTION 11. Toxicological information

## 11.1 Information on toxicological effects Mixture

Acute oral toxicity

This information is not available.

Acute inhalation toxicity

This information is not available.

Acute dermal toxicity

This information is not available.

The Safety Data Sheets for catalogue items are available at www.merckgroup.com

## according to Regulation (EC) No. 1907/2006

Catalogue No.	170234
Product name	Zirconium standard solution traceable to SRM from NIST ZrCl₄ in HCl 2 mol/l
	1000 mg/l Zr Certipur®

Skin irritation

Possible damages: slight irritation

Eye irritation

Possible damages: slight irritation

Sensitisation

This information is not available.

Germ cell mutagenicity

This information is not available.

Carcinogenicity

This information is not available.

*Reproductive toxicity* This information is not available.

*Teratogenicity* This information is not available.

*Specific target organ toxicity - single exposure* This information is not available.

*Specific target organ toxicity - repeated exposure* This information is not available.

Aspiration hazard This information is not available.

## **11.2 Further information**

However, when the product is handled appropriately, hazardous effects are unlikely to occur. Handle in accordance with good industrial hygiene and safety practice.

## Components

Hydrochloric Acid

## according to Regulation (EC) No. 1907/2006

Catalogue No.	170234
Product name	Zirconium standard solution traceable to SRM from NIST ZrCl₄ in HCl 2 mol/l
	1000 mg/l Zr Certipur®

Skin irritation Rabbit Result: Corrosive OECD Test Guideline 404

*Eye irritation* Rabbit Result: Irreversible effects on the eye OECD Test Guideline 405

Sensitisation Maximisation Test Guinea pig Result: Does not cause skin sensitisation. Method: OECD Test Guideline 406

#### **SECTION 12. Ecological information**

#### Mixture

#### 12.1 Toxicity

No information available.

#### 12.2 Persistence and degradability

No information available.

#### 12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water

Not applicable

## 12.4 Mobility in soil

No information available.

## 12.5 Results of PBT and vPvB assessment

Substance(s) in the mixture do(es) not meet the criteria for PBT or vPvB according to Regulation

(EC) No 1907/2006, Annex XIII, or a PBT/vPvB assessment was not conducted.

## 12.6 Other adverse effects

Additional ecological information

Harmful effect due to pH shift.

Hazard for drinking water supplies.

Discharge into the environment must be avoided.

## according to Regulation (EC) No. 1907/2006

Catalogue No.	170234
Product name	Zirconium standard solution traceable to SRM from NIST ZrCl₄ in HCl 2 mol/l
	1000 mg/l Zr Certipur®

### Components

Hydrochloric Acid Toxicity to fish Lepomis macrochirus (Bluegill sunfish): 20,5 mg/l; 96 h OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates EC50: 1,3 mg/l; 48 h OECD Test Guideline 202

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

### **SECTION 13. Disposal considerations**

#### Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

### **SECTION 14. Transport information**

Land transport (ADR/RID)	
14.1 UN number	UN 1789
14.2 Proper shipping name	HYDROCHLORIC ACID
14.3 Class	8
14.4 Packing group	II
14.5 Environmentally hazardous	
14.6 Special precautions for	yes
user	
Tunnel restriction code	E
Inland waterway transport (ADN)	
Not relevant	

Air transport (IATA)

## according to Regulation (EC) No. 1907/2006

Catalogue No.	170234
Product name	Zirconium standard solution traceable to SRM from NIST ZrCl₄ in HCl 2 mol/l
	1000 mg/l Zr Certipur®

14.1 UN number	UN 1789
14.2 Proper shipping name	HYDROCHLORIC ACID
14.3 Class	8
14.4 Packing group	II
14.5 Environmentally hazardous	
14.6 Special precautions for	no
user	
Sea transport (IMDG)	
14.1 UN number	UN 1789
14.2 Proper shipping name	HYDROCHLORIC ACID
14.3 Class	8
14.4 Packing group	II
14.5 Environmentally hazardous	
14.6 Special precautions for	yes
user	
EmS	F-A S-B

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not relevant

## **SECTION 15. Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations	
Major Accident Hazard	SEVESO III
Legislation	Not applicable
Occupational restrictions	Take note of Dir 94/33/EC on the protection of young people at work.

Regulation (EC) No 1005/2009 on substances that not regulated deplete the ozone layer

The Safety Data Sheets for catalogue items are available at www.merckgroup.com

## according to Regulation (EC) No. 1907/2006

Catalogue No.	170234	
Product name	Zirconium standard solution traceable to SRM from NIST ZrCl <sub>4</sub> in HCl 2 mol/l	
	1000 mg/l Zr Certipur®	

Regulation (EC) No 850/200 Parliament and of the Counc persistent organic pollutants Directive 79/117/EEC	cil of 29 April 2004 on	not regulated
Substances of very high cor	icern (SVHC)	This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of $\ge$ 0.1 % (w/w).
National legislation Storage class	8B	

### 15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

## **SECTION 16.** Other information

#### Full text of H-Statements referred to under sections 2 and 3.

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H335	May cause respiratory irritation.

## Training advice

Provide adequate information, instruction and training for operators.

## Labelling

Hazard pictograms



## according to Regulation (EC) No. 1907/2006

Catalogue No.	170234
Product name	Zirconium standard solution traceable to SRM from NIST ZrCl4 in HCl 2 mol/l
	1000 mg/l Zr Certipur®

*Signal word* Warning

Hazard statements

H290 May be corrosive to metals.

## Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

## **Regional representation**

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.