

according to Regulation (EC) No 1907/2006

# 203-56 Sulfuric Acid Standard Solution, 0.020 N

Revision date: 03.01.2019

Product code: 20356

Page 1 of 8

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

203-56 Sulfuric Acid Standard Solution, 0.020 N

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

# Use of the substance/mixture

Water analysis

# 1.3. Details of the supplier of the safety data sheet

Company name:	HACH LANGE GmbH
Street: Place:	Willstätterstr. 11 D-40549 Düsseldorf
Telephone: e-mail: Internet: Responsible Department:	+49 (0)211 5288-383 SDS@hach.com www.de.hach.com HACH LANGE Ltd. 5, Pacific Way Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324 e-Mail: info-uk@hach.com
	HACH LANGE Ltd. Unit 1, Chestnut Road Western Industrial Estate IRL-Dublin 12 Tel. +353 (0)1 4602522 e-Mail: info-ie@hach.com
1.4. Emergency telephone_ number:	Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008 Hazard categories: Serious eye damage/eye irritation: Eye Dam. 1 Hazard Statements:

Causes serious eye damage.

# 2.2. Label elements

# Regulation (EC) No. 1272/2008

Hazard components for labelling

sulphuric acid < 0,5 %

Signal word:

Pictograms:



Danger

#### Hazard statements

H318

Causes serious eye damage.

# **Precautionary statements**

P280 P305+P351+P338 Wear protective gloves/protective clothing/eye protection/face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if



according to Regulation (EC) No 1907/2006

# 203-56 Sulfuric Acid Standard Solution, 0.020 N

Revision date: 03.01.2019

Product code: 20356

Page 2 of 8

P310

present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

## Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

### 2.3. Other hazards

None known.

# **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

## Hazardous components

CAS No	Chemical name		Quantity	
	EC No	Index No	REACH No	
	GHS Classification	•		
7732-18-5	Water			> 99 %
	231-791-2			
7664-93-9	sulphuric acid %			< 0,1 %
	231-639-5	016-020-00-8		
	Skin Corr. 1A; H314			

Full text of H and EUH statements: see section 16.

# SECTION 4: First aid measures

### 4.1. Description of first aid measures

### General information

Take off all contaminated clothing immediately.

#### After inhalation

Move to fresh air.

# After contact with skin

Wash off immediately with plenty of water.

### After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

### After ingestion

Clean mouth with water and drink afterwards plenty of water.

# 4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

### 5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.



according to Regulation (EC) No 1907/2006

# 203-56 Sulfuric Acid Standard Solution, 0.020 N

Revision date: 03.01.2019

Product code: 20356

Page 3 of 8

# 5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

### Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

#### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

#### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

## 6.4. Reference to other sections

13. Disposal considerations

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Use only in well-ventilated areas.

## Advice on protection against fire and explosion

See also section 5

## 7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep containers tightly closed in a cool, well-ventilated place.

## Hints on joint storage

None known.

# 7.3. Specific end use(s)

Reagent for analysis

### **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7664-93-9	Sulphuric acid (mist)	-	0.05		TWA (8 h)	WEL

#### Additional advice on limit values

None known.

### 8.2. Exposure controls

#### Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

#### Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Wash hands before breaks and after work.

# 0



Page 4 of 8

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

# 203-56 Sulfuric Acid Standard Solution, 0.020 N Product code: 20356

Revision date: 03.01.2019

# Eye/face protection

Safety glasses with side-shields

# Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

### Skin protection

Remove and wash contaminated clothing before re-use.

# **Respiratory protection**

Breathing apparatus only if aerosol or dust is formed. Recommended Filter type: ABEK-filter

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state:	liquid	
Colour:	colourless	
Odour:	odourless	
pH-Value (at 20 °C):		2
Changes in the physical state		
Melting point:		no data available
Initial boiling point and boiling range:		100 °C
Sublimation point:		not applicable
Softening point:		not applicable
Pour point:		not applicable
:		no data available
Flash point:		not applicable
Sustaining combustion:		No data available
Flammability		
Solid:		not applicable
Gas:		not applicable
Explosive properties not applicable		
Lower explosion limits:		not applicable
Upper explosion limits:		not applicable
Ignition temperature:		no data available
Auto-ignition temperature		
Solid:		not applicable
Gas:		not applicable
Decomposition temperature:		no data available
Oxidizing properties not applicable		
Vapour pressure:		no data available
Vapour pressure:		no data available
Density (at 20 °C):		0,985 g/cm³
Bulk density:		not applicable
Water solubility:		miscible



according to Regulation (EC) No 1907/2006

# 203-56 Sulfuric Acid Standard Solution, 0.020 N

Revision date: 03.01.2019	Product code: 20356	Page 5 of 8
Solubility in other solvents no data available		
Partition coefficient:	no data available	
Viscosity / dynamic:	no data available	
Viscosity / kinematic:	no data available	
Flow time:	no data available	
Vapour density:	no data available	
Evaporation rate:	no data available	
Solvent separation test:	no data available	
Solvent content:	no data available	
9.2. Other information		
Solid content:	not applicable	
no data available		

# SECTION 10: Stability and reactivity

### 10.1. Reactivity

See also section 10.3

# 10.2. Chemical stability

Stable under recommended storage conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

# 10.4. Conditions to avoid

Extremes of temperature and direct sunlight.

# 10.5. Incompatible materials

None known.

# 10.6. Hazardous decomposition products

No decomposition if used as directed.

# Further information

Stable under recommended storage conditions.

### **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

### Acute toxicity

Based on available data, the classification criteria are not met. No data is available on the product itself.

## Irritation and corrosivity

Causes serious eye damage. Skin corrosion/irritation: Based on available data, the classification criteria are not met. Skin effect: Patch Test 24 Hrs.: Patch test on human volunteers did not demonstrate irritating properties. (rabbit skin)

#### Sensitising effects

Based on available data, the classification criteria are not met.

# Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

# STOT-single exposure

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

# 203-56 Sulfuric Acid Standard Solution, 0.020 N

Revision date: 03.01.2019

Product code: 20356

Page 6 of 8

# STOT-repeated exposure

Based on available data, the classification criteria are not met.

# Aspiration hazard

Based on available data, the classification criteria are not met.

# Specific effects in experiment on an animal

#### No data is available on the product itself.

#### Additional information on tests

no data available

#### Practical experience

# Observations relevant to classification

no data available

# Other observations

no data available

### Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

# **SECTION 12: Ecological information**

### 12.1. Toxicity

No data is available on the product itself.

Do not flush into surface water or sanitary sewer system.

## 12.2. Persistence and degradability

No data is available on the product itself.

### 12.3. Bioaccumulative potential

No data is available on the product itself.

### 12.4. Mobility in soil

no data available

### 12.5. Results of PBT and vPvB assessment

no data available

# 12.6. Other adverse effects

No known effect.

# Further information

no data available

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

#### **Disposal recommendations**

In accordance with local and national regulations.

#### List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

#### List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

## List of Wastes Code - contaminated packaging



according to Regulation (EC) No 1907/2006

# 203-56 Sulfuric Acid Standard Solution, 0.020 N

Revision date: 03.01.2019

Product code: 20356

Page 7 of 8

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

# Contaminated packaging

Dispose of as unused product.

# **SECTION 14: Transport information**

### Land transport (ADR/RID)

# Other applicable information (land transport)

Not subject to transport regulations.

### Inland waterways transport (ADN)

Other applicable information (inland waterways transport) Not tested

### Marine transport (IMDG)

# Other applicable information (marine transport)

Not subject to transport regulations.

# Air transport (ICAO-TI/IATA-DGR)

#### Other applicable information (air transport) Not subject to transport regulations.

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

### 14.6. Special precautions for user

no data available

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

#### Other applicable information

no data available

### **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information Water hazard class (D):

1 - slightly hazardous to water

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

### Changes

Revision: 03.01.2019 Safety datasheet sections which have been updated: 11, 15, Revision: 20.08.2015 Safety datasheet sections which have been updated: 2-16

## Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Eye Dam. 1; H318	Calculation method

### Relevant H and EUH statements (number and full text)

Causes severe skin burns and eye damage.

H314



according to Regulation (EC) No 1907/2006

# 203-56 Sulfuric Acid Standard Solution, 0.020 N

Revision date: 03.01.2019

Product code: 20356

Page 8 of 8

H318 Causes serious eye damage.

# **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)