

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

VISOCOLOR soil case, with accessories Page: 1/29

Printing date: 06.01.2021 Date of issue: 14.12.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifier**

REF 931601

Product name VISOCOLOR soil case, with accessories

REACH Registration number(s): see SECTION 3.1/3.2 or
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or

the substance or its use is excluded from registration.

1 x 1 L CAL solution

1 x 100 mL CAL stock solution

1 x 500 mL dist. water

2 x 25 mL K-1

1 x 12 g K-2 1 x 30 mL P-1

1 x 30 mL P-2

1 x 100 p. folded filter papers

2 x 25 mL pH 4-10

1 x 30 mL P-K

1 x 30 mL Pyrophosphate solution

1 x 100 Test sticks Ammonium

1 x 100 Indicator sticks

1 x 100 test strips

1 x 1 L CaCl₂ solution

1 x 100 mL CaCl₂ stock solution

2 x 30 mL NH₄+ -1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Product for analytical use

Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0

The exposure scenario is integrated into sections 1-16.

Uses advised against

not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG

Neumann-Neander-Str. 6-8, 52355 Dueren, GERMANY

Tel.: +49 2421 969 0

E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 **Emergency telephone number**

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service. DE: Gemeinsames Giftinformationszentrum (GGIZ) 99089 Erfurt tel. +49 361 730 730

You find our current versions of SDS (22 languages) in Internet:

http://www.mn-net.com/SDS

SECTION 2: Hazard identification

2.0 Classification of the complete product







GHS02

GHS05

Signal word

DANGER

www.mn-net.com

AACHEREY-NAGE (MN) Version: M V 4.12.0 E-mail: info@mn-net.com

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.:

> Fax: +33 388 51 76 88

Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

+1 484 821 0984

US:

Tel.:

Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 E-mail: sales-ch@mn-net.com

E-mail: sales-fr@mn-net.com

+33 388 68 22 68



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 931601 VISOCOLOR soil case, with accessories Page: 2/29
Printing date: 06.01.2021 Date of issue: 14.12.2020

Hazard identification	Hazard classes/categories 031 not defined Flam. Liq. 2	
EUH031	031 not defined	
H225	Flam. Liq. 2	
H290	Met. Corr. 1	
H302	Acute Tox. 4 oral	
H314	Skin Corr. 1A	
H315	Skin Irrit. 2	
H318	Eye Dam. 1	
H319	Eye Irrit. 2	

2.1 Classification of the substance or mixture

1 L CAL solution

Do not need labelling as hazardous

Signal word -

No hazard class

100 mL CAL stock solution

Do not need labelling as hazardous

Signal word

No hazard class

500 mL dist. water

Do not need labelling as hazardous

Signal word

No hazard class

25 mL K-1



.

Signal word DANGER

Hazard identification	Hazard classes/categories
H290	Met. Corr. 1
H314	Skin Corr. 1B

12 g K-2



GHS07

Signal word WARNING

Hazard identification

Hazard classes/categories

H302
H315
H315
Skin Irrit. 2
Eye Irrit. 2

www.mn-net.com

US:

ISO 9001 CERTIFIED MACHEREY-NAGEL GmbH & Co. KG \cdot Neumann-Neander-Str. 6–8 \cdot 52355 Düren \cdot Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 931601 VISOCOLOR soil case, with accessories Page: 3/29 Printing date: 06.01.2021 Date of issue: 14.12.2020

30 mL P-1

Signal word DANGER

Hazard identification Hazard classes/categories

H290 Met. Corr. 1 H314 Skin Corr. 1A

30 mL P-2

Signal word **DANGER**

Hazard identification Hazard classes/categories

EUH031 031 not defined H318 Eye Dam. 1

100 p. folded filter papers

Do not need labelling as hazardous

Signal word

No hazard class

25 mL pH 4-10



GHS02

Signal word **DANGER**

Hazard identification Hazard classes/categories H225 Flam. Liq. 2

30 mL P-K



Signal word **DANGER**

Hazard identification Hazard classes/categories

H314 Skin Corr. 1A

www.mn-net.com

MACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG \cdot Neumann-Neander-Str. 6–8 \cdot 52355 Düren \cdot Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 +1 484 821 1272

Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

E-mail: sales-us@mn-net.com

CHEREY-NAGEI



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 931601 VISOCOLOR soil case, with accessories Page: 4/29 Printing date: 06.01.2021 Date of issue: 14.12.2020

30 mL Pyrophosphate solution

Do not need labelling as hazardous

Signal word

No hazard class

100 Test sticks Ammonium

Do not need labelling as hazardous

Signal word

No hazard class

100 Indicator sticks

Do not need labelling as hazardous

Signal word

No hazard class

100 test strips

Do not need labelling as hazardous

Signal word

No hazard class

1 L CaCl₂ solution

Do not need labelling as hazardous

Signal word

No hazard class

100 mL CaCl₂ stock solution



WARNING Signal word

Hazard identification Hazard classes/categories H319 Eye Irrit. 2

30 mL NH₄+ -1



Signal word **DANGER**

Hazard identification Hazard classes/categories

H290 Met. Corr. 1 H314 Skin Corr. 1A

www.mn-net.com

ACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG \cdot Neumann-Neander-Str. 6–8 \cdot 52355 Düren \cdot Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 +1 484 821 1272 Version: M V 4.12.0 E-mail: info@mn-net.com

E-mail: sales-ch@mn-net.com

E-mail: sales-fr@mn-net.com

E-mail: sales-us@mn-net.com

CHEREY-NAGEI



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

VISOCOLOR soil case, with accessories Page: 5/29

Printing date: 06.01.2021 Date of issue: 14.12.2020

2.2 Label elements

According CLP directive inner packages must be only labelled with GHS symbol(s) and product identificator(s) (EU 1272/2008 Annex I - 1.5.1.2).

Harmful chemicals/mixtures with signal word: WARNING and highly flammable chemicals/mixtures must not be labelled with H and P phrases until 125 mL (EU 1272/2008 Annex I - 1.5.2).

Metal corrosive solutionsdo not have to be labelled with GHS symbol, signal word, H and P phrases until 125 mL (EU 1272/2008 Annex I - 1.5.2.1.3).

1 L CAL solution

Do not need labelling as hazardous Signal word: -

100 mL CAL stock solution

Do not need labelling as hazardous Signal word: -

500 mL dist. water

Do not need labelling as hazardous Signal word: -

25 mL K-1



Signal word: DANGER

Causes severe skin burns and eye damage.

P260sh, P280sh, P303+361+353, P305+351+338, P310

Do not breathe dust/vapours. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

12 g K-2



Signal word: WARNING

30 mL P-1



Signal word: DANGER

H314

Causes severe skin burns and eye damage.

P260sh, P280sh, P303+361+353, P305+351+338, P310

Do not breathe dust/vapours. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

US:

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 931601 VISOCOLOR soil case, with accessories Page: 6/29
Printing date: 06.01.2021 Date of issue: 14.12.2020

30 mL P-2



GHS05

Signal word: DANGER

H318

Causes serious eye damage.

P280sh, P305+351+338, P310

Wear protective gloves/eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

100 p. folded filter papers

Do not need labelling as hazardous Signal word: -

25 mL pH 4-10



GHS02

Signal word: DANGER

30 mL P-K



GHS05

Signal word: DANGER

H314

Causes severe skin burns and eye damage.

P260sh, P280sh, P303+361+353, P305+351+338, P310

Do not breathe dust/vapours. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

30 mL Pyrophosphate solution

Do not need labelling as hazardous Signal word: -

100 Test sticks Ammonium

Do not need labelling as hazardous Signal word: -

100 Indicator sticks

Do not need labelling as hazardous Signal word: -

100 test strips

Do not need labelling as hazardous

www.mn-net.com

US:



MACHEREY-NAGEL GmbH & Co. KG \cdot Neumann-Neander-Str. 6–8 \cdot 52355 Düren \cdot Germany

DE/international: CH: FR:



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 931601 VISOCOLOR soil case, with accessories Page: 7/29

Printing date: 06.01.2021 Date of issue: 14.12.2020

Signal word: -

1 L CaCl₂ solution

Do not need labelling as hazardous Signal word: -

100 mL CaCl₂ stock solution



Signal word: WARNING

30 mL NH₄+ -1



Signal word: DANGER

Causes severe skin burns and eye damage.

P260sh, P280sh, P303+361+353, P305+351+338, P310

Do not breathe dust/vapours. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

Other hazards 2.3

Possible hazards from physicochemical properties

Generally in the case of pH values are less than 2 or higher than 11.5 then it is corrosive. In the case of pH values are less than 5 or higher than 9 then it is irritant. Flammable properties. H290 "May be corrosive to metals." has only relevance for higher concentrations and larger amounts. The labelling GHS05 would be creating an "OVERLABELLING" (see GHS Directive 1272/2008/EC Annex I, chapter 1.5.2.1.3., until 125 mL no labelling necessary). ---

Information pertaining to particular risks to human and possible symptoms

Causes varying degrees of acid burns on the skin, to the eyes and to the mucous membranes and wounds which do not heal quickly depending on the concentration, temperature and the exposure time. Vapours especially which steam from hot liquids and mist can have a severe irritant effect upon the eyes and the respiratory organs.

Cause after oral intake, impairments of health when ingested in small quantities. Can accumulate within the body.

Information pertaining to particular risks to the environment

Avoid contact of substance/mixture to environment.

PRTnot applicable vPvB: not applicable

Other hazards

Contains an odor intensive reagent. ---

SECTION 3: Composition/information on ingredients

3.1 Substances or 3.2 Mixtures

1 L CAL solution

www.mn-net.com

US:

MN

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:



CAS No.: 62-54-4

CAS No.: 64-19-7

CAS No.: 64-19-7

CAS No.: 7732-18-5

US:

Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 931601 VISOCOLOR soil case, with accessories Page: 8/29

Date of issue: 14.12.2020 Printing date: 06.01.2021

> Chemical: calcium acetate Classification:

No criteria for classification or naming of chemical not required. Formula: Ca(CH₃ COO)₂

Pseudonym: Acetic acid, calcium salt (2:1)

TSCA Inventory:

REACH Reg. No.: 01-2119987569-11-xxxx

200-540-9 FC No :

RTECS: AF75250000 MFCD: 00012448

Concentration: < 1.00 % acc. CLP (GHS): The criteria for classification are not fulfilled

Chemical: acetic acid

Classification: H226, Flam. Liq. 3, H314, Skin Corr. 1B Formula:

C₂ H₄ O₂ ; CH₃ -COOH TSCA Inventory:

REACH Reg. No.: 01-2119475328-30-xxxx

200-580-7 607-002-00-6 EC No.: Indice No.: AF1225000 RTFCS: MECD: 00036152

KE No .: KE-00013 Concentration: 1 - <10 %

acc. CLP (GHS): The criteria for classification are not fulfilled

100 mL CAL stock solution

Chemical: calcium acetate CAS No.: 62-54-4

Classification: No criteria for classification or naming of chemical not required. $\label{eq:cacc} Ca(CH_3\ COO)_2$

Formula:

Pseudonym: Acetic acid, calcium salt (2:1)

TSCA Inventory: listed

REACH Reg. No.: 01-2119987569-11-xxxx

EC No.: 200-540-9

RTFCS AF75250000 MECD: 00012448

Concentration: 1 - < 10 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

Chemical: acetic acid

Classification: H226, Flam. Liq. 3, H314, Skin Corr. 1B

Formula: C2 H4 O2; CH3-COOH

TSCA Inventory: listed

REACH Reg. No.: 01-2119475328-30-xxxx

EC No.: 200-580-7 Indice No.: 607-002-00-6 RTECS: AF1225000 MFCD: 00036152

KF-00013 KE No.: Concentration: 1 - < 10 %

acc. CLP (GHS): The criteria for classification are not fulfilled

500 mL dist. water

Chemical: Classification: No criteria for classification or naming of chemical not required.

Formula: $H_2 O$

TSCA Inventory listed

REACH Reg. No.: exempt, Annex IV EC No.: 231-791-2 RTECS: ZC0110000 KE-35400 KE No.: Concentration: 90 - <100 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

25 mL K-1

www.mn-net.com

MACHEREY-NAGE **(MN)**

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com



CAS No.: 1310-73-2

Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 931601 VISOCOLOR soil case, with accessories Page: 9/29

Printing date: 06.01.2021 Date of issue: 14.12.2020

> Chemical: sodium hydroxide solution Classification: H290, Met. Corr. 1, H314, Skin Corr. 1B

NaOH•H₂ O Formula: Pseudonym: soda lye

TSCA Inventory: listed

REACH Reg. No.: 01-2119457892-27-xxxx

EC No.: 215-185-5 011-002-00-6 Indice No :

RTECS: WB4900000 KE No.: KE-31487 Concentration:

acc. CLP (GHS): H290, Met. Corr. 1, H314, Skin Corr. 1B

12 g K-2

Chemical: sodium tetraphenylborate CAS No.: 143-66-8

H301, Acute Tox. 3 oral, H315, Skin Irrit. 2, H319, Eye Irrit. 2 Classification:

Formula: C₂₄ H₂₀ BNa TSCA Inventory: listed EC No.: 205-605-5

RTECS: ED3362500 MFCD: 00011494 KF-31629 KE No.: $\label{local concentration: 20.032} Concentration: 14 - <35 \% \\ Correlation factor: x 0.032 (= \%B) \\ The classification refers to weight percent of the metal (according to CLP Regulation 2008/1272/EC Annex VI, 1.1.3.2 Note 1) \\ \\ Correlation factor: x 0.032 (= \%B) \\ C$

acc. CLP (GHS): H302, Acute Tox. 4 oral, H315, Skin Irrit. 2, H319, Eye Irrit. 2

30 mL P-1

CAS No.: 12054-85-2 Chemical: ammonium heptamolybdate

Classification: No criteria for classification or naming of chemical not required.

Formula: H₂₄ Mo₇ N₆ O₂₄

Pseudonym: hexaammonium heptamolybdate TSCA Inventory: listed (CAS 11098-84-3) REACH Reg. No.: 01-2119498057-28-xxxx

EC No.: 234-722-4

QA5076000 / QA4900000 RTFCS MECD: 00167059

KE No.: not listed

Concentration: 2 - < 5 % Correlation factor: x 0.58 (= %Mo) The classification refers to weight percent of the metal (according to CLP Regulation 2008/1272/EC Annex VI, 1.1.3.2 Note 1)

acc. CLP (GHS): The criteria for classification are not fulfilled.

CAS No : 7664-93-9 Chemical: sulfuric acid

H314, Skin Corr. 1B Classification: Formula: H₂ SO₄ (•H₂ O)

TSCA Inventory: listed

REACH Reg. No.: 01-2119458838-20-xxxx

EC No.: 231-639-5 016-020-00-8 Indice No :

WS5600000 RTECS:

KE No.: KE-32570, >10% Toxic 97-1-405, Acc. Precaution Chem.

Concentration: 15 - <30 %

acc. CLP (GHS): H290, Met. Corr. 1, H314, Skin Corr. 1B

30 mL P-2

Chemical: sodium disulfite CAS No.: 7681-57-4

Classification: H302, Acute Tox. 4 oral, H318, Eye Dam. 1, EUH031, 031 not defined

Formula: Na₂ O₅ S₂

Pseudonym: sodium metabisulphite, sodium pyrosulfite

TSCA Inventory: listed

REACH Reg. No.: 01-2119531326-45-xxxx

231-673-0 EC No.: Indice No : 016-063-00-2

RTECS: UX8225000 KE No.: KE-12701 Concentration: 10 - <25 %

acc. CLP (GHS): H318, Eye Dam. 1, EUH031, 031 not defined

100 p. folded filter papers

www.mn-net.com

US:



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com



CAS No .: -

Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 931601 VISOCOLOR soil case, with accessories Page: 10/29

Printing date: 06.01.2021 Date of issue: 14.12.2020

> Chemical: filter paper (cellulose CAS 9004-34-6) Classification:

No criteria for classification or naming of chemical not required.

Formula: (C₆ H₁₀ O₅)_n TSCA Inventory: listed

REACH Reg. No.: exempt, Annex IV EC No.: 232-674-9 RTFCS FJ5691460 KE No .: KE-05339 Concentration: 80 - <100 %

acc. CLP (GHS): The criteria for classification are not fulfilled

25 mL pH 4-10

Chemical: CAS No.: 493-52-7 methyl red (pH indicator)

Classification: No criteria for classification or naming of chemical not required.

 $C_{15}\,H_{15}\,N_3\,O_2$ Formula:

Pseudonym: 4-(dimethylamino)-azobenzene-1,2'-carbonic acid

TSCA Inventory: listed EC No.: 207-776-1

DG8960000 RTECS: MFCD: 00002425

KE-06693 KE No.: Concentration: < 0.10 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

Chemical: ethanol CAS No.: 64-17-5

(denatured with 1%IPA/1%MEK, acc.2016/1867/EU)

Classification: H225, Flam. Liq. 2 Formula: C₂ H₆ O; C₂ H₅ OH

Pseudonym: ethyl alcohol, methylated spirit

TSCA Inventory:

REACH Reg. No.: 01-2119457610-43-xxxx

200-578-6 EC No.: 603-002-00-5 Indice No: RTECS: KQ6300000 MFCD: 00003568

KE No.: KE-13217 Concentration: 90 - < 98 % acc. CLP (GHS): H225, Flam. Liq. 2

CAS No.: 77-09-8 phenolphthalein (pH indicator) Chemical:

H341, Muta. 2, H350, Carc. 1A, H361f, Repr. 2 Classification:

Formula: C₂₀ H₁₄ O₄

Pseudonym: 3,3-bis(4-hydroxyphenyl)-1(3H)-isobenzofuranone

TSCA Inventory: listed

REACH Reg. No.: 01-2119498295-24-0000

YES (> 1%) SVHC listed:

EC No.: 201-004-7 Indice No.: 604-076-00-1 RTECS: SM8380000 MFCD: 00005913

KE No.: KE-03234 Concentration: 0.01 - < 0.1 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

Chemical: CAS No .: indicator dye(s) Classification:

No criteria for classification or naming of chemical not required. TSCA Inventory: all listed <1%

0.01 - < 0.1%Concentration:

acc. CLP (GHS): The criteria for classification are not fulfilled.

30 mL P-K

Chemical: CAS No.: 7664-93-9

Classification: H314, Skin Corr. 1B Formula: H₂ SO₄ (•H₂ O)

TSCA Inventory: listed

REACH Reg. No.: 01-2119458838-20-xxxx 231-639-5 016-020-00-8 EC No.: Indice No.:

RTECS: WS5600000

KE No .: KE-32570, >10% Toxic 97-1-405, Acc. Precaution Chem.

Concentration: 30 - <51 % acc. CLP (GHS): H314, Skin Corr. 1B

www.mn-net.com

US:



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com



CAS No.: -

Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 931601 VISOCOLOR soil case, with accessories Page: 11/29

Printing date: 06.01.2021 Date of issue: 14.12.2020

30 mL Pyrophosphate solution

Chemical: phosphate buffer solution Classification:

No criteria for classification or naming of chemical not required.

Formula: K/Na₁₋₃ H₂₋₀ PO₄ • x H₂ O

TSCA Inventory: all listed KE No.: listed Concentration: 1 - <5 %

acc. CLP (GHS): The criteria for classification are not fulfilled

100 Test sticks Ammonium

potassium tetraiodomercurate(II) Chemical: CAS No.: 7783-33-7

Classification: No criteria for classification or naming of chemical not required.

Formula: K₂ (HgI₄) TSCA Inventory: listed

231-990-4-8 EC No.: 080-004-00-7 Indice No.:

RTECS: OU9670000

KE No.: KE-12197, Toxic 97-1-140

Concentration: < 0.10% Correlation factor: x 0.26 (= %Hg) The classification refers to weight percent of the metal (according to CLP Regulation 2008/1272/EC Annex VI, 1.1.3.2 Note 1)

acc. CLP (GHS): The criteria for classification are not fulfilled.

Chemical: filter paper (cellulose CAS 9004-34-6) CAS No .: -

Classification: No criteria for classification or naming of chemical not required ($C_6\,H_{10}\,O_5\,)_n$

Formula: TSCA Inventory: listed REACH Reg. No.: exempt, Annex IV EC No.: 232-674-9 RTECS: FJ5691460 KE No.: KE-05339

1 - <10 % acc. CLP (GHS): The criteria for classification are not fulfilled

Chemical: PVC foil (CAS 9002-86-2) CAS No .: -

Classification: No criteria for classification or naming of chemical not required.

TSCA Inventory: listed Concentration: 95 - <100 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

100 Indicator sticks

Concentration:

Chemical: cellulose CAS No.: 9004-34-6

Classification: No criteria for classification or naming of chemical not required.

Formula: (C₆ H₁₀ O₅)_n TSCA Inventory: listed

REACH Reg. No.: exempt, Annex IV 232-674-9 EC No.: RTECS: FJ5691460 KE No .: KE-05339 Concentration: 1 - <10 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

Chemical: indicator dye(s) CAS No .: -

Classification: No criteria for classification or naming of chemical not required.

all listed, <1% TSCA Inventory: Concentration: 0.01 - < 0.1 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

Chemical: PVC foil (CAS 9002-86-2) CAS No .: -

Classification: No criteria for classification or naming of chemical not required. TSCA Inventory:

95 - <100 % Concentration:

acc. CLP (GHS): The criteria for classification are not fulfilled.

100 test strips

www.mn-net.com

US:

MACHEREY-NAGE **(MN)**

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:



CAS No.: 9004-34-6

CAS No .: -

CAS No .: -

US:

CAS No.: 10035-04-8

Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 931601 VISOCOLOR soil case, with accessories Page: 12/29

Printing date: 06.01.2021 Date of issue: 14.12.2020

> Chemical: cellulose

Classification: No criteria for classification or naming of chemical not required.

Formula: (C₆ H₁₀ O₅)_n TSCA Inventory: listed

REACH Reg. No.: exempt, Annex IV EC No.: 232-674-9 RTFCS FJ5691460 KE No .: KE-05339 Concentration: 1 - <10 %

acc. CLP (GHS): The criteria for classification are not fulfilled

chemicals/mixture < 1% Classification:

No criteria for classification or naming of chemical not required. TSCA Inventory: all listed, <1%

KE No .: Concentration: 0.1 - <1 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

Chemical: PVC foil (CAS 9002-86-2)

Classification: No criteria for classification or naming of chemical not required.

TSCA Inventory: listed Concentration: 95 - <100 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

1 L CaCl₂ solution

Chemical:

Chemical: calcium chloride (dihydrate)

Classification: No criteria for classification or naming of chemical not required.

Formula: CaCl₂ •2H₂ O

TSCA Inventory: listed (CAS 10043-52-4) REACH Reg. No.: 01-2119494219-28-xxxx

233-140-8 Indice No.: 017-013-00-2 EC No.: RTECS: EV9810000 MFCD: 00149613

KE No.: KE-04496 Concentration: < 10.00 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

100 mL CaCl₂ stock solution

Chemical: CAS No.: 10035-04-8 calcium chloride (dihydrate)

Classification: H319, Eye Irrit. 2 CaCl₂ •2H₂ O listed (CAS 10043-52-4) Formula:

TSCA Inventory: REACH Reg. No.: 01-2119494219-28-xxxx

EC No.: 233-140-8 Indice No.: 017-013-00-2 RTECS: FV9810000 MECD: 00149613

KE-04496 KE No .: Concentration: 10 - <20 % acc. CLP (GHS): H319, Eye Irrit. 2

30 mL NH₄+ -1

Chemical: sodium hydroxide solution CAS No.: 1310-73-2

Classification: H290, Met. Corr. 1, H314, Skin Corr. 1B

NaOH•H₂O Formula: soda lye Pseudonym: TSCA Inventory: listed

REACH Reg. No.: 01-2119457892-27-xxxx

EC No.: 215-185-5 Indice No.: 011-002-00-6

WB4900000 RTFCS KE-31487 KE No.: Concentration: 20 - <35 %

acc. CLP (GHS): H290, Met. Corr. 1, H314, Skin Corr. 1B

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

List of H and P phrases: see section 16.1

www.mn-net.com

MACHEREY-NAGE **(MN)**

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 931601 VISOCOLOR soil case, with accessories Page: 13/29

Printing date: 06.01.2021 Date of issue: 14.12.2020

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice. Remove contaminated clothing. Show product package, packing insert and this material safety data sheet to the doctor.

4.1.1 After SKIN Contact

Remove contaminated clothing immediately. Rinse the affected skin or mucous membrane thoroughly for min. 15 minutes under running water. (If possible) use soap. Avoid neutralisation. Then apply a loose bandage.

4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open for min. 10 minutes with eye washing bottle, eye douche or running water (protect intact eye). Before (if possible) apply eye drops Proxymetacaine 0.5%, if the opening the eyelid convulsion is painful. Further treatment to be carried out by an eye specialist.

4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. If vomiting and if insensible place patient in recovery position and keep airways free. ---

4.1.4 After ORAL Intake

After oral intake lots of water with activated charcoal supplement should be drunk after it has been ingested. Do not induce vomiting under any circumstances. Do not make any efforts to neutralise it. Contact medical advice for possible consequences. ---

4.2 Most important symptoms and effects, both acute and delayed

Can accumulate within the body. ---

4.3 Indication of any immediate medical attention and special treatment needed

CORROSIVE DAMAGE: After SKIN CONTACT rinse with water for a long time. Efforts to neutralise the substance can frequently make matters worse. Apply glucocorticosteroides following inflammatory reactions. After EYE CONTACT rinse immediately with plenty of water for a long time. Eyelid convulsion measures. Name the corrosive chemical. Further treatment must to be carried out by an eye specialist. After INTAKE administer aluminium oxide drug suspensions. Administer a prophylaxis to counter pulmonary oedema following the INGESTION of corrosive aerosols. In the event of RESPIRATORY DISTREES ensure that the patient inhales oxygen. ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.2 Special hazards arising from the substance or mixture

DANGER: Highly flammable (GHS regulation). Forms explosive vapour-air mixtures. Formation of hazardous and caustic vapour-air mixtures possible. ---

5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic. Spray any vapours released with water. Retent fire water. Use only acid-resistant safety equipment.

For great amount - if necessary - protective breathing apparatus which is independent of the ambient air (isolated equipment), and sealed protective clothing is necessary in the event of a large-scale formation of toxic substances.

5.4 Additional information

Danger for environment only in the event of a large-scale leakage or formation of hazardous substances. ---

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Wear suitable protective gloves (see 8.2.2). Wear eye protection, respectively face protection. Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.

6.2 Environmental precautions

not necessary

6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent. And dispose in accordance to local regulations for the disposal of hazardous chemicals. Clean any contaminated equipment and floors with plenty of water.
Collect small amounts of leaked liquid and flush with water into drains.

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG \cdot Neumann-Neander-Str. 6–8 \cdot 52355 Düren \cdot Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 +41 62 388 55 05 Fax: +33 388 51 76 88 +1 484 821 1272 Fax: Fax:

Version: M V 4.12.0 E-mail: info@mn-net.com

E-mail: sales-ch@mn-net.com

E-mail: sales-fr@mn-net.com

E-mail: sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

VISOCOLOR soil case, with accessories Page: 14/29

Printing date: 06.01.2021 Date of issue: 14 12 2020

6.4 Reference to other sections

see information in section 5.4 ---

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

7.2 Conditions for safe storage, including any incompatibilities

The original product package of MACHEREY-NAGEL allows a safe storage.

Storage class (VCI): Water hazard class (DE): 3

7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage. Use inbreakable container for transport of glass bottles.

7.3 Specific end use(s)

Product for analytical use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

1 L CAL solution

Chemical: calcium acetate CAS No.: 62-54-4

CAS No.: 64-19-7 Chemical: acetic acid

DNEL: [loc, inh] 25 mg/m³ DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): 3.058 mg/L PNEC = Predicted No Effected Concentration FU value:

[TWA] 25 / [STEL] 50 mg/m³ TRGS 900 (DE): 10 mL/m³ / 25 mg/m³

E/e respirable

Short-term exposure factor: 2(I), Y

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 10 ppm / 25 mg/m³

NIOSH:

l: [TWA] 10 ppm / 25 mg/m³; [STEL] 15 ppm / 37 mg/m³ [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 10 ppm / 25 mg/m³

100 mL CAL stock solution

Chemical: calcium acetate CAS No.: 62-54-4

Chemical: CAS No.: 64-19-7 acetic acid

[loc, inh] 25 mg/m³ DNEL: DNEL = Derived No-Effect Level (for workers) PNEC (fresh water): 3.058 mg/L PNEC = Predicted No Effected Concentration

[TWA] 25 / [STEL] 50 mg/m3 FU value:

10 mL/m³ / 25 mg/m³ TRGS 900 (DE): E/e respirable

Short-term exposure factor: 2(I), Y

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 10 ppm / 25 mg/m³

NIOSH:

l: [TWA] 10 ppm / 25 mg/m³; [STEL] 15 ppm / 37 mg/m³ [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 10 ppm / 25 mg/m³

500 mL dist. water

Chemical: CAS No.: 7732-18-5

25 mL K-1

Chemical: sodium hydroxide solution CAS No.: 1310-73-2

DNEL: [inh] 1 mg/m³ DNEL = Derived No-Effect Level (for workers) TRGS 900 (DE): 2 mg/m³

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 +1 484 821 1272 Fax:

Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com

E-mail: sales-fr@mn-net.com

E-mail: sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 931601 VISOCOLOR soil case, with accessories Page: 15/29

Printing date: 06.01.2021 Date of issue: 14.12.2020

E/e respirable

Short-term exposure factor: (=1=, Y)

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 2 e mg/m³

NIOSH: 2 mg/m³

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 2 mg/m³

12 g K-2

CAS No.: 143-66-8 Chemical: sodium tetraphenylborate

30 mL P-1

Chemical: ammonium heptamolybdate CAS No.: 12054-85-2

TRGS 900 (DE): [Mo] 5 E mg/m³ E/e respirable SUVA(CH) MAK value: [Mo] 5 e mg/m³

Chemical: sulfuric acid CAS No.: 7664-93-9

DNEL: [inh] 50 µg/m3 DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): 2.5 µg/L PNEC = Predicted No Effected Concentration

EU value: 0.1 e mg/m³ TRGS 900 (DE): 0.1 E mg/m3 E/e respirable

Short-term exposure factor: 1 (I), Y

skin resorptive (H), respiratory se ensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 0,1 e mg/m3

NTP Report on Carcinogens (RoC) List Yes (Known to be a human carcinogen); [TWA] 1 mg/m³ NIOSH:

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 1 mg/m³

30 mL P-2

sodium disulfite CAS No.: 7681-57-4 Chemical:

[inh] 225 mg/m³ DNEL = Derived No-Effect Level (for workers) DNEL:

TRGS 900 (DE): E/e respirable

SUVA(CH) MAK value: 5 e mg/m³

: [TWA] 5 mg/m³
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA:

100 p. folded filter papers

Chemical: filter paper (cellulose CAS 9004-34-6) CAS No .: -

1.25 A / 4 E mg/m³ TRGS 900 (DE): E/e respirable

SUVA(CH) MAK value: 3 a mg/m³

NIOSH: not listed

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA:

25 mL pH 4-10

Chemical: methyl red (pH indicator) CAS No.: 493-52-7

ethanol CAS No.: 64-17-5 Chemical:

DNEL: [derm] 343 mg/kg; [inh] 950 mg/m³ DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): U.90 IIIg/L PNEC = Predicted No Effected Concentration

200 mL/m³ / 380 mg/m³ E/e respirable TRGS 900 (DE):

Short-term exposure factor: 4 (II), Y

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 500 ppm / 960 mg/m³

[TWA] 1000 ppm / 1900 mg/m³ NIOSH:

www.mn-net.com

US:



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

CHEREY-NAGE



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 931601 VISOCOLOR soil case, with accessories Page: 16/29

Printing date: 06.01.2021 Date of issue: 14.12.2020

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 1000 ppm / 1900 mg/m³

Chemical: phenolphthalein (pH indicator)

NIOSH: not listed, NTP Report on Carcinogens (RoC) List Yes (Reasonably anticipated to be a human

carcinogen

[TWÁ] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA:

Chemical: indicator dye(s) CAS No .: -

30 mL P-K

Chemical: sulfuric acid CAS No.: 7664-93-9

[inh] 50 µg/m³ DNEL: DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): 2.5 µg/L PNEC = Predicted No Effected Concentration 0.1 e mg/m³ EU value: TRGS 900 (DE): 0.1 E mg/m³ E/e respirable

Short-term exposure factor: 1 (I), Y

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 0,1 e mg/m3

i: NTP Report on Carcinogens (RoC) List Yes (Known to be a human carcinogen); [TWA] 1 mg/m³ [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period NIOSH:

OSHA: [TWA] 1 mg/m³

30 mL Pyrophosphate solution

phosphate buffer solution CAS No .: -Chemical:

100 Test sticks Ammonium

potassium tetraiodomercurate(II) CAS No.: 7783-33-7 Chemical:

[Hg] 0.02 e mg/m³ EU value: [Hg] 0,02 E mg/m³ TRGS 900 (DF): E/e respirable

Short-term exposure factor: 8 (II), H, Sh

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: [Hg][MAK] 0,02 e/[STEL] 0,16 e mg/m³

[Krea U/d] 35 µg/L SUVA(CH) BAT value:

[Krea U/a] 25 μg/L B blood, U urine, a no limitation, b end of exposition or shift TRGS 903 (DE):

l: [Hg vapor, TWA_{skin}] 0.05; other 0.1 mg/m³ [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 0.1 mg/m³

filter paper (cellulose CAS 9004-34-6) Chemical: CAS No : -

TRGS 900 (DE): 1.25 A / 4 E mg/m3 E/e respirable

SUVA(CH) MAK value: 3 a mg/m³ not listed

age to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA:

Chemical: PVC foil (CAS 9002-86-2) CAS No.: -

100 Indicator sticks

Chemical: cellulose CAS No.: 9004-34-6

TRGS 900 (DE): Staub 1.25 A / 4 E mg/m³ E/e respirable

SUVA(CH) MAK value: 3 a ppm

h: TWA 10 (total) / 5 (resp) mg/m³ [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: TWA 15 (total) / 5 (resp) mg/m³

www.mn-net.com

US:

MACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 +41 62 388 55 05 +33 388 51 76 88 +1 484 821 1272 Fax: Fax: Fax:



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 931601 VISOCOLOR soil case, with accessories Page: 17/29

Printing date: 06.01.2021 Date of issue: 14.12.2020

> Chemical: CAS No.: indicator dye(s) PVC foil (CAS 9002-86-2) Chemical: CAS No.: -

100 test strips

Chemical: cellulose CAS No.: 9004-34-6

TRGS 900 (DE): Staub 1.25 A / 4 E mg/m³

E/e respirable

SUVA(CH) MAK value: 3 a ppm

NIOSH:

l: TWA 10 (total) / 5 (resp) mg/m³
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: TWA 15 (total) / 5 (resp) mg/m3

Chemical: chemicals/mixture < 1% CAS No.: -PVC foil (CAS 9002-86-2) Chemical: CAS No .: -

1 L CaCl₂ solution

Chemical: calcium chloride (dihydrate) CAS No.: 10035-04-8

100 mL CaCl₂ stock solution

calcium chloride (dihydrate) CAS No.: 10035-04-8 Chemical:

30 mL NH₄+ -1

Chemical: sodium hydroxide solution CAS No.: 1310-73-2

[inh] 1 mg/m³
DNEL = Derived No-Effect Level (for workers) DNEL:

TRGS 900 (DE): 2 mg/m³ E/e respirable

Short-term exposure factor: (=1=, Y)

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 2 e mg/m³ NIOSH: 2 mg/m³

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 2 mg/m³

8.2 **Exposure controls**

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

8.2.1 Respiratory protection

No additional recommendations.

8.2.2

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

8.2.3 Eye protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection or face protection.

8.2.4 Skin protection

Recommended to avoid clothing damage, and to avoid contamination with these hazards.

8.2.5 Personal hygiene

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

1 L CAL solution

Appearance: liquid Colour: colourless Odor: acetic

pH: 2-3 0-100 % Solubility in water:

www.mn-net.com

MACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 +41 62 388 55 05 Fax: +33 388 51 76 88 +1 484 821 1272 Fax: Fax: E-mail: sales-ch@mn-net.com E-mail: sales-us@mn-net.com

Version: M V 4.12.0 E-mail: info@mn-net.com

E-mail: sales-fr@mn-net.com

ACHEREY-NAGEI



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

VISOCOLOR soil case, with accessories Page: 18/29

Printing date: 06.01.2021 Date of issue: 14.12.2020

100 mL CAL stock solution

Colour: colourless Odor: acetic Appearance: liquid

pH: 2-3 Specific gravity: 1,02 g/cm³ Solubility in water: 0-100 %

500 mL dist. water

Appearance: liquid Colour: colourless Odor: odorless

6-8

Specific gravity: 1,00 g/cm3

25 mL K-1

Appearance: liquid Colour: colourless Odor: odorless

12-13 Specific gravity: 1,04 g/cm³ 0-100 % Solubility in water:

12 g K-2

Appearance: powder (solid) Colour: colourless Odor: odorless

6-8 (10%)

Solubility in water: 0-30 %

30 mL P-1

Appearance: liquid Colour: colourless Odor: odorless

pH: 0-1 Specific gravity: 1,21 g/cm³

Solubility in water: 0-100 %

30 mL P-2

Appearance: liquid Colour: colourless Odor: penetrative

0-100 % Solubility in water:

100 p. folded filter papers

Appearance: solid Colour: colourless Odor: odorless

Solubility in water:

25 mL pH 4-10

Appearance: liquid Colour: red Odor: alcoholic

pH: 6-8 18 °C Flash point: Specific gravity: 0,79 g/cm³ 0-100 % Solubility in water:

30 mL P-K

Colour: colourless Appearance: liquid Odor: odorless

pH: 0-1

Specific gravity: 1,22 g/cm3 Solubility in water: 0-100 %

30 mL Pyrophosphate solution

Odor: odorless Appearance: liquid Colour: colourless

9-10 pH: 0-100 % Solubility in water:

100 Test sticks Ammonium

Colour: yellow Odor: odorless Appearance: solid

100 Indicator sticks

Appearance: solid Colour: colored Odor: odorless

www.mn-net.com

US:

MACHEREY-NAGE **(MN)**

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

Page: 19/29 REF: 931601 VISOCOLOR soil case, with accessories

Printing date: 06.01.2021 Date of issue: 14.12.2020

100 test strips

Colour: colored Odor: odorless Appearance: solid

1 L CaCl₂ solution

Colour: colourless Odor: odorless Appearance: liquid

6-8 1,0 g/cm3 Specific gravity: Solubility in water: 0-100 %

100 mL CaCl₂ stock solution

Appearance: liquid Colour: colourless Odor: odorless

pH: 6-8 Solubility in water: 0-100 %

30 mL NH₄+ -1

Appearance: liquid Colour: colourless Odor: odorless

Specific gravity: 1,35 g/mL

Solubility in water: 0-100 %

9.2 Other information

Data for the other parameters of the mixtures are not available, because no registration and no chemical safety report is required.

Relevant Properties of Substance Group

Substances are very volantile and form flammable vapour-air mixtures. ---

SECTION 10: Stability and reactivity

10.1 Reactivity

no further data available.

10.2 Chemical stability

No known instability.

10.3 Possibility of hazardous reactions

Can react violently with organic material. No further data available.

10.4 Conditions to avoid

Not necessary. ---

10.5 Incompatible materials

Avoid contact with concentrated acids and oxidizing agents. Avoid contact with strong acids or alkalines.

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

1 L CAL solution

Chemical: calcium acetate CAS No.: 62-54-4

TSCA Inventory: listed LD50_{orl rat}: 4280 mg/kg

CAS No.: 64-19-7 Chemical: acetic acid

TSCA Inventory: California Proposition 65 List: not listed

Exposure Routes: inhalation, skin and/or eye contact Target Organs: Eyes, skin, respiratory system, teeth

irritation eyes, skin, nose, throat; eye, skin burns; skin sensitization; dental erosion; black skin, Symptoms:

hyperkeratosis; conjunctivitis, lacrimation (di

Canada CEPA 1999: DSL Yes Australia NICNAS: not listed

not listed, Japan PDSCL: not listed Japan CSCL/PRTR:

Japan ISHL: listed ≥1,0%/≥1,0%, Article 57-2 (SDS required)

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR: US:



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 931601 VISOCOLOR soil case, with accessories Page: 20/29

Printing date: 06.01.2021 Date of issue: 14.12.2020

> South Korea TCCA: not listed Korea Exist.Chem.Inventory: KE-00013 LD50_{orl rat}: 3310 mg/kg [4h] 8.5-12,7 mg/L LC50_{inh rat}: 1060 mg/kg LD50_{drm rbt}: LD50_{oral mouse}: 4960 ma/ka

100 mL CAL stock solution

Chemical: CAS No.: 62-54-4 calcium acetate

TSCA Inventory: listed 4280 mg/kg LD50_{orl rat}:

Chemical: acetic acid CAS No.: 64-19-7

TSCA Inventory: California Proposition 65 List: not listed

Exposure Routes: inhalation, skin and/or eye contact Target Organs: Eyes, skin, respiratory system, teeth

irritation eyes, skin, nose, throat; eye, skin burns; skin sensitization; dental erosion; black skin, Symptoms:

hyperkeratosis; conjunctivitis, lacrimation (di

Australia NICNAS: not listed Canada CEPA 1999: DSL Yes

Japan CSCL/PRTR: not listed, Japan PDSCL: not listed

Japan ISHL: listed ≥1,0%/≥1,0%, Article 57-2 (SDS required)

South Korea TCCA: not listed Korea Exist.Chem.Inventory: KE-00013 3310 mg/kg [4h] 8.5-12,7 mg/L LD50_{orl rat}: LC50_{inh rat}: LD50_{drm rbt}: 1060 mg/kg 4960 ma/ka LD50_{oral mouse}:

500 mL dist. water

Chemical: water CAS No.: 7732-18-5

TSCA Inventory: listed Korea Exist.Chem.Inventory: KE-35400

25 mL K-1

Chemical: sodium hydroxide solution CAS No.: 1310-73-2

TSCA Inventory: California Proposition 65 List: not listed listed

Exposure Routes: inhalation, ingestion, skin and/or eye contact

Target Organs: Eyes, skin, respiratory system

irritation eyes, skin, mucous membrane; pneumonitis; eye, skin burns; temporary loss of hair Symptoms:

Australia NICNAS: Canada CEPA 1999: DSL Yes

Japan CSCL/PRTR: not listed, Japan PDSCL: not listed

Japan ISHL: listed ≥1,0%/≥1,0%, Article 57-2 (SDS required)

South Korea TCCA: not listed Korea Exist.Chem.Inventory: KE-31487

LD50_{orl rat}: [40%] 1250 / [<25%] >2000 mg/kg

LD50_{drm rbt}: not applicable LD50_{orl mus}: 40 mg/kg

12 g K-2

Chemical: sodium tetraphenylborate CAS No : 143-66-8

TSCA Inventory: listed

Japan CSCL/PRTR: PRTR: >1,0% B class I

Korea Exist.Chem.Inventory: KE-31629 LD50_{orl rat}: 288 mg/kg

Acute Effects: Cause after oral intake, impairments of health when ingested in small quantities.

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR: US:



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 931601 VISOCOLOR soil case, with accessories Page: 21/29

Printing date: 06.01.2021 Date of issue: 14.12.2020

30 mL P-1

Chemical: ammonium heptamolybdate CAS No.: 12054-85-2

TSCA Inventory: listed (CAS 11098-84-3)
Japan ISHL: listed ≥1,0%/≥0,1%,

Korea Exist.Chem.Inventory: not listed

Chemical: sulfuric acid CAS No.: 7664-93-9

TSCA Inventory: listed California Proposition 65 List: not listed

ACGIH: 1 ppm

Exposure Routes: inhalation, ingestion, skin and/or eye contact Target Organs: Eyes, skin, respiratory system, teeth

Symptoms: irritation eyes, skin, nose, throat; pulmonary edema, bronchitis; emphysema; conjunctivitis; stomatis;

dental erosion; eye, skin burns; dermatitis

Australia NICNAS: not listed Canada CEPA 1999: DSL Yes

Japan CSCL/PRTR: not listed, Japan PDSCL: Deleterious Substance
Japan ISHL: listed ≥1,0%/≥1,0%, Article 57-2 (SDS required)
South Korea TCCA: Accident Precaution Chemical Yes

Korea Exist.Chem.Inventory: KE-32570, >10% Toxic 97-1-405, Acc. Precaution Chem.

LD50_{orl rat}: 2140 mg/kg

LC50_{ihl rat}: [8h] 600/ [4h] 850 mg/m³

TRGS 905 (DE): Kat 4

30 mL P-2

Chemical: sodium disulfite CAS No.: 7681-57-4

TSCA Inventory: listed California Proposition 65 List: not listed

Exposure Routes: inhalation, ingestion, skin and/or eye contact

Target Organs: Eyes, skin, respiratory system

Symptoms: irritation eyes, skin, mucous membrane

Australia NICNAS: not listed Canada CEPA 1999: DSL yes

Japan CSCL/PRTR: not listed, Japan PDSCL: not listed

Japan ISHL: listed ≥1,0%/≥1,0%, Article 57-2 (SDS required)

South Korea TCCA: not listed Korea Exist.Chem.Inventory: KE-12701 LD50_{orl rat}: 1540 mg/kg LD50_{drm rat}: 2000 mg/kg

100 p. folded filter papers

Chemical: filter paper (cellulose CAS 9004-34-6) CAS No.:

TSCA Inventory: listed California Proposition 65 List: not listed Australia NICNAS: not listed Canada CEPA 1999: DSL yes

Japan CSCL/PRTR: not listed, Japan PDSCL: not listed

 Japan ISHL:
 not listed

 South Korea TCCA:
 not listed

 Korea Exist.Chem.Inventory:
 KE-05339

 LD50_{orl rat}:
 >5000 mg/kg

 LC50_{ihl rat}:
 >58004_h mg/m³

 LD50_{drm rbt}:
 >2000 mg/kg

25 mL pH 4-10

Chemical: methyl red (pH indicator) CAS No.: 493-52-7

TSCA Inventory: listed Korea Exist.Chem.Inventory: KE-06693

LD50_{orl rat}: Keine Daten verfügbar LC50_{ihl rat}: Keine Daten verfügbar LD50_{drm rat}: Keine Daten verfügbar

Chemical: ethanol CAS No.: 64-17-5

TSCA Inventory: listed California Proposition 65 List: not listed

ACGIH: 1000 ppm

Exposure Routes: inhalation, ingestion, skin and/or eye contact

Target Organs: Eyes, skin, respiratory system, central nervous system, liver, blood, reproductive system

Symptoms: irritation eyes, skin, nose; headache, drowsiness, lassitude (weakness, exhaustion), narcosis; cough;

US:

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG \cdot Neumann-Neander-Str. 6–8 \cdot 52355 Düren \cdot Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

VISOCOLOR soil case, with accessories REF: 931601 Page: 22/29

Printing date: 06.01.2021 Date of issue: 14.12.2020

liver damage; anemia; reproductive, teratogenic

Australia NICNAS: not listed Canada CEPA 1999: DSL yes

Japan CSCL/PRTR: not listed, Japan PDSCL: not listed

Japan ISHL: listed ≥0,1%/≥0,1%, Article 57-2 (SDS required)

South Korea TCCA: not listed Korea Exist.Chem.Inventory: KE-13217 6200 mg/kg LD50_{orl rat}: LC_Lowihl gpg: 21.9 g/m³ 1400 mg/kg LC_Loworl hmn: LC50_{ihl mouse}: [4h] 39 g/m³ LC50_{ihl rat}: [10h] 20 a/m³ LD50_{drm rbt}: 20 000 mg/kg LD50_{oral mouse}: 3450 mg/kg TRGS 905 (DE): K5, M5, R_F C

CAS No.: 77-09-8 Chemical: phenolphthalein (pH indicator)

California Proposition 65 List: listed, cancer TSCA Inventory: listed Australia NICNAS: not listed Canada CEPA 1999: DSL yes

Japan CSCL/PRTR: PRTR - Class II Designated Chemical Substance, Japan PDSCL: not listed

Japan ISHL: not listed South Korea TCCA: not listed Korea Exist.Chem.Inventory: KE-03234 LD50_{orl rat}: >1000 mg/kg

EU carcinogen: Carcinogenicity cat. 2, Germ Cell Mutagenicity cat. 3, >5% Reproductive Toxicity cat. 3

TRGS 905 (DE): Karzinogenität Kat. 2

Chemical: indicator dye(s) CAS No.: -

TSCA Inventory: all listed, <1%

30 mL P-K

Chemical: CAS No.: 7664-93-9 sulfuric acid

TSCA Inventory: California Proposition 65 List: not listed listed

ACGIH:

Exposure Routes: inhalation, ingestion, skin and/or eye contact Target Organs: Eyes, skin, respiratory system, teeth

Symptoms: irritation eyes, skin, nosé, throat; pulmonary edema, bronchitis; emphysema; conjunctivitis; stomatis;

dental erosion; eye, skin burns; dermatitis

Canada CEPA 1999: DSL Yes Australia NICNAS: not listed

Japan CSCL/PRTR: not listed, Japan PDSCL: Deleterious Substance Japan ISHL: listed ≥1,0%/≥1,0%, Article 57-2 (SDS required)

South Korea TCCA: Accident Precaution Chemical Yes

Korea Exist.Chem.Inventory: KE-32570, >10% Toxic 97-1-405, Acc. Precaution Chem.

LD50_{orl rat}: 2140 mg/kg

LC50_{ihl rat}: [8h] 600/ [4h] 850 mg/m³

TRGS 905 (DE): Kat 4

30 mL Pyrophosphate solution

phosphate buffer solution Chemical: CAS No : -

TSCA Inventory: all listed Korea Exist.Chem.Inventory: listed

100 Test sticks Ammonium

Chemical: potassium tetraiodomercurate(II) CAS No.: 7783-33-7

California Proposition 65 List: listed developmental TSCA Inventory:

Exposure Routes: inhalation, skin absorption, ingestion, skin and/or eye contact Target Organs: Eyes, skin, respiratory system, central nervous system, kidneys

irritation eyes, skin; cough, chest pain, dyspnea (breathing difficulty), bronchitis, pneumonitis; tremor, Symptoms:

insomnia, irritability, indecision, headac

PRTR: ≥1,0%Hg class I, Japan PDSCL: Poisonous substance Japan CSCL/PRTR:

listed ≥0,3%/≥0,1% Japan ISHL: Korea Exist.Chem.Inventory: KE-12197, Toxic 97-1-140

www.mn-net.com

US:



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 +41 62 388 55 05 Fax: +33 388 51 76 88 +1 484 821 1272 Fax: Fax:



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 931601 VISOCOLOR soil case, with accessories Page: 23/29

Printing date: 06.01.2021 Date of issue: 14.12.2020

 $\begin{array}{lll} \text{LD50}_{\text{orl rat}} \colon & \text{HgI}_2 \ 18 \ \text{mg/kg} \\ \text{LC}_\text{Low}_{\text{orl hmn}} \colon & 357 \ \text{mg/kg} \\ \text{LD50}_{\text{drm rat}} \colon & 75 \ \text{mg/kg} \\ \end{array}$

TRGS 907 (DE): Sh

Chemical: filter paper (cellulose CAS 9004-34-6) CAS No.: -

TSCA Inventory: listed California Proposition 65 List: not listed Australia NICNAS: not listed Canada CEPA 1999: DSL yes

Japan CSCL/PRTR: not listed, Japan PDSCL: not listed

 Japan ISHL:
 not listed

 South Korea TCCA:
 not listed

 Korea Exist.Chem.Inventory:
 KE-05339

 LD50_{orl rat}:
 >5000 mg/kg

 LC50_{ihl rat}:
 >5800_{4h} mg/m³

 LD50_{drm rbt}:
 >2000 mg/kg

Chemical: *PVC foil (CAS 9002-86-2)* CAS No.: -

TSCA Inventory: listed

100 Indicator sticks

Chemical: cellulose CAS No.: 9004-34-6

TSCA Inventory: listed California Proposition 65 List: not listed

Exposure Routes: inhalation, skin and/or eye contact
Target Organs: Eyes, skin, respiratory system
Symptoms: irritation eyes, skin, mucous membrane

Australia NICNAS: not listed Canada CEPA 1999: DSL yes

Japan CSCL/PRTR: not listed, Japan PDSCL: not listed

 Japan ISHL:
 not listed

 South Korea TCCA:
 not listed

 Korea Exist.Chem.Inventory:
 KE-05339

 LD50_{orl rat}:
 >5000 mg/kg

 LC50_{ihl rat}:
 >5800_{4h} mg/m³

 LD50_{drm rbt}:
 >2000 mg/kg

Chemical: indicator dye(s) CAS No.: -

TSCA Inventory: all listed, <1%

Chemical: PVC foil (CAS 9002-86-2) CAS No.: -

TSCA Inventory: listed

100 test strips

Chemical: cellulose CAS No.: 9004-34-6

TSCA Inventory: listed California Proposition 65 List: not listed

Exposure Routes: inhalation, skin and/or eye contact
Target Organs: Eyes, skin, respiratory system
Symptoms: irritation eyes, skin, mucous membrane

Australia NICNAS: not listed Canada CEPA 1999: DSL yes

Japan CSCL/PRTR: not listed, Japan PDSCL: not listed

 Japan ISHL:
 not listed

 South Korea TCCA:
 not listed

 Korea Exist.Chem.Inventory:
 KE-05339

 LD50_{orl rat}:
 >5000 mg/kg

 LC50_{ihl rat}:
 >58004_h mg/m³

 LD50_{drm rbt}:
 >2000 mg/kg

Chemical: chemicals/mixture < 1% CAS No.: -

TSCA Inventory: all listed, <1% Korea Exist.Chem.Inventory: listed

www.mn-net.com

US:

ISO 9001 CERTIFIED MACHEREY-NAGEL GmbH & Co. KG \cdot Neumann-Neander-Str. 6–8 \cdot 52355 Düren \cdot Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 931601 VISOCOLOR soil case, with accessories Page: 24/29

Printing date: 06.01.2021 Date of issue: 14.12.2020

> PVC foil (CAS 9002-86-2) CAS No.: -Chemical:

TSCA Inventory: listed

1 L CaCl₂ solution

Chemical: calcium chloride (dihydrate) CAS No.: 10035-04-8

TSCA Inventory: listed (CAS 10043-52-4)

Korea Exist.Chem.Inventory: KE-04496 1000 mg/kg LD50_{orl rat}: LD50_{drm rat}: 2630 mg/kg

100 mL CaCl2 stock solution

Chemical: calcium chloride (dihydrate) CAS No.: 10035-04-8

listed (CAS 10043-52-4) TSCA Inventory:

Korea Exist.Chem.Inventory: KE-04496 LD50_{orl rat}: 1000 mg/kg LD50_{drm rat}: 2630 mg/kg

30 mL NH₄+ -1

Chemical: sodium hydroxide solution CAS No.: 1310-73-2

California Proposition 65 List: not listed TSCA Inventory: listed

Exposure Routes: inhalation, ingestion, skin and/or eye contact

Target Organs: Eyes, skin, respiratory system

Symptoms: irritation eyes, skin, mucous membrane; pneumonitis; eye, skin burns; temporary loss of hair

Australia NICNAS: Canada CEPA 1999: DSL Yes not listed

Japan CSCL/PRTR: not listed, Japan PDSCL: not listed

Japan ISHL: listed ≥1,0%/≥1,0%, Article 57-2 (SDS required) South Korea TCCA: not listed

Korea Exist.Chem.Inventory: KE-31487

LD50_{orl rat}: [40%] 1250 / [<25%] >2000 mg/kg

not applicable LD50_{drm rbt}: LD50_{orl mus}: 40 mg/kg

SECTION 12: Ecological information

12.1 **Toxicity**

Following information is valid for pure substances.

1 L CAL solution

Chemical: calcium acetate CAS No.: 62-54-4

Water hazard class (DE): Storage class (VCI):

Chemical: acetic acid CAS No.: 64-19-7

3.058 mg/L

PNEC (fresh water):
PNEC = Predicted No Effected Concentration

[4d] 301-1000 mg/L LC50_{fish/96h}: $EC50_{daphnia/48h}$: 301-1000 mg/L 301-1000 mg/L IC50_{scenedesmus} quadricauda/72h WGK No.: 0093 Water hazard class (DE):

Dispersion coefficient(octanol-water): -0,17 Storage class (VCI):

100 mL CAL stock solution

Chemical: calcium acetate CAS No.: 62-54-4

Water hazard class (DE): Storage class (VCI): 12-13

Chemical: acetic acid CAS No.: 64-19-7

3.058 mg/L

PNEC_(fresh water):
PNEC = Predicted No Effected Concentration

LC50_{fish/96h}: [4d] 301-1000 mg/L

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR: US:



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 931601 VISOCOLOR soil case, with accessories Page: 25/29

Printing date: 06.01.2021 Date of issue: 14.12.2020

> 301-1000 mg/L EC50daphnia/48h: IC50_{scenedesmus} quadricauda/72h: 301-1000 mg/L Water hazard class (DE): WGK No.: 0093

Dispersion coefficient_(octanol-water): -0.17Storage class (VCI): 8 B

500 mL dist. water

Chemical: water CAS No.: 7732-18-5

25 mL K-1

CAS No.: 1310-73-2 Chemical: sodium hydroxide solution

Avoid contact of substance/mixture to environment. LC50leuciscus idus/96h: 35-189 mg/L LC50_{fish/96h}: 45.4 mg/L EC50_{daphnia/48h}: >100 mg/L

Water hazard class (DE): 1 WGK No.: 142

Storage class (VCI): 8 B

12 g K-2

Chemical: sodium tetraphenylborate CAS No.: 143-66-8

Water hazard class (DE): 12-13 Storage class (VCI):

30 mL P-1

Chemical: CAS No.: 12054-85-2 ammonium heptamolybdate

Water hazard class (DE): WGK No.: 0637

Storage class (VCI):

CAS No.: 7664-93-9 sulfuric acid

Avoid contact of substance/mixture to environment. PNEC (fresh water):
PNEC = Predicted No Effected Concentration 2.5 µg/L

LC50_{fish/96h}: [NOEC, 65d] 25 µg/L EC50_{daphnia/48h}: 100 mg/L EC10_{pseudomonas putita/16h}: Water hazard class (DE): [72h] 100 mg/L WGK No.: 0182

Storage class (VCI):

30 mL P-2

CAS No.: 7681-57-4 Chemical: sodium disulfite

LC50_{fish/96h}: 150-220 mg/L EC50_{daphnia/48h}: 89 mg/L IC50_{scenedesmus} quadricauda/72h : Water hazard class (DE): 48 mg/L

WGK No.: 1169 1

Storage class (VCI): 8 B

100 p. folded filter papers

Chemical: filter paper (cellulose CAS 9004-34-6) CAS No .: -

Water hazard class (DE): nwg Storage class (VCI):

25 mL pH 4-10

methyl red (pH indicator) CAS No.: 493-52-7 Chemical:

Water hazard class (DE): 12-13 Storage class (VCI):

Chemical: ethanol CAS No.: 64-17-5

PNEC (fresh water):
PNEC = Predicted No Effected Concentration 0.96 mg/L

LC50daphnia magna/48h: >100 mg/L

13400 - 15100 mg/L LC50pimephales promelas/96h: LC50_{leuciscus idus/96h}: [48h] 8140 mg/L LC50fish/96h: 13 g/L

EC50_{daphnia/48h}: 9.3-14.2 g/L [7d] 5000 mg/L IC50_{scenedesmus} quadricauda/72h:

www.mn-net.com

US:



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 931601 VISOCOLOR soil case, with accessories Page: 26/29

Printing date: 06.01.2021 Date of issue: 14.12.2020

EC10pseudomonas putita/16h: [EC5] 6500 mg/L Water hazard class (DE): 1 WGK No.: 0096

Dispersion coefficient_(octanol-water): -0.31 Storage class (VCI): 3

Chemical: phenolphthalein (pH indicator) CAS No.: 77-09-8

Water hazard class (DE): 1
Dispersion coefficient(octanol-water): 0.9
Storage class (VCI): 12-13

Chemical: indicator dye(s) CAS No.: -

Storage class (VCI): 12-13

30 mL P-K

Chemical: sulfuric acid CAS No.: 7664-93-9

Avoid contact of substance/mixture to environment. PNEC (fresh water): 2.5 μ g/L PNEC = Predicted No Effected Concentration

LC50_{fish/96h}: [NOEC, 65d] 25 µg/L

EC50daphnia/48h: 100 mg/L EC10pseudomonas putita/16h: [72h] 100 mg/L Water hazard class (DE): 1 WGK No.: 0182

Water hazard class (DE): 1 W Storage class (VCI): 8 B

30 mL Pyrophosphate solution

Chemical: phosphate buffer solution CAS No.: -

Water hazard class (DE): 1 Storage class (VCI): 12

100 Test sticks Ammonium

Chemical: potassium tetraiodomercurate(II) CAS No.: 7783-33-7

Bio Toxicity: $LC_{50}: 0.5_{HgCl2/48h} \, mg/L$ Water hazard class (DE): 3 WGK No.: n.n.

Storage class (VCI): 6.1 B

Chemical: filter paper (cellulose CAS 9004-34-6) CAS No.: -

Water hazard class (DE): nwg Storage class (VCI): 11

Chemical: PVC foil (CAS 9002-86-2) CAS No.: -

100 Indicator sticks

Chemical: cellulose CAS No.: 9004-34-6

Water hazard class (DE): nwg Storage class (VCI): 11

Chemical: indicator dye(s) CAS No.: -

Storage class (VCI): 12-13

Chemical: *PVC foil (CAS 9002-86-2)* CAS No.: -

100 test strips

Chemical: cellulose CAS No.: 9004-34-6

Water hazard class (DE): nwg Storage class (VCI): 11

Chemical: chemicals/mixture < 1% CAS No.: -

Water hazard class (DE): 1 Storage class (VCI): 12-13

Chemical: PVC foil (CAS 9002-86-2) CAS No.: -

1 L CaCl₂ solution

www.mn-net.com

US:

ISO 9001 CERTIFIED MACHEREY-NAGEL GmbH & Co. KG \cdot Neumann-Neander-Str. 6–8 \cdot 52355 Düren \cdot Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 931601 VISOCOLOR soil case, with accessories Page: 27/29

Printing date: 06.01.2021 Date of issue: 14.12.2020

> calcium chloride (dihydrate) CAS No.: 10035-04-8 Chemical:

LC50_{daphnia} magna/48h: 3005 mg/L LC50_{fish/96h}: 10.65 g/L IC50_{scenedesmus} quadricauda/72h: 3130 mg/L

Water hazard class (DE): WGK No.: 0220

Storage class (VCI): 12-13

100 mL CaCl₂ stock solution

Chemical: calcium chloride (dihydrate) CAS No.: 10035-04-8

3005 mg/L LC50_{daphnia magna/48h}: LC50_{fish/96h}: 10.65 g/L IC50_{scenedesmus} quadricauda/72h : Water hazard class (DE): 3130 mg/L

WGK No.: 0220

Storage class (VCI): 12-13

30 mL NH₄+ -1

CAS No : 1310-73-2 Chemical: sodium hydroxide solution

Avoid contact of substance/mixture to environment. 35-189 mg/L LC50leuciscus idus/96h: 45.4 mg/L LC50fish/96h: EC50_{daphnia/48h}: >100 mg/L

Water hazard class (DE): **WGK No.: 142** 1

Storage class (VCI): 8 B

12.2 Persistence and degradability

12.3 Bioaccumulative potential

not necessary

12.4 Mobility in soil

not necessary

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no additional data available

SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

13.1 Waste treatment methods

Normally it is possible to empty small amounts (diluted!) into drains. Not for mercury containing test solutions, please collect for disposal of hazardous waste. Empty containers of corrosive reagents prior to disposal, rinse with water.

SECTION 14: Transport information

14.1. UN number: 3316 14.2. UN proper shipping name: Chemical Kit

14.3. Class: 14.4. Packing group:

Road transport

Classification code: Tunnel restriction code: Limited Quantity: acc. ADR 3.3.1/251: see LQ in Alternative declaration for transportation

Air transport

PAX: 960 max. weight PAX: 10 KG CAO: 960 max. weight CAO: 10 KG

Maritime transport

F-A, S-P Storage category: Α

Or use Alternative declaration for transportation:

UN No.: (see below) UN 1993 class 3 II, class 8 II, Excepted Quantities (≤30 mL/∑≤500 mL) = ADR/ IATA E2

or

1993 14.2 UN proper shipping name: Flammable liquid, n.o.s. (ethanol mixture) 14.1 UN number:

14.3 Class: 14.4 Packing group:

Road transport Classification code:

www.mn-net.com

US:



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

VISOCOLOR soil case, with accessories REF: 931601 Page: 28/29 Printing date: 06.01.2021 Date of issue: 14.12.2020

Limited Quantity: 1 I Tunnel restriction code: 640C **Excepted Quantity:** E 2 Special instructions: Air transport PAX: max. weight PAX:

CAO: 364 max. weight CAO: 60 L Maritime transport

EmS:

F-E, S-E Storage category: В

14.1 UN number: 3264

14.2 UN proper shipping name: Corrosive liquid, acidic, inorganic, n.o.s. (sulfuric acid, sodium disulfite solution)

14.3 Class: 14.4 Packing group:

Road transport

Classification code: C1

Limited Quantity: 1 L Tunnel restriction code: Ε

Excepted Quantity: Air transport

851 max. weight PAX: PAX. 1 I CAO: 855 max. weight CAO: 30 L

Maritime transport

F-A, S-B EmS: Storage category:

14.1 UN number: 3266 14.2 UN proper shipping name: Corrosive liquid, basic, inorganic, n.o.s. (sodium hydroxide solution)

14.3 Class: Packing group: II

Road transport

Classification code: C5

Limited Quantity: 1 L Tunnel restriction code:

Excepted Quantity: E 2

Air transport

PAX: 851 max. weight PAX: 1 L CAO: 855 max. weight CAO: 30 L

Maritime transport

F-A, S-B В EmS: Storage category:

14.5 **Environmental hazards**

none, contains only small quantities of hazardous substances

14.6 Special precautions for user

not necessary

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013 German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung -GefStoffV), revised on November 2010, according to Directive 98/24/EC

TRGS 200, German engineering rules governing the classification and labelling of hazardous substances, preparations and products, updated October 2011

MN Leaflet/User manual, also see www.mn-net.com

Look for your country-specific regulations.

15.2 Chemical safety assessment

not necessary for these small amounts ---

SECTION 16: Other information

16.1 List of H and P phrases

16.1.1 List of relevant H phrases

Highly flammable liquid and vapour. H225

May be corrosive to metals. H290 H302 Harmful if swallowed

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 +1 484 821 1272

Version: M V 4.12.0 E-mail: info@mn-net.com

E-mail: sales-ch@mn-net.com

E-mail: sales-fr@mn-net.com

E-mail: sales-us@mn-net.com

ACHEREY-NAGEI



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

501	VISOCOLOR soil case, with accessories	Page: 29/29
ate: 06.01.2021	Date of issue: 14.12.2020	
H314 H315 H318 H319 EUH031	Causes severe skin burns and eye damage. Causes skin irritation. Causes serious eye damage. Causes serious eye irritation. Contact with acids liberates toxic gas.	
P210 P233 P260D P260sh P264W P280sh P301+312 P303+361+353 P305+351+338	Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep container tightly closed. Do not breathe vapours. Do not breathe dust/vapours. Wash with water thoroughly after handling. Wear protective gloves/eye protection. IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or s IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present do. Continue rinsing. Immediately call a POISON CENTER/doctor.	
	H314 H315 H318 H319 EUH031 List of relevant P P210 P233 P260D P260sh P264W P280sh P301+312 P303+361+353 P305+351+338	H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. EUH031 Contact with acids liberates toxic gas. List of relevant P phrases P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P233 Keep container tightly closed. P260D Do not breathe vapours. P260Sh Do not breathe dust/vapours. P264W Wash with water thoroughly after handling. P280sh Wear protective gloves/eye protection. P301+312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P303+361+353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or state of the contaminated clothing. Rinse skin with water for several minutes. Remove contact lenses, if present do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor.

16.2 Training advice

P390

Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.

16.3 Recommended restriction on use

Only for professional user.

Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)!

Absorb spillage to prevent material damage.

Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)! An individual package of this product or test kit has a moderate hazardous potential.

16.4 **Further information**

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.5 Sources of key data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS

Regulation 487/2013/EU, 4^{th} adaptation of CLP regulation to technical and scientific progress Regulation 669/2018/EU, 4^{th} adaptation of CLP regulation to technical and scientific progress Regulation 1480/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress

TRGS 900, German engineering rules governing limits in air at work, updated 03/2019

SUVA .CH, Limits in air at work 2009, revised on 01.2009

KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU

2017-08 Adaption of new ethanol denaturation 2016/1867/EU

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272

Version: M V 4.12.0 E-mail: info@mn-net.com

E-mail: sales-ch@mn-net.com

E-mail: sales-fr@mn-net.com

E-mail: sales-us@mn-net.com