

Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

VISOCOLOR HE Copper Page: 1/7

Date of issue: 20.05.2019 Printing date: 02.06.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifier**

REF 920050

Product name VISOCOLOR HE Copper

REACH Registration number(s): see SECTION 3.1/3.2 or
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or

the substance or its use is excluded from registration.

1 x 80 mL Cu-1 1 x 60 mL Cu-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Product for analytical use

Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0

The exposure scenario is integrated into sections 1-16.

Uses advised against

not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG

Neumann-Neander-Str. 6-8, 52355 Dueren, GERMANY

Tel.: +49 2421 969 0 E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 Emergency telephone number

Information not necessary.

You find our current versions of SDS (22 languages) in Internet: http://www.mn-net.com/SDS

SECTION 2: Hazard identification

2.0 Classification of the complete product

2.1 Classification of the substance or mixture

80 mL Cu-1

Do not need labelling as hazardous

Signal word

No hazard class

60 mL Cu-2

Do not need labelling as hazardous

Signal word

No hazard class

2.2 Label elements

80 mL Cu-1

Do not need labelling as hazardous

Signal word: -

www.mn-net.com

US:

ACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 920050 VISOCOLOR HE Copper Page: 2/7 Date of issue: 20.05.2019 Printing date: 02.06.2020

60 mL Cu-2

Do not need labelling as hazardous Signal word: -

2.3 Other hazards

Possible hazards from physicochemical properties

According to our current status of knowledge and experience we state, that this product does not contain any substances, which in accordance with EC regulations 1272/2008/EC, 1907/2006/EC and German Regulations for Hazardous goods - have to be declared as dangerous goods, either because of their applied concentration or because of their total amount in anyone kit. An individual package has considerably less hazardous potential. --

Information pertaining to particular risks to human and possible symptoms

Information pertaining to particular risks to the environment

Other hazards

SECTION 3: Composition/information on ingredients

Substances or 3.2 Mixtures 3.1

80 mL Cu-1

citrate buffer solution CAS No : -Chemical:

Classification: No criteria for classification or naming of chemical not required.

TSCA Inventory: all listed KE No.: listed Concentration: 25 - <40 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

60 mL Cu-2

CAS No.: 370-81-0 Chemical: oxalic acid bis(cyclohexylidenehydrazide)

Classification: No criteria for classification or naming of chemical not required.

Formula: C₁₄ H₂₂ N₄ O₂

Pseudonym: cuprizon, 1,2-bis(2-cyclohexylidenehydrazide)ethanedioic acid

TSCA Inventory: listed 206-729-2 EC No.:

MFCD: 00001659 RTECS: RO2520000

Concentration: < 1.00 %

acc. CLP (GHS): The criteria for classification are not fulfilled

dimethyl sulfoxide CAS No.: 67-68-5 Chemical:

Classification: No criteria for classification or naming of chemical not required. Formula: C₂ H₆ OS

Pseudonym: DMSO, 1,1'-sulfinylbis-methane

TSCA Inventory: listed

REACH Reg. No.: 01-2119431362-50-xxxx

EC No.: 200-664-3

MFCD: 00002089 RTECS: PV6210000

KE No.: KE-32367 Concentration: 80 - <100 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

3.3

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

www.mn-net.com

+1 484 821 0984

MACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR: US: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.:

Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

MACHEREY-NAGE



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 920050 VISOCOLOR HE Copper Page: 3/7 Printing date: 02.06.2020 Date of issue: 20.05.2019

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately.

After SKIN Contact 4.1.1

Not necessary

After EYE Contact 4.1.2

Not necessary

After INHALATION of vapours 4.1.3

Not necessary. ---

After ORAL Intake 4.1.4

Not necessary. ---

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

No additionally recommendations. -

SECTION 5: Firefighting measures

5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.2 Special hazards arising from the substance or mixture

None.

5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic.

5.4 Additional information

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Not necessary.

6.2 **Environmental precautions**

not necessary

6.3 Methods and material for containment and cleaning up

Clean working area with water. Flush used water into drains.

6.4 Reference to other sections

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

7.2 Conditions for safe storage, including any incompatibilities

> The original product package of MACHEREY-NAGEL allows a safe storage. 12

Storage class (VCI): Water hazard class (DE):

7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage.

7.3 Specific end use(s)

Product for analytical use.

www.mn-net.com

US:

AACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

3



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

VISOCOLOR HE Copper Page: 4/7 Printing date: 02.06.2020 Date of issue: 20.05.2019

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

80 mL Cu-1

Chemical: citrate buffer solution CAS No .: -

60 mL Cu-2

Chemical: oxalic acid bis(cyclohexylidenehydrazide) CAS No.: 370-81-0

Chemical: dimethyl sulfoxide CAS No.: 67-68-5

394_{inh} mg/m³
DNEL = Derived No-Effect Level (for workers) DNEL: PNEC (fresh water): 17 mg/L PNEC = Predicted No Effected Concentration

TRGS 900 (DE): 50 ppm / 160 mg/m³

Short-term exposure factor: 2 (I), H, Z

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 50 ppm / 160 mg/m³

8.2 **Exposure controls**

Not necessary. Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities.

8.2.1 Respiratory protection

Not necessary

8.2.2 Hand protection

Not necessary.

8.2.3 Eye protection

Not necessary.

Skin protection 8.2.4

Not necessary.

8.2.5 Personal hygiene

Information not necessary.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

80 mL Cu-1

Colour: colourless Odor: aminic Appearance: liquid

8-9 Solubility in water: 0-100 %

60 mL Cu-2

Appearance: liquid Colour: slightly yellow Odor: fusty, mouldy

Flash point: 95 °C

9.2 Other information

Data for the other parameters of the mixtures are not available, because no registration and no chemical safety report is required. **Relevant Properties of Substance Group**

SECTION 10: Stability and reactivity

10.1 Reactivity

None

10.2 Chemical stability

No known instability.

www.mn-net.com

US:

MACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

Version: M V 4.12.0 E-mail: info@mn-net.com

MACHEREY-NAGEL



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

 REF: 920050
 VISOCOLOR HE Copper
 Page: 5/7

 Printing date: 02.06.2020
 Date of issue: 20.05.2019

10.3 Possibility of hazardous reactions

lone.

10.4 Conditions to avoid

Not known. ---

10.5 Incompatible materials

Not known.

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

80 mL Cu-1

Chemical: citrate buffer solution CAS No.: -

TSCA Inventory: all listed Korea Exist.Chem.Inventory: listed

60 mL Cu-2

Chemical: oxalic acid bis(cyclohexylidenehydrazide) CAS No.: 370-81-0

TSCA Inventory: listed

Chemical: dimethyl sulfoxide CAS No.: 67-68-5

TSCA Inventory: listed
Korea Exist.Chem.Inventory: KE-32367
LD50_{orl rat}: 14.5 g/kg
LD50_{drm rat}: 40 g/kg

SECTION 12: Ecological information

12.1 Toxicity

Following information is valid for pure substances.

80 mL Cu-1

Chemical: citrate buffer solution CAS No.: -

Water hazard class (DE): 0
Storage class (VCI): 12

60 mL Cu-2

Chemical: oxalic acid bis(cyclohexylidenehydrazide) CAS No.: 370-81-0

Water hazard class (DE): 3 Storage class (VCI): 12

Chemical: dimethyl sulfoxide CAS No.: 67-68-5

PNEC (fresh water): 17 mg/L PNEC = Predicted No Effected Concentration

LC50_{fish/96h}: 38.5 g/L EC50_{daphnia/48h}: 24.6 g/L

EC10pseudomonas putita/16h: EC/16h: 7100 mg/L Water hazard class (DE): 1 WGK No.: 5050

Dispersion coefficient_(octanol-water): -1.35 Storage class (VCI): 12

12.2 Persistence and degradability

www.mn-net.com

US:

ISO 9001 CERTIFIED MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272

Version: M V 4.12.0 E-mail: info@mn-net.com

E-mail: sales-ch@mn-net.com

E-mail: sales-fr@mn-net.com

E-mail: sales-us@mn-net.com

MACHEREY-NAGEL



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 920050 VISOCOLOR HE Copper Page: 6/7 Date of issue: 20.05.2019 Printing date: 02.06.2020

not necessary

12.3 Bioaccumulative potential

not necessary

12.4 Mobility in soil

not necessary

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no additional data available

SECTION 13: Disposal considerations

Not necessary.

13.1 Waste treatment methods

GENERAL: Empty solids into municipal waste, empty liquids diluted into drains. Normally it is possible to empty small amounts (diluted!)

SECTION 14: Transport information

14.1 - 14.4 Not necessary

14.5 **Environmental hazards**

14.6 Special precautions for user

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013 German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung -GefStoffV), revised on November 2010, according to Directive 98/24/EC

MN Leaflet/User manual, also see www.mn-net.com

Look for your country-specific regulations.

15.2 Chemical safety assessment

SECTION 16: Other information

16.1 List of H and P phrases

- 16.1.1 List of relevant H phrases
- 16.1.2 List of relevant P phrases
- 16.2 Training advice

Regular safety training.

16.3 Recommended restriction on use

16.4 **Further information**

> MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

www.mn-net.com

US:



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

MACHEREY-NAGEI



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 920050 VISOCOLOR HE Copper Page: 7/7 Printing date: 02.06.2020 Date of issue: 20.05.2019

16.5 Sources of key data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress Regulation 669/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress Regulation 1480/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress TRGS 900, German engineering rules governing limits in air at work, updated 03/2019 SUVA .CH, Limits in air at work 2009, revised on 01.2009

KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU

www.mn-net.com

US:

MACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com