



Be Right™

Safety Data Sheet

according to Regulation (EC) No 1907/2006

1897-36 Phenolphthalein Solution 0,1%

Revision date: 08.06.2017 Product code: 189736 Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

1897-36 Phenolphthalein Solution 0,1%

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.

5, Pacific Way

Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324

e-Mail: info-uk@hach.com

HACH LANGE Ltd.

Unit 1, Chestnut Road Western Industrial Estate

IRL-Dublin 12

Tel. +353 (0)1 4602522 e-Mail: info-ie@hach.com

1.4. Emergency telephone Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency

number: service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

2.2. Label elements

Additional advice on labelling

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.3. Other hazards

no data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures



according to Regulation (EC) No 1907/2006

1897-36 Phenolphthalein Solution 0,1%

Revision date: 08.06.2017 Product code: 189736 Page 2 of 8

Hazardous components

CAS No	Chemical name	Chemical name						
	EC No	Index No	REACH No					
	Classification according to Regul	Classification according to Regulation (EC) No. 1272/2008 [CLP]						
57-55-6	1,2-Propanediol							
	200-338-0							
77-09-8	phenolphthalein							
	201-004-7	604-076-00-1						
	Carc. 1B, Muta. 2, Repr. 2; H350	H341 H361f ***						

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately.

After inhalation

Move to fresh air.

If symptoms persist, call a physician.

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes.

If skin irritation persists, call a physician.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

After ingestion

Clean mouth with water and drink afterwards plenty of water.

Call a physician immediately. Show this safety data sheet to the doctor in attendance.

4.2. Most important symptoms and effects, both acute and delayed

No known effect.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

No Limit

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing. In the case of respirable dust and/or fumes, use self-contained breathing apparatus and dust impervious protective suit.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.



according to Regulation (EC) No 1907/2006

1897-36 Phenolphthalein Solution 0,1%

Revision date: 08.06.2017 Product code: 189736 Page 3 of 8

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

Only qualified personnel equipped with suitable protective equipment may intervene. Immediately evacuate personnel to safe areas.

For personal protection see section 8.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes.

Do not breathe vapours/dust.

Wash thoroughly after handling.

General industrial hygiene practice.

Advice on protection against fire and explosion

See also section 5

Further information on handling

Avoid contact with skin, eyes and clothing.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a dry and well-ventilated place.

Hints on joint storage

None known.

Further information on storage conditions

no data available

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
57-55-6	Propane-1,2-diol, particulates	-	10		TWA (8 h)	WEL

Additional advice on limit values

None known.

8.2. Exposure controls

Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.



according to Regulation (EC) No 1907/2006

1897-36 Phenolphthalein Solution 0,1%

Revision date: 08.06.2017 Product code: 189736 Page 4 of 8

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Wash hands before breaks and after work.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Skin protection

Remove and wash contaminated clothing before re-use.

Respiratory protection

Provide adequate ventilation.

Environmental exposure controls

Should not be released into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: colourless
Odour: hydrocarbon-like

pH-Value (at 20 °C): 6,1

Changes in the physical state

Melting point:no data availableInitial boiling point and boiling range:188 °CSublimation point:not applicableSoftening point:no data availablePour point:not applicable:no data availableFlash point:>100 °CSustaining combustion:No data available

Flammability

Solid: no data available
Gas: no data available

Explosive properties

no data available

Lower explosion limits: 2,6 vol. %
Upper explosion limits: 12,6 vol. %
Ignition temperature: 371 °C

Auto-ignition temperature

Solid: no data available
Gas: no data available
Decomposition temperature: no data available

Oxidizing properties

no data available



according to Regulation (EC) No 1907/2006

1897-36 Phenolphthalein Solution 0,1%

Revision date: 08.06.2017 Product code: 189736 Page 5 of 8

Vapour pressure:

Vapour pressure:

Density (at 20 °C):

Bulk density:

Water solubility:

(at 20 °C)

miscible

miscible

Solubility in other solvents

no data available

Partition coefficient: no data available Viscosity / dynamic: no data available Viscosity / kinematic: no data available Flow time: no data available no data available Vapour density: Evaporation rate: no data available no data available Solvent separation test: Solvent content: no data available

9.2. Other information

Solid content: no data available

no data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

The product is chemically stable.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

Extremes of temperature and direct sunlight.

10.5. Incompatible materials

Oxidizing agents

10.6. Hazardous decomposition products

Carbon monoxide

Further information

None known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No toxicology information is available.

Acute toxicity

No data is available on the product itself.



according to Regulation (EC) No 1907/2006

1897-36 Phenolphthalein Solution 0,1%

Revision date: 08.06.2017 Product code: 189736 Page 6 of 8

CAS No	Chemical name									
	Exposure route	Dose		Species	Source	Method				
57-55-6	1,2-Propanediol									
	oral	LD50 mg/kg	20000	rat	Toxicology and Appli					
	dermal	LD50 mg/kg	20800	rabbit	Raw Material Data Ha					

Irritation and corrosivity

No known effect.

Sensitising effects

No known effect.

Carcinogenic/mutagenic/toxic effects for reproduction

No known effect.

STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

No data is available on the product itself.

Additional information on tests

None known.

Practical experience

Observations relevant to classification

None known.

Other observations

None known.

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

No data is available on the product itself.

Do not flush into surface water or sanitary sewer system.

CAS No	Chemical name								
	Aquatic toxicity	Dose	Dose		Species	Source	Method		
57-55-6	1,2-Propanediol								
	Acute fish toxicity	LC50 mg/l	51600		Oncorhynchus mykiss (rainbow trout)	OECD 203			
	Acute crustacea toxicity	EC50 mg/l	34400		Daphnia magna (Water flea)	Information taken from reference works and the literature.			

12.2. Persistence and degradability

No data is available on the product itself.



according to Regulation (EC) No 1907/2006

1897-36 Phenolphthalein Solution 0,1%

Revision date: 08.06.2017 Product code: 189736 Page 7 of 8

12.3. Bioaccumulative potential

No data is available on the product itself.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
57-55-6	1,2-Propanediol	-0,92
77-09-8	phenolphthalein	2,4

12.4. Mobility in soil

No known effect.

12.5. Results of PBT and vPvB assessment

No known effect.

12.6. Other adverse effects

No known effect.

Further information

no data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

In accordance with local and national regulations.

Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

Land transport (ADR/RID)

Other applicable information (land transport)

Not subject to transport regulations.

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)

Other applicable information (marine transport)

Not subject to transport regulations.

Air transport (ICAO-TI/IATA-DGR)

Other applicable information (air transport)

Not subject to transport regulations.



Be Right™

Safety Data Sheet

HACH LANGE GmbH

according to Regulation (EC) No 1907/2006

1897-36 Phenolphthalein Solution 0,1%

Revision date: 08.06.2017 Product code: 189736 Page 8 of 8

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

no data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

Other applicable information

no data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Authorisations (REACH, annex XIV):

Substances of very high concern, SVHC (REACH, article 59):

phenolphthalein

Restrictions on use (REACH, annex XVII):

Entry 28: phenolphthalein

National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Revision: 8.06.2017

Safety datasheet sections which have been updated: 2, 11

Revision: 27.05.2015

Safety datasheet sections which have been updated: 2, 11

Revision: 06.11.2013

Relevant H and EUH statements (number and full text)

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H361f Suspected of damaging fertility.

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)





according to Regulation (EC) No 1907/2006

671-32 Sodium Hydroxide Standard Solution 0,01 N

Revision date: 14.09.2018 Product code: 67132 Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

671-32 Sodium Hydroxide Standard Solution 0,01 N

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.

5, Pacific Way

Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324

e-Mail: info-uk@hach.com

HACH LANGE Ltd.

Unit 1, Chestnut Road Western Industrial Estate

IRL-Dublin 12

Tel. +353 (0)1 4602522 e-Mail: info-ie@hach.com

1.4. Emergency telephone Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency

number: service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Flammable liquid: Flam. Liq. 3 Skin corrosion/irritation: Skin Corr. 1A Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

Flammable liquid and vapour.

Causes severe skin burns and eye damage.

Causes serious eye damage.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

propan-2-ol; isopropyl alcohol; isopropanol

Signal word: Danger

Pictograms:







according to Regulation (EC) No 1907/2006

671-32 Sodium Hydroxide Standard Solution 0,01 N

Revision date: 14.09.2018 Product code: 67132 Page 2 of 9

Hazard statements

H226 Flammable liquid and vapour.

H314 Causes severe skin burns and eye damage.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P240 Ground and bond container and receiving equipment.
P241 Use explosion-proof electrical/ventilating/lighting equipment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P310 Immediately call a POISON CENTER/doctor.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

or shower.

P363 Wash contaminated clothing before reuse.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P370+P378 In case of fire: Use dry sand to extinguish.
P370+P378 In case of fire: Use dry sand to extinguish.
P501 Dispose of contents/container to Disposal.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity		
	EC No	Index No	REACH No			
	Classification according to Regula					
7732-18-5	Water					
	231-791-2					
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol					
	200-661-7	603-117-00-0				
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336					
1310-73-2	sodium hydroxide; caustic soda					
	215-185-5	011-002-00-6				
	Skin Corr. 1A; H314					

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately.





Be Right"

Safety Data Sheet

according to Regulation (EC) No 1907/2006

671-32 Sodium Hydroxide Standard Solution 0,01 N

Revision date: 14.09.2018 Product code: 67132 Page 3 of 9

After inhalation

Move to fresh air.

After contact with skin

Wash off immediately with plenty of water.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

After ingestion

Clean mouth with water and drink afterwards plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours. Carbon monoxide, Sodium oxides

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas.

Advice on protection against fire and explosion

See also section 5

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in a dry, cool place.

Hints on joint storage

Keep away from open flames, hot surfaces and sources of ignition.

7.3. Specific end use(s)





according to Regulation (EC) No 1907/2006

671-32 Sodium Hydroxide Standard Solution 0,01 N

Revision date: 14.09.2018 Product code: 67132 Page 4 of 9

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL
1310-73-2	Sodium hydroxide	-	2		STEL (15 min)	WEL

Additional advice on limit values

None known.

8.2. Exposure controls

Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Wash hands before breaks and after work.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Skin protection

Remove and wash contaminated clothing before re-use.

Respiratory protection

Breathing apparatus only if aerosol or dust is formed.

Recommended Filter type: ABEK-filter

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: colourless
Odour: odourless

pH-Value (at 20 °C):

Changes in the physical state

Melting point:0 °CInitial boiling point and boiling range:94 °CSublimation point:not applicableSoftening point:not applicablePour point:not applicable:no data available





according to Regulation (EC) No 1907/2006

671-32 Sodium Hydroxide Standard Solution 0,01 N

Revision date: 14.09.2018 Product code: 67132 Page 5 of 9

Flash point: 57 °C

Sustaining combustion:

No data available

Flammability

Solid: no data available
Gas: no data available

Explosive properties

no data available

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

no data available

no data available

Auto-ignition temperature

Solid: no data available
Gas: no data available
Decomposition temperature: no data available

Oxidizing properties

no data available

Vapour pressure:

No data available

Vapour pressure:

Density (at 20 °C):

Bulk density:

Water solubility:

no data available

no data available

no data available

soluble

Solubility in other solvents

soluble

Partition coefficient: no data available Viscosity / dynamic: no data available Viscosity / kinematic: no data available Flow time: no data available no data available Vapour density: no data available Evaporation rate: Solvent separation test: no data available Solvent content: no data available

9.2. Other information

Solid content: not applicable

no data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

Keep away from heat and flame.



according to Regulation (EC) No 1907/2006

671-32 Sodium Hydroxide Standard Solution 0,01 N

Revision date: 14.09.2018 Product code: 67132 Page 6 of 9

10.5. Incompatible materials

Acids

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

Further information

None known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

No data is available on the product itself.

CAS No	Chemical name									
	Exposure route	Dose		Species	Source	Method				
67-63-0	propan-2-ol; isopropyl ald	propan-2-ol; isopropyl alcohol; isopropanol								
	oral	LD50 mg/kg	5045	rat	RTECS					
	dermal	LD50 mg/kg	12800	rabbit						
	inhalation (4 h) vapour	LC50	46,5 mg/l	rat						

Irritation and corrosivity

Causes skin and eye burns.

Sensitising effects

No known effect.

Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

No data is available on the product itself.

Additional information on tests

no data available

Practical experience

Observations relevant to classification

no data available

Other observations

no data available

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

No data is available on the product itself.



according to Regulation (EC) No 1907/2006

671-32 Sodium Hydroxide Standard Solution 0,01 N

Revision date: 14.09.2018 Product code: 67132 Page 7 of 9

Do not flush into surface water or sanitary sewer system.

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol							
	Acute fish toxicity	LC50 mg/l	1400		Lepomis macrochirus (Bluegill sunfish)			
	Acute algae toxicity	ErC50 mg/l	> 1000		Pseudokirchneriella subcapitata (green algae)	IUCLID		
	Acute crustacea toxicity	EC50 mg/l	13299	I .	Daphnia magna (Water flea)	UICLID		
1310-73-2	sodium hydroxide; caustic soda							
	Acute fish toxicity	LC50 mg/l	45,4		Onchorhynchus mykiss			

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

No data is available on the product itself.

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

No known effect.

Further information

no data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

In accordance with local and national regulations.

Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

Land transport (ADR/RID)





Be Right™

Safety Data Sheet

according to Regulation (EC) No 1907/2006

671-32 Sodium Hydroxide Standard Solution 0,01 N

Revision date: 14.09.2018 Product code: 67132 Page 8 of 9

14.1. UN number: UN 2924

14.2. UN proper shipping name: Flammable liquid, corrosive, n.o.s. (propan-1-ol; n-propanol/sodium

hydroxide; caustic soda - solution)

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3+8



Classification code: FC
Special Provisions: 274
Limited quantity: 5 L
Excepted quantity: E1
Transport category: 3
Hazard No: 38
Tunnel restriction code: D/E

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)

14.1. UN number: UN 2924

14.2. UN proper shipping name: FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Isopropanol/sodium

hydroxide solution)

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3+8



Marine pollutant:

Special Provisions: 223, 274
Limited quantity: 5 L
Excepted quantity: E1
EmS: F-E, S-C
Segregation group: alkalis

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 2924

14.2. UN proper shipping name: FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Isopropanol/sodium

hydroxide solution)

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3+8



Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Excepted quantity:

A3 A803

1 L

Y342

Excepted quantity:

E1





according to Regulation (EC) No 1907/2006

671-32 Sodium Hydroxide Standard Solution 0,01 N

Revision date: 14.09.2018 Product code: 67132 Page 9 of 9

IATA-packing instructions - Passenger:354IATA-max. quantity - Passenger:5 LIATA-packing instructions - Cargo:365IATA-max. quantity - Cargo:60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

no data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

Other applicable information

no data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Water contaminating class (D): 2 - clearly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Revision: 24.11.2016

Safety datasheet sections which have been updated: 2, 4, 11, 14

Revision: 06.05.2015

Safety datasheet sections which have been updated: 2

Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.
H226 Flammable liquid and vapour.

H314 Causes severe skin burns and eye damage.

H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)