

according to Regulation (EC) No 1907/2006

## LCK 014 CSB/COD/DCO

Revision date: 10.07.2019

Product code: LCK014

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking				
1.1. Product identifier LCK 014 CSB/COD/DCO				
1.2. Relevant identified uses of the s	ubstance or mixture and uses advised against			
Use of the substance/mixture Water analysis				
1.3. Details of the supplier of the safe				
Company name: Street: Place:	HACH LANGE GmbH Willstätterstr. 11 D-40549 Düsseldorf			
Telephone: e-mail: Internet: Responsible Department:	+49 (0)211 5288-383 SDS@hach.com www.de.hach.com HACH LANGE Ltd. 5, Pacific Way Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324 e-Mail: info-uk@hach.com			
	HACH LANGE Ltd. Unit 1, Chestnut Road Western Industrial Estate IRL-Dublin 12 Tel. +353 (0)1 4602522 e-Mail: info-ie@hach.com			
<u>1.4. Emergency telephone</u> number:	Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -			

## SECTION 2: Hazards identification

## 2.1. Classification of the substance or mixture

## Regulation (EC) No. 1272/2008 Hazard categories: Substance or mixture corrosive to metals: Met. Corr. 1 Acute toxicity: Acute Tox. 3 Acute toxicity: Acute Tox. 3 Acute toxicity: Acute Tox. 4 Skin corrosion/irritation: Skin Corr. 1A Serious eye damage/eye irritation: Eye Dam. 1 Germ cell mutagenicity: Muta. 1B Carcinogenicity: Carc. 1B Reproductive toxicity: Repr. 1B Specific target organ toxicity - repeated exposure: STOT RE 2 Hazardous to the aquatic environment: Aquatic Chronic 1 Hazard Statements: May be corrosive to metals. Toxic in contact with skin. Toxic if inhaled. Harmful if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage.



according to Regulation (EC) No 1907/2006

## LCK 014 CSB/COD/DCO

Revision date: 10.07.2019

Product code: LCK014

Page 2 of 11

May cause genetic defects. May cause cancer. May damage fertility. May damage the unborn child. May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects.

Danger

## 2.2. Label elements

#### Regulation (EC) No. 1272/2008

#### Hazard components for labelling

sulphuric acid ... % potassium dichromate Mercury(II) sulfate

Signal word:

#### **Pictograms:**



#### Hazard statements

H290	May be corrosive to metals.
H311	Toxic in contact with skin.
H331	Toxic if inhaled.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H340	May cause genetic defects.
H350	May cause cancer.
H360FD	May damage fertility. May damage the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H410	Very toxic to aquatic life with long lasting effects.

## Precautionary statements

cautionaly statement	
P201	Obtain special instructions before use.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P391	Collect spillage.

#### Special labelling of certain mixtures EUH208 Contains po

Contains potassium dichromate. May produce an allergic reaction. Restricted to professional users.

#### Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

#### 2.3. Other hazards

May cause long-term adverse effects in the environment.

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures



according to Regulation (EC) No 1907/2006

# LCK 014 CSB/COD/DCO

Revision date: 10.07.2019

Product code: LCK014

Page 3 of 11

## Hazardous components

CAS No	Chemical name		Quantity	
	EC No	Index No	REACH No	
	GHS Classification	•		
7664-93-9	sulphuric acid %			65 %
	231-639-5	016-020-00-8		
	Skin Corr. 1A; H314			
7732-18-5	Water			33 %
	231-791-2			
7778-50-9	potassium dichromate			<1 %
	231-906-6	024-002-00-6		
		tepr. 1B, Acute Tox. 2, Acute Tox. 3, A DT RE 1, Aquatic Acute 1, Aquatic Chr H334 H317 H372 H400 H410		
7783-35-9	Mercury(II) sulfate			<1 %
	231-992-5	080-002-00-6		
	Acute Tox. 1, Acute Tox. 2, Acute H330 H300 H373 H400 H410	Tox. 2, STOT RE 2, Aquatic Acute 1,	Aquatic Chronic 1; H310	
10294-26-5	Silver sulfate			<0,5 %
	233-653-7			
	Eye Dam. 1, Aquatic Acute 1 (M- H410	Factor = 100), Aquatic Chronic 1 (M-F	actor = 100); H318 H400	

Full text of H and EUH statements: see section 16.

#### **Further Information**

This product contains substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57). potassium dichromate

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

Take off all contaminated clothing immediately. Consult a physician. Show this safety data sheet to the doctor in attendance.

#### After inhalation

Move to fresh air.

Consult a physician. Show this safety data sheet to the doctor in attendance.

## After contact with skin

Wash off immediately with plenty of water for at least 15 minutes.

Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. Show this safety data sheet to the doctor in attendance.

## After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Show this safety data sheet to the doctor in attendance.

#### After ingestion

Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Consult a physician. Show this safety data sheet to the doctor in attendance.



according to Regulation (EC) No 1907/2006

## LCK 014 CSB/COD/DCO

Revision date: 10.07.2019

Product code: LCK014

Page 4 of 11

# 4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

### 5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours. The following may develop in event of fire: sulfur oxides, mercury vapors.

### 5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

#### Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

#### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste.

### 6.4. Reference to other sections

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Use only in well-ventilated areas. Do not breathe vapours/dust.

## 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep tightly closed in a dry, cool and well-ventilated place. Protect against light. Accessible only for authorized persons.

## 7.3. Specific end use(s)

Reagent for analysis

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters



according to Regulation (EC) No 1907/2006

# LCK 014 CSB/COD/DCO

Revision date: 10.07.2019

Product code: LCK014

Page 5 of 11

### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7664-93-9	Sulphuric acid (mist)	-	0.05		TWA (8 h)	WEL

#### Additional advice on limit values

None known.

#### 8.2. Exposure controls

#### Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

#### Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Wash hands before breaks and after work.

Wash hands before breaks and aller work

# Eye/face protection

Safety glasses with side-shields

## Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0.40 mm, Breakthrough time: > 30 min

#### Skin protection

Remove and wash contaminated clothing before re-use.

## **Respiratory protection**

Breathing apparatus only if aerosol or dust is formed. Recommended Filter type: ABEK-filter

#### **Environmental exposure controls**

Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so.

r revent further leakage of spinage if sale to do so

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: Colour: Odour:	liquid orange odourless	
pH-Value (at 20 °C):		< 1
Changes in the physical state		
Melting point:		not applicable
Initial boiling point and boiling range:		300 °C
Sublimation point:		not applicable
Softening point:		not applicable
Pour point:		no data available
:		no data available
Flash point:		not applicable
Sustaining combustion:		No data available
Flammability		



Revision date: 10.07.2019

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## LCK 014 CSB/COD/DCO

Product code: LCK014

Page 6 of 11

Solid:	not applicable
Gas:	not applicable
Explosive properties not applicable	
Lower explosion limits:	not applicable
Upper explosion limits:	not applicable
Ignition temperature:	not applicable
Auto-ignition temperature Solid: Gas:	no data available no data available no data available
Decomposition temperature:	
Oxidizing properties no data available	
Vapour pressure:	no data available
Vapour pressure:	no data available
Density (at 20 °C): Bulk density:	1,55 g/cm³ not applicable
Water solubility: (at 20 °C)	completely soluble
Solubility in other solvents no data available	
Partition coefficient:	no data available
Viscosity / dynamic:	no data available
Viscosity / kinematic:	no data available
Flow time:	no data available
Vapour density:	no data available
Evaporation rate:	no data available
Solvent separation test:	no data available
Solvent content:	no data available
9.2. Other information	
Solid content:	no data available
Corrosive in contact with metals	

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Corrosive to metals

## 10.2. Chemical stability

Stable under recommended storage conditions.

# 10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

## 10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat. Above 300 °C, hazardous fumes may be released.



according to Regulation (EC) No 1907/2006

## LCK 014 CSB/COD/DCO

Revision date: 10.07.2019

Product code: LCK014

Page 7 of 11

### 10.5. Incompatible materials

Organic materials, Bases, Alkali metals, Metals, Ammonia, Reducing agents, Nitric acid. Reacts violently with water.

## 10.6. Hazardous decomposition products

Sulphur trioxide Chromium oxides

#### Further information

very reactive

### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

### Acute toxicity

Toxic in contact with skin.

Toxic if inhaled.

Harmful if swallowed.

No data is available on the product itself. Information given is based on data on the components and the toxicology of similar products.

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
7778-50-9	potassium dichromate					
	oral	ATE mg/kg	100			
	dermal	ATE mg/kg	1100			
	inhalation (4 h) vapour	LC50 mg/l	0,094	Rat		
	inhalation (4 h) aerosol	LC50 mg/l	0,094	Rat		
7783-35-9	Mercury(II) sulfate	_				
	oral	ATE	5 mg/kg			
	dermal	ATE	5 mg/kg			
	inhalation vapour	ATE	0,5 mg/l			
	inhalation aerosol	ATE	0,05 mg/l			
10294-26-5	Silver sulfate					
	oral	LD50 mg/kg	5000	rat		

#### Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

#### Sensitising effects

Contains potassium dichromate. May produce an allergic reaction.

### Carcinogenic/mutagenic/toxic effects for reproduction

May cause genetic defects. (potassium dichromate)

May cause cancer. (potassium dichromate)

May damage fertility. May damage the unborn child. (potassium dichromate)

#### STOT-single exposure

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

## LCK 014 CSB/COD/DCO

Revision date: 10.07.2019

Product code: LCK014

Page 8 of 11

### STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. (Mercury(II) sulfate)

### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

May cause long-term adverse effects in the aquatic environment. Do not flush into surface water or sanitary sewer system.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
7778-50-9	potassium dichromate	potassium dichromate					
	Acute fish toxicity	LC50 2 mg/l	26,13	96 h	Pimephales promelas		
	Acute algae toxicity	ErC50 ( 0,59 mg/l	0,16 -	96 h	Chlorella vulgaris		
7783-35-9	Mercury(II) sulfate						
	Acute fish toxicity	LC50 ( mg/l	0,19	96 h			
10294-26-5	Silver sulfate						
	Acute crustacea toxicity	EC50 ( mg/l	0,0045	48 h	Crustaceans		

#### 12.2. Persistence and degradability

No data is available on the product itself.

### 12.3. Bioaccumulative potential

no data available

## 12.4. Mobility in soil

no data available

#### 12.5. Results of PBT and vPvB assessment

no data available

## 12.6. Other adverse effects

Discharge into the environment must be avoided.

## SECTION 13: Disposal considerations

## 13.1. Waste treatment methods

#### Advice on disposal

Our local agencies will accept used cuvettes to ensure their proper disposal. In accordance with local and national regulations.

### Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

## Waste disposal number of used product



according to Regulation (EC) No 1907/2006

# LCK 014 CSB/COD/DCO

Revision date: 10.07.2019

Product code: LCK014

Page 9 of 11

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

## **SECTION 14: Transport information**

Land transport (ADR/RID)	
14.1. UN number:	UN 2922
14.2. UN proper shipping name:	Corrosive liquid, toxic, n.o.s. (Chromosulphuric acid, Mercury(II) sulfate)
14.3. Transport hazard class(es):	8
14.4. Packing group:	I
Hazard label:	8+6.1
Classification code:	CT1
Special Provisions:	274
Limited quantity:	0
Excepted quantity:	EO
Transport category:	1
Hazard No: Tunnel restriction code:	886 C/D
Inland waterways transport (ADN)	
Other applicable information (inland v Not tested	vaterways transport)
Marine transport (IMDG)	
<u>14.1. UN number:</u>	UN 2922
14.2. UN proper shipping name:	CORROSIVE LIQUID, TOXIC, N.O.S. (Chromosulphuric acid, mercury sulphate)
14.3. Transport hazard class(es):	8
14.4. Packing group:	I
Hazard label:	8+6.1
Marine pollutant:	P
Special Provisions:	274
Limited quantity:	0
Excepted quantity:	E0
EmS:	F-A, S-B
Segregation group:	acids
Air transport (ICAO-TI/IATA-DGR)	
<u>14.1. UN number:</u>	UN 2922
14.2. UN proper shipping name:	CORROSIVE LIQUID, TOXIC, N.O.S. (Chromosulphuric acid, mercury sulphate)
14.3. Transport hazard class(es):	8
14.4. Packing group:	I
Hazard label:	8+6.1



according to Regulation (EC) No 1907/2006

## LCK 014 CSB/COD/DCO

Revision date: 10.07.2019

Product code: LCK014

Page 10 of 11

	8
Special Provisions:	A3 A803
Limited quantity Passenger:	
	Forbidden
Passenger LQ:	Forbidden
Excepted quantity:	E0
IATA-packing instructions - Passenger:	850
IATA-max. quantity - Passenger:	0.5 L
IATA-packing instructions - Cargo:	854
IATA-max. quantity - Cargo:	2.5 L
14.5. Environmental hazards	
ENVIRONMENTALLY HAZARDOUS:	yes
Danger releasing substance:	potassium dichromate Mercury(II) sulfate
14.6. Special precautions for user	
Use personal protective equipment.	
14.7. Transport in bulk according to Annex II	of Marpol and the IBC Code
not applicable	
SECTION 15: Regulatory information	
15.1. Safety, health and environmental regula	ations/legislation specific for the substance or mixture
EU regulatory information Authorisations (REACH, annex XIV): potassium dichromate	
Restrictions on use (REACH, annex XVII): Entry 28: potassium dichromate	
National regulatory information	
Employment restrictions:	Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions

Water contaminating class (D):

nursing mothers. 3 - highly water contaminating

under the Maternity Protection Directive (92/85/EEC) for expectant or

## 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

## Changes

Revision: 10.07.2019 Safety datasheet sections which have been updated: 2, 8, 16 Revision: 11.03.2019 Safety datasheet sections which have been updated: 2, 11, 15 Revision: 03.05.2017 Safety datasheet sections which have been updated: 2, 9, 14



according to Regulation (EC) No 1907/2006

## LCK 014 CSB/COD/DCO

Revision date: 10.07.2019

Product code: LCK014

Page 11 of 11

Revision: 07.04.2016 Safety datasheet sections which have been updated: 3 Revision: 21.08.2013

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Acute Tox. 3; H311	Calculation method
Acute Tox. 3; H331	Calculation method
Acute Tox. 4; H302	Calculation method
Skin Corr. 1A; H314	On basis of test data
Eye Dam. 1; H318	Calculation method
Muta. 1B; H340	Calculation method
Carc. 1B; H350	Calculation method
Repr. 1B; H360FD	Calculation method
STOT RE 2; H373	Calculation method
Aquatic Chronic 1; H410	Calculation method

# Relevant H and EUH statements (number and full text)

Relevant H and EUH statements (number and full text)	
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H300	Fatal if swallowed.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H340	May cause genetic defects.
H350	May cause cancer.
H360FD	May damage fertility. May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH208	Contains potassium dichromate. May produce an allergic reaction.
Further Information	
The information is had	and an unconstituted of a contraction of the second terms and the second s

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)