

according to Regulation (EC) No 1907/2006

14270-10 Volatile Acids Standard Solution; 62,500 mg/L as Acetic Acid

Revision date: 02.03.2018

Product code: 1427010

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

14270-10 Volatile Acids Standard Solution; 62,500 mg/L as Acetic Acid

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: Street: Place:	HACH LANGE GmbH Willstätterstr. 11 D-40549 Düsseldorf
Telephone: e-mail: Internet: Responsible Department:	+49 (0)211 5288-383 SDS@hach.com www.de.hach.com HACH LANGE Ltd. 5, Pacific Way Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324 e-Mail: info-uk@hach.com
	HACH LANGE Ltd. Unit 1, Chestnut Road Western Industrial Estate IRL-Dublin 12 Tel. +353 (0)1 4602522 e-Mail: info-ie@hach.com
1.4. Emergency telephone number:	Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

2.2. Label elements

Additional advice on labelling

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



according to Regulation (EC) No 1907/2006

14270-10 Volatile Acids Standard Solution; 62,500 mg/L as Acetic Acid

Revision date: 02.03.2018

Product code: 1427010

Page 2 of 8

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	GHS Classification				
7732-18-5	Water				
	231-791-2				
127-09-3	Sodium acetate				
	204-823-8				
	Eye Irrit. 2; H319				

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately.

After inhalation

Move to fresh air.

If symptoms persist, call a physician.

After contact with skin

Wash off immediately with plenty of water. If skin irritation persists, call a physician.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

After ingestion

Clean mouth with water and drink afterwards plenty of water.

Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

No known effect.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures



according to Regulation (EC) No 1907/2006

14270-10 Volatile Acids Standard Solution; 62,500 mg/L as Acetic Acid

Revision date: 02.03.2018

Product code: 1427010

Page 3 of 8

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas. Avoid contact with skin and eyes.

Advice on protection against fire and explosion See also section 5

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in a dry, cool place.

Hints on joint storage None known.

NOTE KIOWII.

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

None known.

8.2. Exposure controls

Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Wash hands before breaks and after work.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Skin protection

Remove and wash contaminated clothing before re-use.

Respiratory protection

Breathing apparatus only if aerosol or dust is formed. Recommended Filter type: ABEK-filter



according to Regulation (EC) No 1907/2006

14270-10 Volatile Acids Standard Solution; 62,500 mg/L as Acetic Acid

Revision date: 02.03.2018

Product code: 1427010

Page 4 of 8

Environmental exposure controls

Should not be released into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties Physical state: liauid Colour: colourless Odour: odourless pH-Value (at 20 °C): 8,8 Changes in the physical state no data available Melting point: Initial boiling point and boiling range: 101 °C Sublimation point: not applicable Softening point: not applicable Pour point: not applicable no data available • Flash point: not applicable No data available Sustaining combustion: Flammability Solid: not applicable Gas: not applicable **Explosive properties** not applicable Lower explosion limits: not applicable Upper explosion limits: not applicable no data available Ignition temperature: Auto-ignition temperature Solid: not applicable Gas: not applicable no data available Decomposition temperature: **Oxidizing properties** not applicable Vapour pressure: no data available Vapour pressure: no data available Density (at 20 °C): 1,037 g/cm³ Bulk density: not applicable Water solubility: soluble (at 20 °C) Solubility in other solvents no data available Partition coefficient: no data available Viscosity / dynamic: no data available Viscosity / kinematic: no data available Flow time: no data available Vapour density: no data available



according to Regulation (EC) No 1907/2006

14270-10 Volatile Acids Standard Solution; 62,500 mg/L as Acetic Acid

Revision date: 02.03.2018	Product code: 1427010	Page 5 of 8
Evaporation rate:	no data available	
Solvent separation test:	no data available	
Solvent content:	no data available	
9.2. Other information		
Solid content:	not applicable	
no data available		

SECTION 10: Stability and reactivity

10.1. Reactivity

See also section 10.3

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid

Extremes of temperature and direct sunlight.

10.5. Incompatible materials

Oxidizing agents

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

Further information

Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

No data is available on the product itself.

CAS No	Chemical name							
	Exposure route	Dose		Dose		Species	Source	Method
127-09-3	Sodium acetate							
	oral	LD50 mg/kg	3530	rat	Gestis			
		LD50 mg/kg	10000	rabbit	Gestis			

Irritation and corrosivity

No known effect.

Sensitising effects

Contains no substance or substances classified as sensitising.

Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.



according to Regulation (EC) No 1907/2006

14270-10 Volatile Acids Standard Solution; 62,500 mg/L as Acetic Acid

Revision date: 02.03.2018

Product code: 1427010

Page 6 of 8

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

No data is available on the product itself.

Additional information on tests

no data available

Practical experience

Observations relevant to classification

no data available

Other observations

no data available

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

No data is available on the product itself.

Do not flush into surface water or sanitary sewer system.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
127-09-3	Sodium acetate						
	Acute crustacea toxicity	EC50 >= mg/l	=1000		Daphnia magna (Water flea)		

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

No data is available on the product itself.

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

No known effect.

Further information

no data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

In accordance with local and national regulations.

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product



according to Regulation (EC) No 1907/2006

Be Rig	ht™	according to Regulation (EC) No 1907/2006	
	14270-10 Volatile	e Acids Standard Solution; 62,500 mg/L as Acetic Acid	
Revision date: 02	2.03.2018	Product code: 1427010	Page 7 of 8
160506	discarded chemicals; lat	WISE SPECIFIED IN THE LIST; gases in pressure containers and boratory chemicals, consisting of or containing hazardous substances, poratory chemicals; hazardous waste	
List of Waste 160506	discarded chemicals; lat	ackaging WISE SPECIFIED IN THE LIST; gases in pressure containers and boratory chemicals, consisting of or containing hazardous substances, boratory chemicals; hazardous waste	
Contaminate Dispose o	d packaging of as unused product.		
SECTION 14: 1	ransport information		
Land transport (ADR/RID)		
	able information (land tran ct to transport regulations.		
Inland waterway	rs transport (ADN)		
Other applica Not tested	able information (inland w ່	vaterways transport)	
Marine transpor	t (IMDG)		
	able information (marine t ct to transport regulations.	transport)	
Air transport (IC	AO-TI/IATA-DGR)		
	able information (air trans ct to transport regulations.		
14.5. Environme	ntal hazards		
ENVIRONME	NTALLY HAZARDOUS:	no	
14.6. Special pre no data a	ecautions for user vailable		
14.7. Transport	n bulk according to Anne	ex II of Marpol and the IBC Code	
not applic Other applicable no data a	e information		
SECTION 15: F	Regulatory information		
<u>15.1. Safety, hea</u>	Ith and environmental reg	gulations/legislation specific for the substance or mixture	
National regu	latory information		
Water hazard	class (D):	1 - slightly hazardous to water	
	afety assessment safety assessments for su	bstances in this mixture were not carried out.	
SECTION 16: 0	Other information		
	02.03.2018 tasheet sections which hav	ve been updated: 4, 7, 8	
B 1 (11)			

Relevant H and EUH statements (number and full text) H319

Causes serious eye irritation.



according to Regulation (EC) No 1907/2006

14270-10 Volatile Acids Standard Solution; 62,500 mg/L as Acetic Acid

Revision date: 02.03.2018

Product code: 1427010

Page 8 of 8

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)