

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**2168042 DEHA 2 Reagent**

Revision date: 03.01.2019

Product code: 2168042

Page 1 of 10

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

2168042 DEHA 2 Reagent

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Water analysis

**1.3. Details of the supplier of the safety data sheet**

Company name: HACH LANGE GmbH  
Street: Willstätterstr. 11  
Place: D-40549 Düsseldorf  
Telephone: +49 (0)211 5288-383  
e-mail: SDS@hach.com  
Internet: www.de.hach.com  
Responsible Department: HACH LANGE Ltd.  
5, Pacific Way  
Salford Manchester M50 1DL - United Kingdom  
Tel. +44 (0) 161 872 1487 \* Fax +44 (0) 161 848 7324  
e-Mail: info-uk@hach.com

HACH LANGE Ltd.  
Unit 1, Chestnut Road Western Industrial Estate  
IRL-Dublin 12  
Tel. +353 (0)1 4602522  
e-Mail: info-ie@hach.com

**1.4. Emergency telephone number:**

Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Substance or mixture corrosive to metals: Met. Corr. 1

Skin corrosion/irritation: Skin Corr. 1B

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

May be corrosive to metals.

Causes severe skin burns and eye damage.

Causes serious eye damage.

**2.2. Label elements****Regulation (EC) No. 1272/2008****Hazard components for labelling**

Nitric acid ... %

**Signal word:** Danger**Pictograms:**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**2168042 DEHA 2 Reagent**

Revision date: 03.01.2019

Product code: 2168042

Page 2 of 10

**Hazard statements**

- H290 May be corrosive to metals.  
 H314 Causes severe skin burns and eye damage.

**Precautionary statements**

- P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
 P280 Wear protective gloves/protective clothing/eye protection/face protection.  
 P363 Wash contaminated clothing before reuse.  
 P390 Absorb spillage to prevent material damage.  
 P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P310 Immediately call a POISON CENTER/doctor.  
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

**Additional advice on labelling**

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

**2.3. Other hazards**

None known.

**SECTION 3: Composition/information on ingredients**
**3.2. Mixtures**
**Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
7732-18-5	Water			85-95 %
	231-791-2			
7697-37-2	Nitric acid ... %			5-15 %
	231-714-2	007-004-00-1		
	Ox. Liq. 2, Skin Corr. 1A; H272 H314 EUH071			
7782-61-8	Iron(III) nitrate nonahydrate			1-5 %
	233-899-5			
	Ox. Sol. 3, Skin Irrit. 2, Eye Irrit. 2; H272 H315 H319			

Full text of H and EUH statements: see section 16.

**SECTION 4: First aid measures**
**4.1. Description of first aid measures**
**General information**

Consult a physician. Show this safety data sheet to the doctor in attendance.  
 First aider needs to protect himself.

**After inhalation**

Move to fresh air.  
 If symptoms persist, call a physician.

**After contact with skin**

Wash off immediately with plenty of water for at least 15 minutes.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 2168042 DEHA 2 Reagent

Revision date: 03.01.2019

Product code: 2168042

Page 3 of 10

Take off all contaminated clothing immediately.

Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. Show this safety data sheet to the doctor in attendance.

#### After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### After ingestion

Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting.

Consult a physician.

#### 4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion, Cough, Shortness of breath, Spasm, Nausea, Vomiting

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

##### Unsuitable extinguishing media

No Limit

#### 5.2. Special hazards arising from the substance or mixture

Gives off hydrogen by reaction with metals. Contact with combustible material may cause fire. Fire may liberate hazardous vapours. (nitrogen oxides (NO<sub>x</sub>))

#### 5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing. Suppress (knock down) gases/vapours/mists with a water spray jet.

#### Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Only qualified personnel equipped with suitable protective equipment may intervene. Immediately evacuate personnel to safe areas.

Do not breathe vapours, mist or gas.

For personal protection see section 8.

#### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

#### 6.3. Methods and material for containment and cleaning up

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local/national regulations (see section 13).

#### 6.4. Reference to other sections

13. Disposal considerations

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

##### Advice on safe handling

Use only in well-ventilated areas. Do not breathe vapours/dust.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**2168042 DEHA 2 Reagent**

Revision date: 03.01.2019

Product code: 2168042

Page 4 of 10

Wash thoroughly after handling.  
General industrial hygiene practice.

**Advice on protection against fire and explosion**

None known.  
See also section 5

**Further information on handling**

Observe label precautions.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep tightly closed in a dry, cool and well-ventilated place. Protect against light.

Store in original container. Do not use containers made of Light metals, Metals

**Further information on storage conditions**

Keep away from combustible materials.

**7.3. Specific end use(s)**

Reagent for analysis

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
7697-37-2	Nitric acid	1	2.6		STEL (15 min)	WEL

**Additional advice on limit values**

None known.

**8.2. Exposure controls****Appropriate engineering controls**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

**Protective and hygiene measures**

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Wash hands before breaks and after work.

General industrial hygiene practice.

Ensure that eye flushing systems and safety showers are located close to the working place.

**Eye/face protection**

Safety glasses with side-shields

**Hand protection**

Use barrier skin cream.

Gloves must be inspected prior to use. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

In case of full contact:

Glove material : Nitrile rubber

Layer thickness: 0,11 mm

Break through time: >480 min

In case of contact through splashing:

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**2168042 DEHA 2 Reagent**

Revision date: 03.01.2019

Product code: 2168042

Page 5 of 10

Glove material : Nitrile rubber  
Layer thickness: 0,11 mm  
Break through time: >480 min

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves.

**Skin protection**

Remove and wash contaminated clothing before re-use.

**Respiratory protection**

Breathing apparatus only if aerosol or dust is formed.  
Recommended Filter type: E-(P2)

**Environmental exposure controls**

Do not flush into surface water or sanitary sewer system.  
Prevent further leakage or spillage if safe to do so.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	liquid
Colour:	colourless
Odour:	odourless
pH-Value (at 20 °C):	<0,5

**Changes in the physical state**

Melting point:	no data available
Initial boiling point and boiling range:	100 °C
Sublimation point:	no data available
Softening point:	no data available
Pour point:	no data available
:	no data available
Flash point:	no data available

**Flammability**

Solid:	no data available
Gas:	no data available

**Explosive properties**

no data available

Lower explosion limits:	no data available
-------------------------	-------------------

Upper explosion limits:	no data available
-------------------------	-------------------

Ignition temperature:	no data available
-----------------------	-------------------

**Auto-ignition temperature**

Solid:	no data available
Gas:	no data available

Decomposition temperature:	no data available
----------------------------	-------------------

**Oxidizing properties**

no data available

Vapour pressure:	no data available
------------------	-------------------

Vapour pressure:	no data available
------------------	-------------------

Density (at 20 °C):	1,062 g/cm <sup>3</sup>
---------------------	-------------------------

Bulk density:	no data available
---------------	-------------------

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**2168042 DEHA 2 Reagent**

Revision date: 03.01.2019

Product code: 2168042

Page 6 of 10

Water solubility: soluble

**Solubility in other solvents**

no data available

Partition coefficient: no data available

Viscosity / dynamic: no data available

Viscosity / kinematic: no data available

Flow time: no data available

Vapour density: no data available

Evaporation rate: no data available

Solvent separation test: no data available

Solvent content: no data available

**9.2. Other information**

Solid content: no data available

Corrosive to metals

Aluminium: 1325,9 mm/a

Mild steel: 3,048 mm/a

**SECTION 10: Stability and reactivity****10.1. Reactivity**

Corrosive to metals

Reactivity Hazard: Oxidizing agents

**10.2. Chemical stability**

Stable under recommended storage conditions.

**10.3. Possibility of hazardous reactions**

Reacts with the following substances:

Alkali metals, Metals, Alkaline earth metals, metal oxides, Alcohols, Ammonia, Bases, Halogenated compounds, Peroxides, organic solvent

**10.4. Conditions to avoid**

Decomposes on heating.

**10.5. Incompatible materials**

Organic materials, Reducing agents, Metals

Contact with metals liberates hydrogen gas.

**10.6. Hazardous decomposition products**nitrogen oxides (NO<sub>x</sub>)

See also section 5

**SECTION 11: Toxicological information****11.1. Information on toxicological effects****Toxicokinetics, metabolism and distribution**

No toxicology information is available.

**Acute toxicity**

No data is available on the product itself.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**2168042 DEHA 2 Reagent**

Revision date: 03.01.2019

Product code: 2168042

Page 7 of 10

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7782-61-8	Iron(III) nitrate nonahydrate				
	oral	LD50 mg/kg	3250	rat	

**Irritation and corrosivity**

Causes skin and eye burns.

**Sensitising effects**

No known effect.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Contains no ingredient listed as a carcinogen

**STOT-single exposure**

The substance or mixture is not classified as specific target organ toxicant, single exposure.

**STOT-repeated exposure**

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**Aspiration hazard**

No aspiration toxicity classification

**Specific effects in experiment on an animal**

No data is available on the product itself.

**Further information**

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

**SECTION 12: Ecological information**
**12.1. Toxicity**

No data is available on the product itself.

Do not flush into surface water or sanitary sewer system.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
7697-37-2	Nitric acid ... %					
	Acute fish toxicity	LC50	72 mg/l	96 h	Gambusia affinis	IUCLID

**12.2. Persistence and degradability**

No data is available on the product itself.

**12.3. Bioaccumulative potential**

No data is available on the product itself.

**Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
7697-37-2	Nitric acid ... %	-0,21

**12.4. Mobility in soil**

No data is available on the product itself.

**12.5. Results of PBT and vPvB assessment**

No data is available on the product itself.

**12.6. Other adverse effects**

No data is available on the product itself.

**SECTION 13: Disposal considerations**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**2168042 DEHA 2 Reagent**

Revision date: 03.01.2019

Product code: 2168042

Page 8 of 10

**13.1. Waste treatment methods****Advice on disposal**

In accordance with local and national regulations.

**Waste disposal number of waste from residues/unused products**

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

**Waste disposal number of used product**

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

**Contaminated packaging**

Dispose of as unused product.

The hazard and precautionary statements displayed on the label also apply to any residues left in the container.

**SECTION 14: Transport information****Land transport (ADR/RID)**

<b>14.1. UN number:</b>	UN 3264
<b>14.2. UN proper shipping name:</b>	Corrosive liquid, acidic, inorganic, n.o.s. (<15% Nitric acid/<5% ferric nitrate solution)
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	II
Hazard label:	8



Classification code:	C1
Special Provisions:	274
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	80
Tunnel restriction code:	E

**Inland waterways transport (ADN)****Other applicable information (inland waterways transport)**

Not tested

**Marine transport (IMDG)**

<b>14.1. UN number:</b>	UN 3264
<b>14.2. UN proper shipping name:</b>	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (<15% Nitric acid/<5% ferric nitrate solution)
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	II
Hazard label:	8



Marine pollutant:	-
Special Provisions:	274



**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**2168042 DEHA 2 Reagent**

Revision date: 03.01.2019

Product code: 2168042

Page 9 of 10

Limited quantity: 1 L  
Excepted quantity: E2  
EmS: F-A, S-B  
Segregation group: acids

**Air transport (ICAO-TI/IATA-DGR)**

**14.1. UN number:** UN 3264  
**14.2. UN proper shipping name:** CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (<15% Nitric acid/<5% ferric nitrate solution)  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** II  
Hazard label: 8



Special Provisions: A3 A803  
Limited quantity Passenger: 0.5 L  
Passenger LQ: Y840  
Excepted quantity: E2  
IATA-packing instructions - Passenger: 851  
IATA-max. quantity - Passenger: 1 L  
IATA-packing instructions - Cargo: 855  
IATA-max. quantity - Cargo: 30 L

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: no

**14.6. Special precautions for user**

no data available

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

Not relevant

**Other applicable information**

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit, Hazard Class: 9, UN Number 3316, Package group II, EMS Code: F-A, S-P  
These transport data apply to the entire pack

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulatory information**

Water contaminating class (D): 2 - clearly water contaminating

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information****Changes**

Revision: 03.01.2019  
Safety datasheet sections which have been updated: 2, 11, 15, 16  
Revision: 04.05.2015  
Safety datasheet sections which have been updated: 2, 11  
Revision: 24.04.2014

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**2168042 DEHA 2 Reagent**

Revision date: 03.01.2019

Product code: 2168042

Page 10 of 10

Safety datasheet sections which have been updated: 4-16

**Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]**

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method

**Relevant H and EUH statements (number and full text)**

H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
EUH071	Corrosive to the respiratory tract.

**Further Information**

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*