

Page 1/9

Printing date 17.04.2019 Revision: 17.04.2019 Version number 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Sodium Hypochlorite solution 13%
- · Article number: 213322
- · Registration number A registration number is not available for this substance as it is a mixture.
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Laboratory chemical
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

 AppliChem GmbH
 Tel.: +49 (0)6151 93570

 Ottoweg 4
 Fax.: +49 (0)6151 935711

 D-64291 Darmstadt
 msds@applichem.com

- · Further information obtainable from: Dept. Compliance
- 1.4 Emergency telephone number: +49(0)6151 93570 (Inside normal buisness hours)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage. Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms





GHS05 GHS09

- Signal word Danger
- · Hazard-determining components of labelling:

sodium hypochlorite, solution

Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 2)

Page 2/9

Printing date 17.04.2019 Revision: 17.04.2019 Version number 11

Trade name: Sodium Hypochlorite solution 13%

(Contd. of page 1)

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

· Additional information:

EUH031 Contact with acids liberates toxic gas.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · **Description**: ageous solution
- Dangerous components:

CAS: 7681-52-9	sodium hypochlorite, solution	>4-≤20%
EINECS: 231-668-3	Met. Corr.1, H290; Skin Corr. 1B, H314; Eye Dam. 1,	
Reg.nr.: 01-2119488154-34-XXXX	H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410	

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Seek medical treatment.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately remove any clothing soiled by the product.

Immediately rinse with water.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water.

Seek immediate medical advice.

After swallowing:

Rinse out mouth.

Do not attempt to neutralize.

make victim drink water (maximum of 2 drinking glasses)

Seek immediate medical advice.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

(Contd. on page 3)

Page 3/9

Printing date 17.04.2019 Revision: 17.04.2019 Version number 11

Trade name: Sodium Hypochlorite solution 13%

(Contd. of page 2)

· 5.2 Special hazards arising from the substance or mixture

Hydrogen chloride (HCI)

Phosgene gas

Non-combustible.

- 5.3 Advice for firefighters
- · Protective equipment:

Mouth respiratory protective device.

Wear self-contained respiratory protective device.

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Contain escaping vapours with water.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

Avoid substance contact.

Do not inhale steams/aerosols.

· 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Clean up affected area.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: The product is not flammable.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles:

Provide alkali-resistant floor.

Prevent any seepage into the ground.

- Information about storage in one common storage facility: Do not store together with acids.
- · Further information about storage conditions:

Protect from exposure to the light.

Keep container tightly sealed.

Open receptacle only under localised extractor facilities.

Store under lock and key and with access restricted to technical experts or their assistants only.

- · Recommended storage temperature: < +20°C
- · Storage class: 8 B
- · 7.3 Specific end use(s) No further relevant information available.

Page 4/9

Printing date 17.04.2019 Revision: 17.04.2019 Version number 11

Trade name: Sodium Hypochlorite solution 13%

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Respiratory protection:

Respiratory protection required when vapours/aerosols are generated.

Combination filter B-P3

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact gloves made of the following materials are suitable:

Nitrile rubber, NBR

Recommended thickness of the material: > 0.11 mm

Value for the permeation: Level > 480 min

As protection from splashes gloves made of the following materials are suitable:

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

Value for the permeation: Level ≥ 480 min

· Eye protection:



Tightly sealed goggles

Body protection:

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazourdous substances handled.

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid
Colour: Yellowish
Odour: Chlorine-like

(Contd. on page 5)

Page 5/9

Printing date 17.04.2019 Revision: 17.04.2019 Version number 11

Trade name: Sodium Hypochlorite solution 13%

	(Contd. of page	
· Odour threshold:	Not determined.	
· pH-value at 20 °C:	12	
 Change in condition Melting point/freezing point: Initial boiling point and boiling range 	Undetermined. : Undetermined.	
· Flash point:	Not applicable.	
· Flammability (solid, gas):	Not applicable.	
· Decomposition temperature:	Not determined.	
· Auto-ignition temperature:	Product is not selfigniting.	
· Explosive properties:	Product does not present an explosion hazard.	
· Explosion limits: Lower: Upper:	Not determined. Not determined.	
· Vapour pressure:	Not determined.	
· Density: · Relative density · Vapour density · Evaporation rate	Not determined. Not determined. Not determined. Not determined.	
· Solubility in / Miscibility with water:	Not determined.	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.	
· Solvent content: Water: · 9.2 Other information	84.0 % No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity Contact with acids releases toxic gases.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

Heating

light.

- 10.3 Possibility of hazardous reactions Contact with acids releases toxic gases.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: Contact with acids releases toxic gases.
- · 10.6 Hazardous decomposition products: Chlorine

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- LD/LC50 values relevant for classification:

· Components		Туре	Value	Species	
7681-5	2-9 soc	um hypochlorite, solu	ıtion		
Oral	LD50	-5,000 mg/kg (rat)			

(Contd. on page 6)

Page 6/9

Printing date 17.04.2019 Revision: 17.04.2019 Version number 11

Trade name: Sodium Hypochlorite solution 13%

(Contd. of page 5)

Dermal LD50 >5,000 mg/kg (rabbit)

- · Primary irritant effect:
- · Skin corrosion/irritation

Causes severe skin burns and eye damage.

· Serious eye damage/irritation

Risk of blindness.

Causes serious eye damage.

- · After inhalation: Irritant to skin and mucous membranes.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:
- Type of test Effective concentration Method Assessment

7681-52-9 sodium hypochlorite, solution

EC50/48 h | 0.01-0.1 mg/l (Aquatic Invertebrata)

LC50/96 h 0.01-0.1 mg/l (fish)

- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Chemicals must be disposed of in compliance with the respective national regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation:

Disposal must be made according to official regulations.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

GB

Page 7/9

Printing date 17.04.2019 Revision: 17.04.2019 Version number 11

Trade name: Sodium Hypochlorite solution 13%

(Contd. of page 6)

SECTION 14: Transport information		
· 14.1 UN-Number · ADR, IMDG, IATA	UN1791	
· 14.2 UN proper shipping name · ADR · IMDG	HYPOCHLORITE SOLUTIO ENVIRONMENTALLY HAZARDOUS HYPOCHLORITE SOLUTION, MARI	
IATA	POLLUTANT HYPOCHLORITE SOLUTION	
14.3 Transport hazard class(es)		
ADR		
Class Label	8 (C9) Corrosive substances.	
· IMDG		
· Class · Label	8 Corrosive substances. 8	
· IATA	8 Corrosive substances.	
Label	8	
· 14.4 Packing group · ADR, IMDG, IATA	III	
· 14.5 Environmental hazards: · Marine pollutant:	Product contains environmentally hazardou substances: sodium hypochlorite, solution No	
· Special marking (ADR):	Symbol (fish and tree) Symbol (fish and tree)	
14.6 Special precautions for user Danger code (Kemler): EMS Number: Segregation groups Stowage Category	Warning: Corrosive substances. 80 F-A,S-B Hypochlorites B	
Segregation Code	SG20 Stow "away from" SGG1-acids	
14.7 Transport in bulk according to Annex Marpol and the IBC Code	Not applicable.	
· Transport/Additional information:	Not dangerous according to the abov specifications.	
	(Contd. on page	

Page 8/9

Printing date 17.04.2019 Revision: 17.04.2019 Version number 11

Trade name: Sodium Hypochlorite solution 13%

(Contd. of page 7) · ADR · Limited quantities (LQ) 5L · Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 Transport category 3 · Tunnel restriction code Ε · IMDG · Limited quantities (LQ) 5L Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 UN "Model Regulation": UN 1791 HYPOCHLORITE SOLUTION, 8, III, **ENVIRONMENTALLY HAZARDOUS**

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category E1 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

- · Department issuing SDS: Dept. Compliance
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Met. Corr.1: Corrosive to metals – Category 1 Skin Corr. 1B: Skin corrosion/irritation – Category 1B

(Contd. on page 9)

Page 9/9
Printing date 17.04.2019
Revision: 17.04.2019
Version number 11

Trade name: Sodium Hypochlorite solution 13%

(Contd. of page 8)

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

* Data compared to the previous version altered.

GB