

# Section: 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

ECSLAB

Product name	:	INCIDIN PLUS
Product code	:	104233E
Use of the Substance/Mixture	:	Surface Disinfectant
Substance type:	:	Mixture
		For professional users only.
Product dilution information	:	0.5 % - 2.0 %

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	:	Surface disinfectant. Manual process Medical devices . Manual process
Recommended restrictions on use	:	Reserved for industrial and professional use.

#### 1.3 Details of the supplier of the safety data sheet

Company	<ul> <li>Ecolab Deutschland GmbH</li> <li>Ecolab-Allee 1</li> <li>40789 Monheim am Rhein, Germany +49 (0)2173 599 0</li> <li>OfficeService.DEDUS@ecolab.com</li> </ul>	

#### 1.4 Emergency telephone number

Emergency telephone number	:	+4932221096286 +32-(0)3-575-5555 Trans-European
Poison Information Centre telephone number	:	+49 (0)551 38318854

Date of Compilation/Revision	:	08.11.2018
Version	:	3.0

#### Section: 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Product AS SOLD	
Acute toxicity, Category 4	H302
Acute toxicity, Category 4	H332
Skin corrosion, Category 1B	H314
Serious eye damage, Category 1	H318
Acute aquatic toxicity, Category 1	H400

#### Product AT USE DILUTION

Not a hazardous substance or mixture.

#### 2.2 Label elements

Labelling (REGULATION (EC Product AS SOLD Hazard pictograms	:)   :	No 1272/2008)	!
Signal Word	:	Danger	
Hazard Statements	:	H302 + H332 H314 H400	Harmful if swallowed or if inhaled Causes severe skin burns and eye damage. Very toxic to aquatic life.
Precautionary Statements	:	Prevention: P273 P280 Response:	Avoid release to the environment. Wear protective gloves/ eye protection/ face protection.
		P303 + P361 + P3	53 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
		P305 + P351 + P3	for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
		P310	Immediately call a POISON CENTER/doctor.

Hazardous components which must be listed on the label: glucoprotamin

#### Product AT USE DILUTION

Not a hazardous substance or mixture.

#### 2.3 Other hazards

#### Product AS SOLD None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

#### Product AS SOLD Hazardous components

Chemical Name	CAS-No.	Classification	Concentration:
	EC-No.	REGULATION (EC) No 1272/2008	[%]
	REACH No.		
glucoprotamin	164907-72-6	Acute toxicity Category 4; H302	>= 25 - < 30
_	403-950-8	Acute toxicity Category 2; H330	
		Skin corrosion Category 1B; H314	
		Serious eye damage Category 1; H318	
		Acute aquatic toxicity Category 1; H400	

2-(2-butoxyethoxy)ethanol	112-34-5	Eye irritation Category 2; H319	>= 10 - < 20
	203-961-6		
	01-2119475104-44		
2-phenoxyethanol	122-99-6	Acute toxicity Category 4; H302	>= 10 - < 20
	204-589-7	Eye irritation Category 2; H319	
	01-2119488943-21		
Fattyalcohol ethoxylates	147993-63-3	Acute aquatic toxicity Category 1; H400	>= 2.5 - < 5
> 5EO	POLYMER	Skin corrosion/irritation Category 2;	
		H315	

#### **Product AT USE DILUTION** Hazardous components

Chemical NameCAS-No. EC-No. REACH No.Classification REGULATION (EC) No 1272/2008Concentration: [%]glucoprotamin164907-72-6 403-950-8Acute toxicityCategory 4; H302 Acute toxicityCategory 2; H330 Skin corrosionCategory 1B; H314 Serious eye damageCategory 1; H318 Acute aquatic toxicityCategory 1; H400>= 0.5 - < 1Substances with a workplace exposure limit : 2-(2-butoxyethoxy)ethanol112-34-5 203-961-6 01-2119475104-44Eye irritationCategory 2; H319 Eye irritationCategory 2; H319>= 0.1 - < 0.252-phenoxyethanol122-99-6 204-589-7 01-2119488943-21Acute toxicityCategory 2; H302 Eye irritationCategory 2; H319>= 0.1 - < 0.25For the full text of the H-Statements mentioned in this Section, see Section 16.FIRST AID MEASURESExercise Section 16.					
REACH No.REACH No.	Chemical Name	CAS-No.	Classification	Concentration:	
REACH No.glucoprotamin164907-72-6 403-950-8Acute toxicityCategory 4; H302 Acute toxicityCategory 2; H330 Skin corrosionCategory 1B; H314 Serious eye damageCategory 1; H400>= 0.5 - < 1		EC-No.	REGULATION (EC) No 1272/2008	[%]	
403-950-8Acute toxicityCategory 2; H330 Skin corrosionCategory 1B; H314 Serious eye damageCategory 1; H318 Acute aquatic toxicityCategory 1; H400Substances with a workplace exposure limit :2-(2-butoxyethoxy)ethanol112-34-5 203-961-6 01-2119475104-44Eye irritationCategory 2; H319 >= 0.1 - < 0.25		REACH No.			
2-(2-butoxyethoxy)ethanol         112-34-5 203-961-6 01-2119475104-44         Eye irritationCategory 2; H319         >= 0.1 - < 0.25           2-phenoxyethanol         122-99-6 204-589-7 01-2119488943-21         Acute toxicityCategory 4; H302 Eye irritationCategory 2; H319         >= 0.1 - < 0.25	glucoprotamin		Acute toxicityCategory 2; H330 Skin corrosionCategory 1B; H314 Serious eye damageCategory 1; H318	>= 0.5 - < 1	
203-961-6 01-2119475104-44203-961-6 01-2119475104-44>= 0.1 - < 0.25	Substances with a workp	lace exposure limit :			
204-589-7 01-2119488943-21Eye irritationCategory 2; H319For the full text of the H-Statements mentioned in this Section, see Section 16.	2-(2-butoxyethoxy)ethanol	203-961-6	Eye irritationCategory 2; H319	>= 0.1 - < 0.25	
	2-phenoxyethanol	204-589-7	, , , ,	>= 0.1 - < 0.25	
ction: 4. FIRST AID MEASURES	For the full text of the H-Statements mentioned in this Section, see Section 16.				
	ection: 4. FIRST AID MEA				

Section: 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

Product AS SOLD In case of eye contact	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
In case of skin contact	:	Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
If swallowed	:	Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
If inhaled	:	Remove to fresh air. Treat symptomatically. Get medical attention.
Product AT USE DILUTION In case of eye contact	:	Rinse with plenty of water.
In case of skin contact	:	Rinse with plenty of water.
If swallowed	:	Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

#### 4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

#### 4.3 Indication of immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

#### Section: 5. FIREFIGHTING MEASURES

#### Product AS SOLD

#### 5.1 Extinguishing media

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	:	None known.

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting	: Not flammable or combustible.
Hazardous combustion products	<ul> <li>Depending on combustion properties, decomposition products may include following materials: Carbon oxides nitrogen oxides (NOx) Sulphur oxides Oxides of phosphorus</li> </ul>

#### 5.3 Advice for firefighters

Special protective equipment for firefighters	: Use personal protective equipment.
Further information	: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

#### Section: 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

<b>Product AS SOLD</b> Advice for non-emergency personnel	:	Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
Advice for emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable

materials. Product AT USE DILUTION Advice for non-emergency : Refer to protective measures listed in sections 7 and 8. personnel Advice for emergency : If specialised clothing is required to deal with the spillage, take responders note of any information in Section 8 on suitable and unsuitable materials. 6.2 Environmental precautions Product AS SOLD Environmental precautions : Do not allow contact with soil, surface or ground water. Product AT USE DILUTION **Environmental precautions** : No special environmental precautions required. 6.3 Methods and materials for containment and cleaning up **Product AS SOLD** Stop leak if safe to do so. Contain spillage, and then collect with Methods for cleaning up non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Product AT USE DILUTION Methods for cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

#### 6.4 Reference to other sections

See Section 1 for emergency contact information. For personal protection see section 8. See Section 13 for additional waste treatment information.

#### Section: 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

<b>Product AS SOLD</b> Advice on safe handling	: Do not ingest. Do not get in eyes, on skin, or on clothing. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not breathe spray, vapour.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

#### Product AT USE DILUTION

Advice on safe handling	: Wash hands after handling. For personal protection see section 8.
Hygiene measures	: Wash hands before breaks and immediately after handling the product.

#### 7.2 Conditions for safe storage, including any incompatibilities

<b>Product AS SOLD</b> Requirements for storage areas and containers	: Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
Storage temperature	: 0 °C to 25 °C
Product AT LISE DIL LITION	

## Product AT USE DILUTION

Requirements for storage	:	Keep out of reach of children. Keep container tightly closed. Store
areas and containers		in suitable labeled containers.

#### 7.3 Specific end uses

#### **Product AS SOLD**

Specific use(s)	:	Surface disinfectant. Manual process
		Medical devices . Manual process

### Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

#### Product AS SOLD

#### **Occupational Exposure Limits**

Components	CAS-No.		Value type (Form of exposure)	Control parameters	Basis	
2-(2- butoxyethoxy)ethanol	112-34	-5	AGW	100 mg/m3	TRGS 900	
Further information	DFG		e commission for the review of compounds at the work place dangerous health (MAK-commission).			
	EU		ean Union (The EU has established a limit value: deviations in value eak limit are possible)			
	Y		there is compliance wi isk of harming the unb	th the OEL and biological tolera orn child	nce values, there	
			AGW	10 ppm 67 mg/m3	TRGS 900	
Further information	DFG		enate commission for the review of compounds at the work place dangerous or the health (MAK-commission).			
	EU		ean Union (The EU ha eak limit are possible)	s established a limit value: devia	ations in value	
	11	Sum c	of vapor and aerosols.			
	Y		there is compliance wi isk of harming the unb	th the OEL and biological tolera orn child	nce values, there	
2-phenoxyethanol	122-99		AGW (Vapour and aerosols)	20 ppm 110 mg/m3	TRGS 900	
Further information	DFG		e commission for the re health (MAK-commiss	eview of compounds at the work sion).	place dangerous	
	11	Sum c	of vapor and aerosols.			
	Н	Skin a	bsorption			
	Y	When there is compliance with the OEL and biological tolerance values, the is no risk of harming the unborn child				

#### DNEL

DINEL		
2-(2-butoxyethoxy)ethanol	:	End Use: Workers

Exposure routes: Inhalation Potential health effects: Short-term - local Value: 101.2 mg/m3
End Use: Workers Exposure routes: Dermal Potential health effects: Long-term systemic effects Value: 20 mg/kg
End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 67.5 mg/m3
End Use: Workers Exposure routes: Inhalation Potential health effects: Short-term - local Value: 67.5 mg/m3

#### PNEC

PNEC			
2-(2-butoxyethoxy)ethanol	:	Fresh water	
		Value: 1 mg/l	
		Marine water	
		Value: 0.1 mg/l	
		Intermittent use/release	
		Value: 3.9 mg/l	
		Sewage treatment plant	
		Value: 200 mg/l	
		Sediment	
		Value: 4 mg/kg	
		Soil	
		Value: 0.4 mg/kg	
		Oral	
		Value: 56 mg/kg	

#### 8.2 Exposure controls

#### Product AS SOLD Appropriate engineering controls

Engineering measures	:	Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.
Individual protection measur	es	
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing

CIDIN PLUS	
	of the eyes and body in case of contact or splash hazard.
Eye/face protection (EN 166)	: Safety goggles Face-shield
Hand protection (EN 374)	<ul> <li>Recommended preventive skin protection Gloves Nitrile rubber butyl-rubber Breakthrough time: 1 – 4 hours Minimum thickness for butyl-rubber 0.7 mm for nitrile rubber 0.4 mm or equivalent (please refer to the gloves manufacturer/distributor for advise).</li> <li>Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.</li> </ul>
Skin and body protection (EN 14605)	: Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing including appropriate safety shoes
Respiratory protection (EN 143, 14387)	: None required if airborne concentrations are maintained below t exposure limit listed in Exposure Limit Information. Use certified respiratory protection equipment meeting EU requirements(89/656/EEC, (EU) 2016/425), or equivalent, when respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, method or procedures of work organization.
Product AT USE DILUTION Appropriate engineering co	ntrols
Engineering measures	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Individual protection measu	res
Hygiene measures	: Wash hands before breaks and immediately after handling the product.
Eye/face protection (EN 166)	: No special protective equipment required.
Hand protection (EN 374)	: No special protective equipment required.
Skin and body protection (EN 14605)	: No special protective equipment required.
Respiratory protection (EN 143, 14387)	: None required if airborne concentrations are maintained below exposure limit listed in Exposure Limit Information. Use certified

respiratory protection equipment meeting EU requirements(89/656/EEC, (EU) 2016/425), or equivalent, when respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization.

#### Environmental exposure controls

General advice	
----------------	--

: Consider the provision of containment around storage vessels.

#### Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

			Product AS SOLD	Product AT USE DILUTION
Арре	earance	:	liquid	liquid
Colo	ur	:	green	light green
Odo	ır	:	Perfumes, fragrances	Perfumes, fragrances
рΗ		:	9.0, 100 %	8.0 - 9.0
Flasl	n point	:	Not applicable.	
Odo	ur Threshold	:	Not applicable and/or not determi	ned for the mixture
Melti	ng point/freezing point	:	Not applicable and/or not determi	ned for the mixture
	l boiling point and ng range	:	Not applicable and/or not determi	ned for the mixture
Evap	oration rate	:	Not applicable and/or not determi	ned for the mixture
Flam	mability (solid, gas)	:	Not applicable and/or not determi	ned for the mixture
Uppe	er explosion limit	:	Not applicable and/or not determi	ned for the mixture
Lowe	er explosion limit	:	Not applicable and/or not determi	ned for the mixture
Vapo	our pressure	:	Not applicable and/or not determi	ned for the mixture
Rela	tive vapour density	:	Not applicable and/or not determi	ned for the mixture
Rela	tive density	:	1.02	
Wate	er solubility	:	soluble	
Solu	bility in other solvents	:	Not applicable and/or not determi	ned for the mixture
	tion coefficient: n- nol/water	:	Not applicable and/or not determi	ned for the mixture
Auto	-ignition temperature	:	Not applicable and/or not determi	ned for the mixture
Ther	mal decomposition	:	Not applicable and/or not determi	ned for the mixture
Visco	osity, kinematic	:	Not applicable and/or not determi	ned for the mixture
Expl	osive properties	:	Not applicable and/or not determi	ned for the mixture
Oxid	izing properties	:	The substance or mixture is not c	lassified as oxidizing.

#### 9.2 Other information

Not applicable and/or not determined for the mixture

#### Section: 10. STABILITY AND REACTIVITY

#### Product AS SOLD 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

Stable under normal conditions.

#### **10.3 Possibility of hazardous reactions**

No dangerous reaction known under conditions of normal use.

#### 10.4 Conditions to avoid

None known.

#### 10.5 Incompatible materials

None known.

#### **10.6 Hazardous decomposition products**

Depending on combustion properties, decomposition products may include following materials: Carbon oxides nitrogen oxides (NOx) Sulphur oxides Oxides of phosphorus

#### Section: 11. TOXICOLOGICAL INFORMATION

#### **11.1 Information on toxicological effects**

#### Product AS SOLD

Information on likely routes of exposure	:	Inhalation, Eye contact, Skin contact
Product		
Acute oral toxicity	:	Acute toxicity estimate : 1,755 mg/kg
Acute inhalation toxicity	:	4 h Acute toxicity estimate : 1.38 mg/l Test atmosphere: dust/mist
		4 h Acute toxicity estimate : 1.15 mg/l Test atmosphere: dust/mist
Acute dermal toxicity	:	There is no data available for this product.
Skin corrosion/irritation	:	There is no data available for this product.
Serious eye damage/eye irritation	:	There is no data available for this product.
Respiratory or skin sensitization	:	There is no data available for this product.
Carcinogenicity	:	There is no data available for this product.
Reproductive effects	:	There is no data available for this product.
Germ cell mutagenicity	:	There is no data available for this product.
Teratogenicity	:	There is no data available for this product.
STOT - single exposure	:	There is no data available for this product.

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

CIDIN PLUS	
STOT - repeated exposure	: There is no data available for this product.
Aspiration toxicity	: There is no data available for this product.
Components	
Acute oral toxicity	: 2-(2-butoxyethoxy)ethanol LD50 rat: 3,306 mg/kg
	2-phenoxyethanol LD50 rat: 2,000 mg/kg
Components	
Acute inhalation toxicity	: glucoprotamin 4 h LC50 rat: 0.3 mg/l Test atmosphere: dust/mist
Components	
Acute dermal toxicity	: 2-(2-butoxyethoxy)ethanol LD50 rabbit: 2,764 mg/kg
	2-phenoxyethanol LD50 rabbit: 2,250 mg/kg
Potential Health Effects	
Product AS SOLD Eyes	: Causes serious eye damage.
Skin	: Causes severe skin burns.
Ingestion	: Causes digestive tract burns.
Inhalation	: Harmful if inhaled. May cause nose, throat, and lung irritation.
Chronic Exposure	: Health injuries are not known or expected under normal use.
Product AT USE DILUTION Eyes	: Health injuries are not known or expected under normal use.
Skin	: Health injuries are not known or expected under normal use.
Ingestion	: Health injuries are not known or expected under normal use.
Inhalation	: Health injuries are not known or expected under normal use.
Chronic Exposure	: Health injuries are not known or expected under normal use.
Experience with human exp	oosure
Product AS SOLD	

Eye contact	: Redness, Pain, Corrosion
Skin contact	: Redness, Pain, Corrosion
Ingestion	: Corrosion, Abdominal pain

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Inhalation : I	Respiratory irritation, Cough
Product AT USE DILUTION Eye contact :	No symptoms known or expected.
Skin contact : I	No symptoms known or expected.
Ingestion : I	No symptoms known or expected.
Inhalation : I	No symptoms known or expected.

#### Section: 12. ECOLOGICAL INFORMATION

## Product AS SOLD

12.1 Ecotoxicity

	Environmental Effects :	Very toxic to aquatic life.
	Product	
	Toxicity to fish :	no data available
	Toxicity to daphnia and other : aquatic invertebrates	no data available
	Toxicity to algae :	no data available
	Components	
	Toxicity to fish :	2-(2-butoxyethoxy)ethanol 96 h LC50 Fish: 1,300 mg/l
		2-phenoxyethanol 96 h LC50 Fish: > 220 mg/l
	Components	
	Toxicity to algae :	glucoprotamin 72 h EC50: > 0.01 mg/l
12	.2 Persistence and degradability	
	Product	
	Biodegradability :	The surfactants contained in the product are biodegradable according to the requirements of the detergent regulation 648/2004/EC
	Components	
	Biodegradability :	glucoprotamin Result: Readily biodegradable.
		2-(2-butoxyethoxy)ethanol Result: Readily biodegradable.
		2-phenoxyethanol

Result: Readily biodegradable.

#### 12.3 Bioaccumulative potential

no data available

#### 12.4 Mobility in soil

no data available

#### 12.5 Results of PBT and vPvB assessment

#### Product

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Other adverse effects

no data available

#### Section: 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with the European Directives on waste and hazardous waste.Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

#### 13.1 Waste treatment methods

Product AS SOLD Product	:	The product should not be allowed to enter drains, water courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
Contaminated packaging	:	Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.
Guidance for Waste Code selection	:	Organic wastes containing dangerous substances. If this product is used in any further processes, the final user must redefine and assign the most appropriate European Waste Catalogue Code. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable European (EU Directive 2008/98/EC) and local regulations.
Product AT USE DILUTION Product	:	Diluted product can be flushed to sanitary sewer.
Contaminated packaging	:	Dispose of in accordance with local, state, and federal regulations.

#### Section: 14. TRANSPORT INFORMATION

Product AS SOLD

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

#### Land transport (ADR/ADN/RID)

1- 1-	4.1 UN number 4.2 UN proper shipping ame		3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.
	4.3 Transport hazard lass(es)	:	(Glucoprotamin) 8
1	4.4 Packing group 4.5 Environmental hazards	-	III Yes
	4.6 Special precautions for ser	:	None
1- 1-	<b>ansport (IATA)</b> 4.1 UN number 4.2 UN proper shipping ame		3267 Corrosive liquid, basic, organic, n.o.s.
cl 1-	4.3 Transport hazard lass(es) 4.4 Packing group 4.5 Environmental hazards		(Glucoprotamin) 8 III Yes
	4.6 Special precautions for ser	:	None
1- 1-	<b>ransport (IMDG/IMO)</b> 4.1 UN number 4.2 UN proper shipping ame		3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Glucoprotamin)
c	4.3 Transport hazard lass(es)		8
	4.4 Packing group 4.5 Environmental hazards		III Yes
	4.6 Special precautions for ser	:	None
a N	4.7 Transport in bulk ccording to Annex II of IARPOL 73/78 and the IBC Code	:	Not applicable.

#### Section: 15. REGULATORY INFORMATION

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

according to Detergents
Regulation EC 648/2004

less than 5 %: Non-ionic surfactants Other constituents: Perfumes Contains: Disinfectants

#### **National Regulations**

Take note of Dir 94/33/EC on the protection of young people at work.

:

INCIDIN PLUS	
Hazard class for water	: WGK 2 Classification according to AwSV, Annex 1
German storage class	: 8B

#### **15.2 Chemical Safety Assessment**

This product contains substances for which Chemical Safety Assessments are still required.

#### Section: 16. OTHER INFORMATION

#### Procedure used to derive the classification according to REGULATION (EC) No 1272/2008

Classification	Justification
Acute toxicity 4, H302	Calculation method
Acute toxicity 4, H332	Calculation method
Skin corrosion 1B, H314	Calculation method
Serious eye damage 1, H318	Calculation method
Acute aquatic toxicity 1, H400	Calculation method

#### Full text of H-Statements

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.

#### Full text of other abbreviations

ADN – European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS – Australian Inventory of Chemical Substances; ASTM – American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL -Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number -European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS – Emergency Schedule; ENCS – Existing and New Chemical Substances (Japan); ErCx – Concentration associated with x% growth rate response; GHS – Globally Harmonized System; GLP – Good Laboratory Practice; IARC – International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 – Half maximal inhibitory concentration; ICAO – International Civil Aviation Organization; IECSC – Inventory of Existing Chemical Substances in China; IMDG – International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 -Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD – Organization for Economic Co-operation and Development: OPPTS – Office of Chemical Safety and Pollution Prevention; PBT – Persistent, Bioaccumulative and Toxic substance; PICCS

 Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR – (Quantitative) Structure Activity Relationship; REACH – Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID – Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT – Self-Accelerating Decomposition Temperature; SDS – Safety Data Sheet; TCSI – Taiwan Chemical Substance Inventory; TRGS – Technical Rule for Hazardous Substances; TSCA – Toxic Substances Control Act (United States); UN – United Nations; vPvB – Very Persistent and Very Bioaccumulative

Prepared by

: Regulatory Affairs

Numbers quoted in the MSDS are given in the format: 1,000,000 = 1 million and 1,000 = 1 thousand. 0.1 = 1 tenth and 0.001 = 1 thousandth

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### Annex: Exposure Scenarios

#### Exposure Scenario: Surface disinfectant. Manual process

Life Cycle Stage	:	Widespread	d use by professional workers
Product category	:	PC35	Washing and cleaning products (including solvent based products)

#### Contributing scenario controlling environmental exposure for:

Environmental release category	:	ERC8a	Wide dispersive indoor use of processing aids in open systems
Daily amount per site	:	7.5 kg	
Type of Sewage Treatment Plant	:	Municipal s	ewage treatment plant

#### Contributing scenario controlling worker exposure for:

Process category	:	PROC10	Roller application or brushing
Exposure duration	:	480 min	
Operational conditions and risk management measures	:	Indoor	

Local Exhaust Ventilation is not required

Concretiventilation					
General ventilation			rate per hour 1		
Skin Protection	:	No			
Respiratory Protection	:	No			
Contributing scenario controlling worker exposure for:					
Process category	:	PROC8a	Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at non- dedicated facilities		
Exposure duration	:	60 min			
Operational conditions and risk management measures	:	Indoor			
		Local Exha	ust Ventilation is not required		
General ventilation		Ventilation	rate per hour 1		
Skin Protection	:	Yes: See S	ection 8		
Respiratory Protection	:	No			
Exposure Scenario: Medical devices . Manual process					
Life Cycle Stage	:	Widespread	d use by professional workers		
Product category	:	PC35	Washing and cleaning products (including solvent based products)		
Contributing scenario controlling environmental exposure for:					
Environmental release category	:	ERC8a	Wide dispersive indoor use of processing aids in open systems		
Daily amount per site	:	7.5 kg			
Type of Sewage Treatment Plant	:	Municipal s	ewage treatment plant		
Contributing scenario contr	olliı	ng worker ex	posure for:		
Process category	:	PROC10	Roller application or brushing		
Exposure duration	:	480 min			
Operational conditions and risk management measures	:	Indoor			
		Local Exha	ust Ventilation is not required		
General ventilation		Ventilation	rate per hour 1		
Skin Protection	:	No			
Respiratory Protection	:	No			
104233E			17 / 18		

## Contributing scenario controlling worker exposure for:

Process category	:	PROC8a	Transfer of substance or preparation (chargi discharging) from/ to vessels/ large containe dedicated facilities	•
Exposure duration	:	60 min		
Operational conditions and risk management measures	:	Indoor		
		Local Exha	ust Ventilation is not required	
General ventilation		Ventilation I	ate per hour	1
Skin Protection	:	Yes: See S	ection 8	
Respiratory Protection	:	No		