



13.0.0

Version:

**Trade name :** deconex 12 PA-x **Revision :** 14.06.2018

**Print date :** 06.11.2019

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### 1.1 Product identifier

deconex 12 PA-x

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Reserved for industrial and professional use.

#### Relevant identified uses

Detergent

#### 1.3 Details of the supplier of the safety data sheet

Borer Chemie Deutschland GmbH **Street:** Wallbrunnstrasse 24

Postal code/city: 79539 Lörrach

Country: Deutschland

**Telephone:** +49 7733 3603530 **Telefax:** +497733 3603539 **Information contact:** 

Manufacturer Borer Chemie AG

**Street:** Gewerbestrasse 13

Postal code/city: 4528 Zuchwil

**Country:** Schweiz

**Telephone:** +41 32 686 56 00 **Telefax:** +41 32 686 56 90

**Information contact:** product.safety@borer.ch

#### 1.4 Emergency telephone number

Giftnotruf der Charité - Universitätsmedizin Berlin, 12203 Berlin, Notruf: +49 30 19 24 0

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 [CLP]

Eye Irrit. 2; H319 - Serious eye damage/eye irritation: Category 2; Causes serious eye irritation.

Skin Irrit. 2; H315 - Skin corrosion/irritation: Category 2; Causes skin irritation. Met. Corr. 1; H290 - Corrosive to metals: Category 1; May be corrosive to metals.

STOT SE 3; H335 - STOT-single exposure: Category 3; May cause respiratory irritation.

## 2.2 Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms





Corrosion (GHS05) · Exclamation mark (GHS07)

Signal word

Warning

Hazard components for labelling

TRIPOTASSIUM ORTHOPHOSPHATE ; CAS No. : 7778-53-2

Page: 1/8

## according to Regulation (EC) No. 1907/2006 (REACH)



Trade name: deconex 12 PA-x

 Revision:
 14.06.2018
 Version:
 13.0.0

 Print date:
 06.11.2019

#### **Hazard statements**

H290 May be corrosive to metals.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.

#### **Precautionary statements**

P234 Keep only in original container.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P312 Call a POISON CENTER if you feel unwell.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

#### 2.3 Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### **Hazardous ingredients**

TRIPOTASSIUM ORTHOPHOSPHATE; REACH registration No.: 01-2119971078-30-XXXX; EC No.: 231-907-1; CAS No.:

7778-53-2

Weight fraction :  $\geq 15 - < 30 \%$ 

Classification 1272/2008 [CLP] : Skin Irrit. 2 ; H315 Eye Irrit. 2 ; H319 STOT SE 3 ; H335

#### **Additional information**

Full text of H- and EUH-phrases: see section 16.

#### Regulation (EC) No. 648/2004: Labelling for contents

phosphates 15 - < 30 % anionic surfactants < 5 % non-ionic surfactants < 5 %

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### **General information**

Remove contaminated, saturated clothing immediately.

#### Following inhalation

Provide fresh air. In case of respiratory tract irritation, consult a physician.

#### In case of skin contact

Flush away with water and rinse. In case of skin irritation, consult a physician.

## After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

#### After ingestion

Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Call a physician immediately.

## Self-protection of the first aider

No special measures are necessary.

#### 4.2 Most important symptoms and effects, both acute and delayed

Irritating to eyes, respiratory system and skin.

## 4.3 Indication of any immediate medical attention and special treatment needed

None

Page: 2/8

## according to Regulation (EC) No. 1907/2006 (REACH)



Trade name: deconex 12 PA-x
Revision: 14.06.2018

 Revision:
 14.06.2018
 Version:
 13.0.0

 Print date:
 06.11.2019

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

The product itself does not burn.

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Water spray jet, foam, extinguishing powder. Carbon dioxide (CO2)

#### Unsuitable extinguishing media

High power water jet

#### 5.2 Special hazards arising from the substance or mixture

## **Hazardous combustion products**

Fire generates toxic gases.

#### **5.3** Advice for firefighters

#### **Special protective equipment for firefighters**

In case of fire: Wear self-contained breathing apparatus.

#### 5.4 Additional information

None

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Take the precautions customary when handling chemicals.

#### 6.2 Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4 Reference to other sections

See Chapter 7, 8 & 13

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. See section 8 of the safety data sheet (general health and safety measures)

## **Protective measures**

#### Measures to prevent fire

No anti-explosion measures necessary.

## Advices on general occupational hygiene

When using do not eat, drink, smoke, sniff.

## 7.2 Conditions for safe storage, including any incompatibilities

#### Hints on joint storage

Storage class: 8B

Storage class (TRGS 510): 8B

#### Further information on storage conditions

Keep only in the original container in a cool, well-ventilated place. Do not store together with Oxidising agent

**Storage temperature :** Optimal storage temperature 20 °C . For details, see product label.

## 7.3 Specific end use(s)

None

Page: 3 / 8





Trade name: deconex 12 PA-x

 Revision:
 14.06.2018
 Version:
 13.0.0

 Print date:
 06.11.2019

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **DNEL/DMEL and PNEC values**

#### **DNEL/DMEL**

Limit value type: DNEL worker (systemic) ( TRIPOTASSIUM ORTHOPHOSPHATE ; CAS No.: 7778-53-2 )

Exposure route: Inhalation

Exposure frequency: Long-term (repeated)

Limit value: 8.17 mg/m<sup>3</sup>

#### 8.2 Exposure controls

Control any potential exposure using measures such as contained or enclosed systems, properly designed and maintained facilities and a good standard of general ventilation. Drain down systems and clear transfer lines prior to breaking containment. Drain down and flush equipment where possible prior to maintenance. Where there is potential for exposure: Ensure relevant staff are informed of the nature of exposure and aware of basic actions to minimise exposures; Ensure suitable personal protective equipment is available; Clear up spills and dispose of waste in accordance with regulatory requirements; monitor effectiveness of control measures; consider the need for health surveillance; identify and implement corrective actions.

#### **Personal protection equipment**

#### **Eve/face protection**

Eye glasses with side protection

#### Skin protection

#### Hand protection

In full contact: Glove material: nitrile rubber Layer thickness: 0.4 mm Breakthrough time: > 480 Min. In splash contact: Glove material: nitrile rubber Layer thickness: 0.4 mm Breakthrough time: > 480 Min. The protective gloves to be used must comply with the specifications of EC directive 89/686/EEC and the resultant standard EN374.

#### **Body protection**

Light protective clothing.

#### Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

#### Suitable respiratory protection apparatus

Filtering device with filter or ventilator filtering device of type: A

## SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance: liquid

**Colour:** clear, colourless to yellow

Odour: characteristic
Safety relevant basis data

Melting point/melting range: not relevant Initial boiling point and boiling approx. (1013 hPa) °C 100 range: **Decomposition temperature:** 230 °C Flash point: not applicable Ignition temperature: not applicable Lower explosion limit: not applicable Upper explosion limit: not applicable approx. Vapour pressure: (25°C) 32 hPa Density: (20°C) 1.4 g/cm<sup>3</sup>

Solvent separation test: (20 °C) not determined Water solubility: (20 °C) 100 g/l pH value (solvent = drinking water): (20 °C / 10 g/l) approx. 12

Page: 4 / 8

## according to Regulation (EC) No. 1907/2006 (REACH)



13.0.0

Version:

**Trade name :** deconex 12 PA-x **Revision :** 14.06.2018

**Print date :** 06.11.2019

log P O/W: not determined

Flow time: (20 °C) not determined DIN-cup 4 mm

 Viscosity:
 ( 20 °C )
 not determined

 Evaporation rate:
 not determined

 Vapourisation rate:
 not determined

Flammable solids: Not applicable.
Flammable gases: Not applicable.
Oxidising liquids: Not relevant.
Explosive properties: Not applicable.

#### 9.2 Other information

None

#### **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

Stable under recommended storage and handling conditions(See section 7).

#### 10.2 Chemical stability

Thermal decomposition above 230 °C.

#### 10.3 Possibility of hazardous reactions

Exothermic reaction with: Acids, oxidizing agents,

#### 10.4 Conditions to avoid

None, if handled according to order.

#### 10.5 Incompatible materials

Acids, oxidizing agents,

#### 10.6 Hazardous decomposition products

Thermal decomposition can lead to the escape of irritating gases and vapours.

#### **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

## **Acute effects**

#### **Acute oral toxicity**

Parameter: ATEmix calculated

Exposure route: Oral
Effective dose: > 2000 mg/kg

#### **Irritant and corrosive effects**

Causes serious eye irritation.

#### **Sensitisation**

No information available.

#### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

No information available.

## **STOT-single exposure**

May cause respiratory irritation.

#### **STOT-repeated exposure**

No information available.

## **Aspiration hazard**

No information available.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Page: 5 / 8

## according to Regulation (EC) No. 1907/2006 (REACH)



Trade name: deconex 12 PA-x

**Revision:** 14.06.2018 **Version:** 13.0.0

**Print date:** 06.11.2019

#### Effects in sewage plants

Parameter: Chemical oxygen demand (COD)

Effective dose: 125 g/kg

#### 12.2 Persistence and degradability

#### Biodegradation

Parameter: Biodegradability according to OECD

Effective dose: > 80 %

## Regulation on Detergents (EC) No 648/2004

The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request.

#### 12.3 Bioaccumulative potential

No information available.

#### 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

No information available.

#### 12.6 Other adverse effects

No information available.

#### 12.7 Additional ecotoxicological information

None

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

In accordance with local official regulations.

#### **SECTION 14: Transport information**

#### 14.1 UN number

UN 3266

#### 14.2 UN proper shipping name

#### Land transport (ADR/RID)

CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (TRIPOTASSIUM ORTHOPHOSPHATE)

Sea transport (IMDG)

 ${\tt CORROSIVE\ LIQUID,\ BASIC,\ INORGANIC,\ N.O.S.} \quad (\ {\tt TRIPOTASSIUM\ ORTHOPHOSPHATE}\ )$ 

Air transport (ICAO-TI / IATA-DGR)

CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (TRIPOTASSIUM ORTHOPHOSPHATE)

#### 14.3 Transport hazard class(es)

Land transport (ADR/RID)

Class(es): 8
Classification code: c5
Hazard identification number (Kemler No.): 80
Tunnel restriction code: E
Special provisions: LQ 5 |
Hazard label(s): 8

Sea transport (IMDG)

Class(es): 8 EmS-No.: F-A / S-B

**Special provisions :** Segregation Group 18 - Alkalis

Hazard label(s):

Page: 6 / 8



## according to Regulation (EC) No. 1907/2006 (REACH)

Trade name: deconex 12 PA-x

**Revision:** 14.06.2018 **Version:** 13.0.0

**Print date:** 06.11.2019

Air transport (ICAO-TI / IATA-DGR)
Class(es):

Hazard label(s):

14.4 Packing group

III

14.5 Environmental hazards

Land transport (ADR/RID): No Sea transport (IMDG): No

Air transport (ICAO-TI / IATA-DGR): No

14.6 Special precautions for user

May be corrosive to metals (H290)

#### **SECTION 15: Regulatory information**

# Safety, health and environmental regulations/legislation specific for the substance or mixture

**National regulations** 

**Technische Anleitung Luft (TA-Luft)** 

Weight fraction (Number 5.2.5. I): < 5 %

Water hazard class (WGK)

Class: 1 (Slightly hazardous to water) Classification according to VwVwS

#### 15.2 Chemical safety assessment

No information available.

#### **SECTION 16: Other information**

The user is responsible for the observance of all required statutory provisions.

#### 16.1 Indication of changes

None

## 16.2 Abbreviations and acronyms

None

#### 16.3 Key literature references and sources for data

None

# Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

No information available.

## 16.5 Relevant H- and EUH-phrases (Number and full text)

H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.

#### 16.6 Training advice

None

## 16.7 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Page: 7 / 8





**Trade name :** deconex 12 PA-x

**Revision :** 14.06.2018 **Version :** 13.0.0

**Print date :** 06.11.2019

Page: 8 / 8