

Safety Data Sheet

according to Regulation (EC) No 1907/2006

23458-52 COD/CSB/DCO

Revision date: 28.03.2017

Product code: 2345852

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

23458-52 COD/CSB/DCO

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.
5, Pacific Way
Salford Manchester M50 1DL - United Kingdom
Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
e-Mail: info-uk@hach.com

HACH LANGE Ltd.
Unit 1, Chestnut Road Western Industrial Estate
IRL-Dublin 12
Tel. +353 (0)1 4602522
e-Mail: info-ie@hach.com

1.4. Emergency telephone number:

Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Substance or mixture corrosive to metals: Met. Corr. 1

Skin corrosion/irritation: Skin Corr. 1A

Serious eye damage/eye irritation: Eye Dam. 1

Hazardous to the aquatic environment: Aquatic Chronic 1

Hazard Statements:

May be corrosive to metals.

Causes severe skin burns and eye damage.

Very toxic to aquatic life with long lasting effects.

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.2. Label elements**Regulation (EC) No. 1272/2008****Hazard components for labelling**

sulphuric acid ... %

Silver sulfate

Signal word: Danger

Safety Data Sheet

according to Regulation (EC) No 1907/2006

23458-52 COD/CSB/DCO

Revision date: 28.03.2017

Product code: 2345852

Page 2 of 9

Pictograms:

Hazard statements

- H290 May be corrosive to metals.
 H314 Causes severe skin burns and eye damage.
 H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

- P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
 P310 Immediately call a POISON CENTER/doctor.
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SECTION 3: Composition/information on ingredients
3.2. Mixtures
Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
7664-93-9	sulphuric acid ... %			84 %
	231-639-5	016-020-00-8		
	Skin Corr. 1A; H314			
7732-18-5	Water			<5 %
	231-791-2			
10294-26-5	Silver sulfate			<3 %
	233-653-7			
	Eye Dam. 1, Aquatic Acute 1 (M-Factor = 100), Aquatic Chronic 1 (M-Factor = 100); H318 H400 H410			
1333-82-0	chromium (VI) trioxide			<0,1 %
	215-607-8	024-001-00-0		
	Ox. Sol. 1, Carc. 1A, Muta. 1B, Repr. 2, Acute Tox. 2, Acute Tox. 3, Acute Tox. 3, STOT RE 1, Skin Corr. 1A, Resp. Sens. 1, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H271 H350 H340 H361f *** H330 H311 H301 H372 ** H314 H334 H317 H400 H410			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures
4.1. Description of first aid measures

Safety Data Sheet

according to Regulation (EC) No 1907/2006

23458-52 COD/CSB/DCO

Revision date: 28.03.2017

Product code: 2345852

Page 3 of 9

General information

Take off all contaminated clothing immediately.
Consult a physician. Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air.
Consult a physician. Show this safety data sheet to the doctor in attendance.

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes.
Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. Show this safety data sheet to the doctor in attendance.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Show this safety data sheet to the doctor in attendance.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting.
Consult a physician. Show this safety data sheet to the doctor in attendance.

4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours. The following may develop in event of fire: sulfur oxides.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste.

6.4. Reference to other sections

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Safety Data Sheet

according to Regulation (EC) No 1907/2006

23458-52 COD/CSB/DCO

Revision date: 28.03.2017

Product code: 2345852

Page 4 of 9

Advice on safe handling

Use only in well-ventilated areas. Do not breathe vapours/dust.

Advice on protection against fire and explosion

no data available

Further information on handling

no data available

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**Keep tightly closed in a dry, cool and well-ventilated place.
Protect against light.**Hints on joint storage**

no data available

Further information on storage conditions

no data available

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
7664-93-9	Sulphuric acid (mist)	-	0.05		TWA (8 h)	WEL

8.2. Exposure controls**Appropriate engineering controls**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Protective and hygiene measuresThe type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Wash hands before breaks and after work.**Eye/face protection**

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact:
Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0.40 mm, Breakthrough time: > 30 min**Skin protection**

Remove and wash contaminated clothing before re-use.

Respiratory protectionBreathing apparatus only if aerosol or dust is formed.
Recommended Filter type: ABEK-filter**Environmental exposure controls**

Do not flush into surface water or sanitary sewer system.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

23458-52 COD/CSB/DCO

Revision date: 28.03.2017

Product code: 2345852

Page 5 of 9

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	liquid
Colour:	orange
Odour:	odourless
pH-Value (at 20 °C):	< 1

Changes in the physical state

Melting point:	not applicable
Initial boiling point and boiling range:	300 °C
Sublimation point:	not applicable
Softening point:	not applicable
Pour point:	not applicable
Flash point:	not applicable
Sustaining combustion:	No data available

Flammability

Solid:	not applicable
Gas:	not applicable

Explosive properties

not applicable

Lower explosion limits:	not applicable
Upper explosion limits:	not applicable
Ignition temperature:	not applicable

Auto-ignition temperature

Solid:	not applicable
Gas:	not applicable

Decomposition temperature:	not applicable
----------------------------	----------------

Oxidizing properties

no data available

Vapour pressure:	no data available
Vapour pressure:	no data available

Density (at 20 °C):	1,7 g/cm ³
Bulk density:	not applicable
Water solubility: (at 20 °C)	completely soluble

Solubility in other solvents

no data available

Partition coefficient:	not applicable
Viscosity / dynamic:	no data available
Viscosity / kinematic:	no data available
Flow time:	no data available
Vapour density:	no data available
Evaporation rate:	no data available
Solvent separation test:	no data available
Solvent content:	no data available

Safety Data Sheet

according to Regulation (EC) No 1907/2006

23458-52 COD/CSB/DCO

Revision date: 28.03.2017

Product code: 2345852

Page 6 of 9

9.2. Other information

Solid content: not applicable
Corrosive in contact with metals

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat. Above 300 °C, hazardous fumes may be released.

10.5. Incompatible materials

Organic materials, Bases, Alkali metals, Metals, Ammonia, Reducing agents, Nitric acid.
Reacts violently with water.

10.6. Hazardous decomposition products

Sulphur trioxide
Chromium oxides

Further information

very reactive

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

No data is available on the product itself. Information given is based on data on the components and the toxicology of similar products.

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
10294-26-5	Silver sulfate					
	oral	LD50	5000 mg/kg	rat		
1333-82-0	chromium (VI) trioxide					
	oral	LD50	52 mg/kg	Rat	ERMA	
	dermal	LD50	55 mg/kg	Rat	ERMA	
	inhalation vapour	ATE	0,5 mg/l			
	inhalation (4 h) aerosol	LC50	0,217 mg/l	Rat	ERMA	

Irritation and corrosivity

The product causes burns of eyes, skin and mucous membranes.

Sensitising effects

May cause sensitisation by inhalation and skin contact.

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

23458-52 COD/CSB/DCO

Revision date: 28.03.2017

Product code: 2345852

Page 7 of 9

SECTION 12: Ecological information**12.1. Toxicity**

May cause long-term adverse effects in the aquatic environment.

Do not flush into surface water or sanitary sewer system.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
10294-26-5	Silver sulfate					
	Acute crustacea toxicity	EC50 mg/l	0,0045	48 h	Crustaceans	

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

no data available

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Advice on disposal**

Our local agencies will accept used cuvettes to ensure their proper disposal.

In accordance with local and national regulations.

Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

SECTION 14: Transport information**Land transport (ADR/RID)****14.1. UN number:**

UN 3316

14.2. UN proper shipping name:

Chemical kit

14.3. Transport hazard class(es):

9

14.4. Packing group:

II

Hazard label:

9



Classification code:

M11

Special Provisions:

251 340

Safety Data Sheet

according to Regulation (EC) No 1907/2006

23458-52 COD/CSB/DCO

Revision date: 28.03.2017

Product code: 2345852

Page 8 of 9

Limited quantity: SP251
 Excepted quantity: SP340
 Transport category: 2
 Hazard No: -
 Tunnel restriction code: E

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)

14.1. UN number: UN 3316
14.2. UN proper shipping name: CHEMICAL KIT
14.3. Transport hazard class(es): 9
14.4. Packing group: II
 Hazard label: 9



Marine pollutant: -
 Special Provisions: 251, 340
 Limited quantity: See SP251
 Excepted quantity: SP340
 EmS: F-A, S-P

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 3316
14.2. UN proper shipping name: CHEMICAL KIT
14.3. Transport hazard class(es): 9
14.4. Packing group: II
 Hazard label: 9



Special Provisions: A44 A163
 Limited quantity Passenger: 1 kg
 Passenger LQ: Y960
 Excepted quantity: E0
 IATA-packing instructions - Passenger: 960
 IATA-max. quantity - Passenger: 10 kg
 IATA-packing instructions - Cargo: 960
 IATA-max. quantity - Cargo: 10 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: yes



Danger releasing substance: Silver sulfate

14.6. Special precautions for user

Use personal protective equipment.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

Safety Data Sheet

according to Regulation (EC) No 1907/2006

23458-52 COD/CSB/DCO

Revision date: 28.03.2017

Product code: 2345852

Page 9 of 9

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Authorisations (REACH, annex XIV):

chromium (VI) trioxide

Restrictions on use (REACH, annex XVII):

Entry 28: chromium (VI) trioxide

National regulatory information

Employment restrictions:

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water contaminating class (D):

2 - clearly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Changes**

Revision Date 28.03.2017

Safety datasheet sections which have been updated: 2, 7, 9

Relevant H and EUH statements (number and full text)

H271	May cause fire or explosion; strong oxidiser.
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H340	May cause genetic defects.
H350	May cause cancer.
H361f	Suspected of damaging fertility.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)