

according to Regulation (EC) No 1907/2006

2584202 StablCal® Turbidity Standard, 7500 NTU

Revision date: 15.08.2018

Product code: 2584202

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

2584202 StablCal® Turbidity Standard, 7500 NTU

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name:	HACH LANGE GmbH
Street:	Willstätterstr. 11
Place:	D-40549 Düsseldorf
Telephone:	+49 (0)211 5288-383
e-mail:	SDS@hach.com
Internet:	www.de.hach.com
Responsible Department:	HACH LANGE Ltd.
	5, Pacific Way
	Salford Manchester M50 1DL - United Kingdom
	Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
	e-Mail: info-uk@hach.com
	HACH LANGE Ltd.
	Unit 1, Chestnut Road Western Industrial Estate
	IRL-Dublin 12
	Tel. +353 (0)1 4602522
	e-Mail: info-ie@hach.com
1.4. Emergency telephone number:	Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Respiratory or skin sensitisation: Resp. Sens. 1 Respiratory or skin sensitisation: Skin Sens. 1 Hazard Statements: May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

methenamine; hexamethylenetetramine Danger

Signal word:

Pictograms:



Hazard statements

H317 H334 May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled.



according to Regulation (EC) No 1907/2006

2584202 StablCal® Turbidity Standard, 7500 NTU

Revision date: 15.08.2018

Product code: 2584202

Page 2 of 9

Precautionary statements

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P304+P341	IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a
	position comfortable for breathing.
P342+P311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
P302+P352	IF ON SKIN: Wash with plenty of water.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	GHS Classification				
7732-18-5	Water			> 85 %	
	231-791-2				
100-97-0	methenamine; hexamethy	lenetetramine		5-10 %	
	202-905-8	612-101-00-2			
	Flam. Sol. 2, Resp. Sens.	1, Skin Sens. 1; H228 H334 H317	·		
7783-20-2	Ammonium sulfate			1-5 %	
	231-984-1				
50-00-0	formaldehyde %	< 0,1 %			
	200-001-8	605-001-00-5			
	Carc. 1B, Muta. 2, Acute ⁻ H341 H331 H311 H301 H	Tox. 3, Acute Tox. 3, Acute Tox. 3, 3 314 H317	Skin Corr. 1B, Skin Sens. 1; H350		

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately.

After inhalation

Move to fresh air.

After contact with skin

Wash off immediately with plenty of water. Call a physician if symptoms occur.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

After ingestion

Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Consult a physician.



according to Regulation (EC) No 1907/2006

2584202 StablCal® Turbidity Standard, 7500 NTU

Revision date: 15.08.2018

Product code: 2584202

Page 3 of 9

Show this safety data sheet to the doctor in attendance.

4.2. Most important symptoms and effects, both acute and delayed sensitising effects

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

Unsuitable extinguishing media

None known.

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours. (Ammonia, nitrogen oxides (NOx), Carbon oxides)

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste.

6.4. Reference to other sections

See also section 13: Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas. Do not breathe vapours/dust. Avoid contact with skin and eyes. General industrial hygiene practice.

Advice on protection against fire and explosion

no data available

Further information on handling

Avoid contact with skin, eyes and clothing.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep tightly closed in a dry, cool and well-ventilated place. Storage temperature: 5-25 °C. Protect against light.

Hints on joint storage

no data available



according to Regulation (EC) No 1907/2006

2584202 StablCal® Turbidity Standard, 7500 NTU

Revision date: 15.08.2018

Product code: 2584202

Page 4 of 9

Further information on storage conditions

no data available 7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
50-00-0	Formaldehyde	2	2.5		TWA (8 h)	WEL
		2	2.5		STEL (15 min)	WEL

Additional advice on limit values

no data available

8.2. Exposure controls

Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Wash hands before breaks and after work.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min Consult your supplier if the material is to be used for special applications such as in the food industry or for

hygiene, medical or surgical end-use.

Skin protection

Remove and wash contaminated clothing before re-use.

Respiratory protection

Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment. In the case of vapour formation use a respirator with an approved filter. Respirator with a gas filter (gas filter type A or B or K)

Environmental exposure controls

Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	off-white, cloudy
Odour:	odourless
pH-Value (at 23 °C):	



Page 5 of 9

according to Regulation (EC) No 1907/2006

2584202 StablCal® Turbidity Standard, 7500 NTU

Revision date: 15.08.2018

Product code: 2584202

Changes in the physical state		
Melting point:	no data available	
Initial boiling point and boiling range:	no data available	
Sublimation point:	no data available	
Softening point:	no data available	
Pour point:	no data available	
:	no data available	
Flash point:	not applicable	
Sustaining combustion:	No data available	
Flammability		
Solid:	not applicable	
Gas:	not applicable	
Explosive properties no data available		
Lower explosion limits:	no data available	
Upper explosion limits:	no data available	
Ignition temperature:	no data available	
Auto-ignition temperature		
Solid:	not applicable	
Gas:	not applicable	
Decomposition temperature:	no data available	
Oxidizing properties no data available		
Vapour pressure:	no data available	
Vapour pressure:	no data available	
Density (at 20 °C):	1,025 g/cm³	
Bulk density:	no data available	
Water solubility: (at 20 °C)	completely soluble	
Solubility in other solvents no data available		
Partition coefficient:	no data available	
Viscosity / dynamic:	no data available	
Viscosity / kinematic:	no data available	
Flow time:	no data available	
Vapour density:	no data available	
Evaporation rate: (at 20 °C)	no data available	
Solvent separation test:	no data available	
Solvent content:	no data available	
2. Other information		
Solid content:	no data available	
SECTION 10: Stability and reactivity		



according to Regulation (EC) No 1907/2006

2584202 StablCal® Turbidity Standard, 7500 NTU

Revision date: 15.08.2018

Product code: 2584202

Page 6 of 9

10.1. Reactivity

no data available

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions: Oxidizing agents

10.4. Conditions to avoid

Keep away from heat.

10.5. Incompatible materials

No dangerous reaction known under conditions of normal use.

10.6. Hazardous decomposition products

To avoid thermal decomposition, do not overheat. Decomposition products:Ammonia, Carbon monoxide, Formaldehyde, Nitrogen dioxide

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

no data available

Acute toxicity

Based on available data, the classification criteria are not met. LD50/oral/rat = > 5000 mg/kg

CAS No	Chemical name								
	Exposure route	Dose		Species	Source	Method			
100-97-0	methenamine; hexameth	methenamine; hexamethylenetetramine							
	oral	LD50 mg/kg	9200	Ratte					
7783-20-2	Ammonium sulfate								
	oral	LD50 mg/kg	2840	rat	Gestis				
50-00-0	formaldehyde %								
	oral	ATE mg/kg	100						
	dermal	ATE mg/kg	300						
	inhalation (4 h) vapour	LC50	250 mg/l	rat					
	inhalation aerosol	ATE	0,5 mg/l						

Irritation and corrosivity

Based on available data, the classification criteria are not met. No known effect.

Sensitising effects

May cause allergy or asthma symptoms or breathing difficulties if inhaled. (methenamine;

hexamethylenetetramine)

May cause an allergic skin reaction. (methenamine; hexamethylenetetramine; formaldehyde ... %)

May cause sensitisation by skin contact.

May cause sensitisation by inhalation. (List of references: Asthma in the workplace, I.Leonard Bernstein)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

2584202 StablCal® Turbidity Standard, 7500 NTU

Revision date: 15.08.2018

Product code: 2584202

Page 7 of 9

STOT-single exposure

Based on available data, the classification criteria are not met.

The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Based on available data, the classification criteria are not met.

No aspiration toxicity classification

Specific effects in experiment on an animal

No data is available on the product itself.

Additional information on tests

no data available

Practical experience

Observations relevant to classification

May cause allergic skin reaction. May cause allergic respiratory reaction.

Other observations

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

Further information

no data available

SECTION 12: Ecological information

12.1. Toxicity

No data is available on the product itself. Do not flush into surface water or sanitary sewer system.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
100-97-0	methenamine; hexamethylenetetramine						
	Acute fish toxicity	LC50 mg/l	49800	96 h	Fisch		
7783-20-2	Ammonium sulfate	1					
7783-20-2	Ammonium sulfate Acute fish toxicity	LC50	420 mg/l		Danio rerio (zebra fish)	IUCLID	

12.2. Persistence and degradability

no data available

12.3. Bioaccumulative potential

no data available

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

no data available

Further information

no data available



according to Regulation (EC) No 1907/2006

2584202 StablCal® Turbidity Standard, 7500 NTU

Revision date: 15.08.2018

Product code: 2584202

Page 8 of 9

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

In accordance with local and national regulations.

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

SECTION 14: Transport information

Land transport (ADR/RID)

Other applicable information (land transport)

Not subject to transport regulations.

Inland waterways transport (ADN)

Other applicable information (inland waterways transport) Not tested

Marine transport (IMDG)

Other applicable information (marine transport)

Not subject to transport regulations.

Air transport (ICAO-TI/IATA-DGR)

Other applicable information (air transport)

Not subject to transport regulations.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

no data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII): Entry 28: formaldehyde ... %

National regulatory information

Water hazard class (D):

2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes



according to Regulation (EC) No 1907/2006

2584202 StablCal® Turbidity Standard, 7500 NTU

Revision date: 15.08.2018

Product code: 2584202

Page 9 of 9

Revision Date 15.08.2018 Safety datasheet sections which have been updated: 2, 3, 15 Revision Date 21.08.2017 Safety datasheet sections which have been updated: 2, 11 Revision Date 19.12.2016 Safety datasheet sections which have been updated: 2, 3, 4, 7, 8, 10, 11 Revision Date 29.11.2011 Safety datasheet sections which have been updated: 4-13,15,16 Revision Date 29.11.2013 Safety datasheet sections which have been updated: 2 Revision Date 05.03.2014 Safety datasheet sections which have been updated: 2

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Resp. Sens. 1; H334	Calculation method
Skin Sens. 1; H317	Calculation method

Relevant H and EUH statements (number and full text)

H228	Flammable solid.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H331	Toxic if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H341	Suspected of causing genetic defects.
H350	May cause cancer.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)