

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 91836	NANOCOLOR Iron	Page: 1/13
Printing date: 02.06.2020	Date of issue: 16.03.2020	

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

REF 91836
 Product name NANOCOLOR Iron

REACH Registration number(s): see SECTION 3.1/3.2 or
 A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

1 x 100 mL Iron R1
 1 x 20 g Iron R2
 1 x 100 mL Iron R3
 1 x 100 mL Iron R4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses
 Product for analytical use.
 Exposure Scenario Classification according REACH, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0
 The exposure scenario is integrated into sections 1-16.

Uses advised against
 not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:
 MACHEREY-NAGEL GmbH & Co. KG
 Neumann-Neander-Str. 6-8, 52355 Dueren, GERMANY
 Tel.: +49 2421 969 0

E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service.
 DE: Gemeinsames Giftinformationszentrum (GGIZ) 99089 Erfurt tel. +49 361 730 730

You find our current versions of SDS (22 languages) in Internet: <http://www.mn-net.com/SDS>

SECTION 2: Hazard identification

2.0 Classification of the complete product



Signal word DANGER

Hazard identification	Hazard classes/categories
H226	Flam. Liq. 3
H290	Met. Corr. 1
H302	Acute Tox. 4 oral
H312	Acute Tox. 4 derm.
H314	Skin Corr. 1B
H315	Skin Irrit. 2
H317	Skin Sens. 1
H319	Eye Irrit. 2
H351	Carc. 2
H373	STOT RE 2
H400	Aquatic Acute 1

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 91836

NANOCOLOR Iron

Page: 2/13

Printing date: 02.06.2020

Date of issue: 16.03.2020

2.1 Classification of the substance or mixture

100 mL Iron R1

Signal word Do not need labelling as hazardous
-

Hazard identification	Hazard classes/categories
H290	Met. Corr. 1

20 g Iron R2



Signal word WARNING

Hazard identification	Hazard classes/categories
H290	Met. Corr. 1
H302	Acute Tox. 4 oral
H312	Acute Tox. 4 derm.
H315	Skin Irrit. 2
H317	Skin Sens. 1
H319	Eye Irrit. 2
H351	Carc. 2
H373	STOT RE 2
H400	Aquatic Acute 1

100 mL Iron R3



Signal word DANGER

Hazard identification	Hazard classes/categories
H314	Skin Corr. 1B

100 mL Iron R4



Signal word WARNING

Hazard identification	Hazard classes/categories
H226	Flam. Liq. 3

2.2 Label elements

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identifier(s) (EU 1272/2008 Annex I - 1.5.1.2).

Harmful chemicals/mixtures with signal word: **WARNING** and highly flammable chemicals/mixtures must not be labelled with H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2). This labelling exemption is NOT valid for sensitizing substances.

Metal corrosive solutions **do not have to** be labelled with GHS symbol, signal word, H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2.1.3).

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 91836

NANOCOLOR Iron

Page: 3/13

Printing date: 02.06.2020

Date of issue: 16.03.2020

100 mL Iron R1

Do not need labelling as hazardous
Signal word: -

20 g Iron R2



GHS07 GHS08 GHS09

Signal word: WARNING

H317, H351
May cause an allergic skin reaction. Suspected of causing cancer.

P261sh, P280sh
Avoid breathing dust/vapours. Wear protective gloves/eye protection.

100 mL Iron R3



GHS05

Signal word: DANGER

H314
Causes severe skin burns and eye damage.

P260sh, P280sh, P303+361+353, P305+351+338, P310
Do not breathe dust/vapours. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

100 mL Iron R4



GHS02

Signal word: WARNING

2.3 Other hazards

Possible hazards from physicochemical properties

Generally in the case of pH values are less than 2 or higher than 11.5 then it is corrosive. In the case of pH values are less than 5 or higher than 9 then it is irritant. Flammable properties. The property H314 "Causes severe skin burns and eye damage." of some salts is not applicable, because the mixture is buffered to pH >3-4 (see GHS Directive 1272/2008/EC Annex I, chapter 3.2.3.1.2.).

Information pertaining to particular risks to human and possible symptoms

Causes varying degrees of acid burns on the skin, to the eyes and to the mucous membranes and wounds which do not heal quickly depending on the concentration, temperature and the exposure time. Vapours especially which steam from hot liquids and mist can have a severe irritant effect upon the eyes and the respiratory organs.

Cause after oral intake, inhalation of vapours/dust, skin contact, impairments of health when ingested in small quantities. May cause sensitization by skin contact, also in repeated contact of small amounts. Suspected of causing cancer. -

Information pertaining to particular risks to the environment

Avoid contact of substance/mixture to environment.

PBT: not applicable
vPvB: not applicable

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 91836

NANOCOLOR Iron

Page: 4/13

Printing date: 02.06.2020

Date of issue: 16.03.2020

Other hazards

SECTION 3: Composition/information on ingredients

3.1 Substances or 3.2 Mixtures

100 mL Iron R1

Chemical: *hydrochloric acid* CAS No.: 7647-01-0
 Classification: H290, Met. Corr. 1, H314, Skin Corr. 1B, H331, Acute Tox. 3 inh.
 Formula: $\text{HCl} \cdot \text{H}_2\text{O}$
 Pseudonym: aqueous hydrogen chloride
 TSCA Inventory: listed
 REACH Reg. No.: 01-2119484862-27-xxxx
 EC No.: 231-595-7 Indice No.: 017-002-01-X
 RTECS: MW4025000
 KE No.: KE-20189, >10% Toxic 97-1-203, Acc. Precaution Chem.
 Concentration: 1 - <10 %
 acc. CLP (GHS): H290, Met. Corr. 1

20 g Iron R2

Chemical: *hydroxylammonium chloride* CAS No.: 5470-11-1
 Classification: H290, Met. Corr. 1, H302, Acute Tox. 4 oral, H312, Acute Tox. 4 derm., H315, Skin Irrit. 2, H317, Skin Sens. 1, H319, Eye Irrit. 2, H351, Carc. 2, H373, STOT RE 2, H400, Aquatic Acute 1
 Formula: $\text{NH}_2\text{OH} \cdot \text{HCl} / \text{H}_4\text{CINO}$
 Pseudonym: hydroxylamin hydrochloride
 TSCA Inventory: listed
 REACH Reg. No.: as intermediate
 EC No.: 226-798-2 Indice No.: 612-123-00-2
 RTECS: NC3675000 MFCD: 00051089
 KE No.: KE-20602, >1% Toxic 97-1-411
 Concentration: 80 - <100 %
 acc. CLP (GHS): H290, Met. Corr. 1, H302, Acute Tox. 4 oral, H312, Acute Tox. 4 derm., H315, Skin Irrit. 2, H317, Skin Sens. 1, H319, Eye Irrit. 2, H351, Carc. 2, H373, STOT RE 2, H400, Aquatic Acute 1

100 mL Iron R3

Chemical: *ammonium acetate* CAS No.: 631-61-8
 Classification: No criteria for classification or naming of chemical not required.
 Formula: $\text{C}_2\text{H}_7\text{NO}_2$
 TSCA Inventory: listed
 REACH Reg. No.: 01-2119828440-45-xxxx
 EC No.: 211-162-9
 RTECS: AF3675000 MFCD: 00013066
 KE No.: KE-01629
 Concentration: 20 - <40 %
 acc. CLP (GHS): The criteria for classification are not fulfilled.

Chemical: *acetic acid* CAS No.: 64-19-7
 Classification: H226, Flam. Liq. 3, H314, Skin Corr. 1B
 Formula: $\text{C}_2\text{H}_4\text{O}_2$; $\text{CH}_3\text{-COOH}$
 TSCA Inventory: listed
 REACH Reg. No.: 01-2119475328-30-xxxx
 EC No.: 200-580-7 Indice No.: 607-002-00-6
 RTECS: AF1225000 MFCD: 00036152
 KE No.: KE-00013
 Concentration: 25 - <50 %
 acc. CLP (GHS): H314, Skin Corr. 1B

100 mL Iron R4

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 91836

NANOCOLOR Iron

Page: 5/13

Printing date: 02.06.2020

Date of issue: 16.03.2020

Chemical:	<i>ethanol</i> (denatured with 1%IPA/1%MEK, acc.2016/1867/EU)	CAS No.:	64-17-5
Classification:	H225, Flam. Liq. 2		
Formula:	C ₂ H ₆ O; C ₂ H ₅ OH		
Pseudonym:	ethyl alcohol, methylated spirit		
TSCA Inventory:	listed		
REACH Reg. No.:	01-2119457610-43-xxxx		
EC No.:	200-578-6	Indice No.:	603-002-00-5
RTECS:	KQ6300000	MFC D:	00003568
KE No.:	KE-13217		
Concentration:	35 - <55 %		
acc. CLP (GHS):	H226, Flam. Liq. 3		
Chemical:	<i>1,10-phenanthrolin</i>	CAS No.:	66-71-7
Classification:	H301, Acute Tox. 3 oral, H400, Aquatic Acute 1, H410, Aquatic Chronic 1		
Formula:	C ₁₂ H ₈ N ₂		
TSCA Inventory:	listed		
REACH Reg. No.:	not necessary, amount <1 t/a		
EC No.:	200-629-2	Indice No.:	613-092-00-8
RTECS:	SF8437000	MFC D:	00149973
Concentration:	1 - <3 %		
acc. CLP (GHS):	The criteria for classification are not fulfilled.		

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

List of H and P phrases: see section 16.1

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice. Remove contaminated clothing. Show product package, packing insert and this material safety data sheet to the doctor.

4.1.1 After SKIN Contact

Remove contaminated clothing immediately. Rinse the affected skin or mucous membrane thoroughly for min. 15 minutes under running water. (If possible) use soap. Avoid neutralisation. Then apply a loose bandage.

4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open for min. 10 minutes with eye washing bottle, eye douche or running water (protect intact eye). Before (if possible) apply eye drops Proxymetacaine 0.5%, if the opening the eyelid convulsion is painful. Further treatment to be carried out by an eye specialist.

4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. If vomiting and if insensible place patient in recovery position and keep airways free. ---

4.1.4 After ORAL Intake

After oral intake lots of water with activated charcoal supplement should be drunk after it has been ingested. Do not induce vomiting under any circumstances. Do not make any efforts to neutralise it. Contact medical advice for possible consequences. ---

4.2 Most important symptoms and effects, both acute and delayed

May cause sensitization by skin contact, also in repeated contact of small amounts. CMR Effects: Suspected of causing cancer. ---

4.3 Indication of any immediate medical attention and special treatment needed

CORROSIVE DAMAGE: After SKIN CONTACT rinse with water for a long time. Efforts to neutralise the substance can frequently make matters worse. Apply glucocorticosteroides following inflammatory reactions. After EYE CONTACT rinse immediately with plenty of water for a long time. Eyelid convulsion measures. Name the corrosive chemical. Further treatment must to be carried out by an eye specialist. After INTAKE administer aluminium oxide drug suspensions. Administer a prophylaxis to counter pulmonary oedema following the INGESTION of corrosive aerosols. In the event of RESPIRATORY DISTRESS ensure that the patient inhales oxygen. Inform patient respectively further measures and the possibility of long-term damages. ---

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 91836

NANOCOLOR Iron

Page: 6/13

Printing date: 02.06.2020

Date of issue: 16.03.2020

SECTION 5: Firefighting measures

5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.2 Special hazards arising from the substance or mixture

WARNING: Flammable (GHS regulation). May form explosive vapour-air mixtures. Formation of hazardous and caustic vapour-air mixtures possible. ---

5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic. Spray any vapours released with water. Retent fire water. Use only acid-resistant safety equipment.

For great amount - if necessary - protective breathing apparatus which is independent of the ambient air (isolated equipment), and sealed protective clothing is necessary in the event of a large-scale formation of toxic substances.

5.4 Additional information

Danger for environment **only in the event of a large-scale leakage** or formation of hazardous substances. ---

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Wear suitable protective gloves (see 8.2.2). Wear eye protection, respectively face protection. Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.

6.2 Environmental precautions

not necessary

6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent. And dispose in accordance to local regulations for the disposal of hazardous chemicals. Clean any contaminated equipment and floors with plenty of water. Collect small amounts of leaked liquid and flush with water into drains.

6.4 Reference to other sections

see information in section 5.4 ---

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

7.2 Conditions for safe storage, including any incompatibilities

The original product package of MACHEREY-NAGEL allows a safe storage.

Storage class (VCI): 3

Water hazard class (DE): 3

7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage. Use inbreakable container for transport of glass bottles.

7.3 Specific end use(s)

Product for analytical use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

100 mL Iron R1

Chemical: *hydrochloric acid*

CAS No.: 7647-01-0

DNEL: [inh] 8 mg/m³
DNEL = Derived No-Effect Level (for workers)

PNEC_(fresh water): 36 µg/L
PNEC = Predicted No Effect Concentration

EU value: [TWA] 5 ppm / 8 mg/m³; [STEL] 10 ppm/ 15 mg/m³

TRGS 900 (DE): 2 mL/m³ / 3 mg/m³
E/e respirable

Short-term exposure factor: 2 (I), Y
skin sorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 2 ppm / 3* mg/m³

www.mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 91836

NANOCOLOR Iron

Page: 7/13

Printing date: 02.06.2020

Date of issue: 16.03.2020

NIOSH: [C] 5 ppm / 7 mg/m³
 [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period
 OSHA: List of highly hazardous chemicals, toxics and reactives Yes (TQ = 5000 lbs) n/a; TWA 5 ppm / 7 mg/m³

20 g Iron R2

Chemical: *hydroxylammonium chloride* CAS No.: 5470-11-1TRGS 900 (DE): 1.5 mg/m³
E/e respirable

NIOSH: not listed

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

100 mL Iron R3

Chemical: *ammonium acetate* CAS No.: 631-61-8

NIOSH: not listed

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

Chemical: *acetic acid*

CAS No.: 64-19-7

DNEL: [loc, inh] 25 mg/m³
DNEL = Derived No-Effect Level (for workers)PNEC_(fresh water): 3.058 mg/L
PNEC = Predicted No Effect ConcentrationEU value: [TWA] 25 / [STEL] 50 mg/m³TRGS 900 (DE): 10 mL/m³ / 25 mg/m³
E/e respirable

Short-term exposure factor: 2(I), Y

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 10 ppm / 25 mg/m³NIOSH: [TWA] 10 ppm / 25 mg/m³; [STEL] 15 ppm / 37 mg/m³

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 10 ppm / 25 mg/m³

100 mL Iron R4

Chemical: *ethanol*

CAS No.: 64-17-5

DNEL: [derm] 343 mg/kg; [inh] 950 mg/m³
DNEL = Derived No-Effect Level (for workers)PNEC_(fresh water): 0.96 mg/L
PNEC = Predicted No Effect ConcentrationTRGS 900 (DE): 200 mL/m³ / 380 mg/m³
E/e respirable

Short-term exposure factor: 4 (II), Y

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 500 ppm / 960 mg/m³NIOSH: [TWA] 1000 ppm / 1900 mg/m³

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 1000 ppm / 1900 mg/m³Chemical: *1,10-phenanthroline*

CAS No.: 66-71-7

NIOSH: not listed

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

8.2 Exposure controls

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

8.2.1 Respiratory protection

No additional recommendations.

8.2.2 Hand protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 91836

NANOCOLOR Iron

Page: 8/13

Printing date: 02.06.2020

Date of issue: 16.03.2020

- 8.2.3 Eye protection**
Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection or face protection.
- 8.2.4 Skin protection**
Recommended to avoid clothing damage, and to avoid contamination with these hazards.
- 8.2.5 Personal hygiene**
Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

100 mL Iron R1

Appearance: liquid	Colour: colourless	Odor: odorless
pH:	0-1	
Specific gravity:	1,01 g/cm ³	
Solubility in water:	0-100 %	

20 g Iron R2

Appearance: solid	Colour: colourless	Odor: odorless
pH:	4-5	
Solubility in water:	0-45 %	

100 mL Iron R3

Appearance: liquid	Colour: colourless	Odor: acetic
pH:	3-4	
Flash point:	73 °C	
Solubility in water:	0-100 %	

100 mL Iron R4

Appearance: liquid	Colour: colourless	Odor: alcoholic
pH:	5-7	
Flash point:	24 °C	
Specific gravity:	0,93 g/cm ³	
Solubility in water:	0-100 %	

9.2 Other information

Data for the other parameters of the mixtures are not available, because no registration and no chemical safety report is required.

Relevant Properties of Substance Group

SECTION 10: Stability and reactivity

10.1 Reactivity

no further data available.

10.2 Chemical stability

No known instability.

10.3 Possibility of hazardous reactions

Can react violently with organic material. No further data available.

10.4 Conditions to avoid

Not necessary. Observe labeled storage temperature. ---

10.5 Incompatible materials

Avoid contact with strong acids or alkalines.

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 91836

NANOCOLOR Iron

Page: 9/13

Printing date: 02.06.2020

Date of issue: 16.03.2020

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

100 mL Iron R1

Chemical: *hydrochloric acid* CAS No.: 7647-01-0
 TSCA Inventory: listed California Proposition 65 List: not listed
 Exposure Routes: inhalation, ingestion (solution), skin and/or eye contact
 Target Organs: Eyes, skin, respiratory system
 Symptoms: irritation nose, throat, larynx; cough, choking; dermatitis; solution: eye, skin burns; liquid: frostbite; in animals: laryngeal spasm; pulmonary edema
 Australia NICNAS: not listed Canada CEPA 1999: DSL Yes
 Japan CSCL/PRTR: not listed, Japan PDSCL: Deleterious Substance
 Japan ISHL: listed $\geq 0,2\%/\geq 0,1\%$, Article 57-2 (SDS required)
 South Korea TCCA: Accident Precaution Chemical Yes
 Korea Exist.Chem.Inventory: KE-20189, >10% Toxic 97-1-203, Acc. Precaution Chem.
 LD₅₀orl rat : 900 mg/kg
 LC₅₀drm rbt : >5010 mg/kg

20 g Iron R2

Chemical: *hydroxylammonium chloride* CAS No.: 5470-11-1
 TSCA Inventory: listed California Proposition 65 List: not listed
 Exposure Routes: -
 Symptoms: -
 Australia NICNAS: not listed Canada CEPA 1999: DSL Yes
 Japan CSCL/PRTR: not listed, Japan PDSCL: Deleterious Substance
 Japan ISHL: not listed
 South Korea TCCA: not listed
 Korea Exist.Chem.Inventory: KE-20602, >1% Toxic 97-1-411
 LD₅₀orl rat : 141 mg/kg
 Acute Effects: Cause after oral intake, inhalation of vapours/dust, skin contact, impairments of health when ingested in small quantities.
 Chronic Effects: May cause sensitization by skin contact, also in repeated contact of small amounts. May cause damage to organs through prolonged or repeated exposure.
 Carcinogenic Effects: Suspected of causing cancer.
 TRGS 907 (DE): Sh

100 mL Iron R3

Chemical: *ammonium acetate* CAS No.: 631-61-8
 TSCA Inventory: listed California Proposition 65 List: not listed
 Australia NICNAS: not listed Canada CEPA 1999: DSL Yes
 Japan CSCL/PRTR: not listed, Japan PDSCL: not listed
 Japan ISHL: not listed
 South Korea TCCA: not listed
 Korea Exist.Chem.Inventory: KE-01629
 LD₅₀orl rat : 632 mg/kg

Chemical: *acetic acid* CAS No.: 64-19-7
 TSCA Inventory: listed California Proposition 65 List: not listed
 Exposure Routes: inhalation, skin and/or eye contact
 Target Organs: Eyes, skin, respiratory system, teeth
 Symptoms: irritation eyes, skin, nose, throat; eye, skin burns; skin sensitization; dental erosion; black skin, hyperkeratosis; conjunctivitis, lacrimation (di)
 Australia NICNAS: not listed Canada CEPA 1999: DSL Yes
 Japan CSCL/PRTR: not listed, Japan PDSCL: not listed
 Japan ISHL: listed $\geq 1,0\%/\geq 1,0\%$, Article 57-2 (SDS required)
 South Korea TCCA: not listed
 Korea Exist.Chem.Inventory: KE-00013
 LD₅₀orl rat : 3310 mg/kg
 LC₅₀inh rat : [4h] 8.5-12,7 mg/L
 LD₅₀drm rbt : 1060 mg/kg
 LD₅₀oral mouse : 4960 mg/kg

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 91836 NANOCOLOR Iron Page: 10/13
 Printing date: 02.06.2020 Date of issue: 16.03.2020

100 mL Iron R4

Chemical: *ethanol* CAS No.: 64-17-5
 TSCA Inventory: listed California Proposition 65 List: not listed
 ACGIH: 1000 ppm
 Exposure Routes: inhalation, ingestion, skin and/or eye contact
 Target Organs: Eyes, skin, respiratory system, central nervous system, liver, blood, reproductive system
 Symptoms: irritation eyes, skin, nose; headache, drowsiness, lassitude (weakness, exhaustion), narcosis; cough; liver damage; anemia; reproductive, teratogenic
 Australia NICNAS: not listed Canada CEPA 1999: DSL yes
 Japan CSCL/PRTR: not listed, Japan PDSCL: not listed
 Japan ISHL: listed $\geq 0,1\%$ / $\geq 0,1\%$, Article 57-2 (SDS required)
 South Korea TCCA: not listed
 Korea Exist.Chem.Inventory: KE-13217
 LD50_{orl rat}: 6200 mg/kg
 LC_{LoWihl} gpg: 21.9 g/m³
 LC_{LoWorl} hmn: 1400 mg/kg
 LC50_{ihl mouse}: [4h] 39 g/m³
 LC50_{ihl rat}: [10h] 20 g/m³
 LD50_{drm rbt}: 20 000 mg/kg
 LD50_{oral mouse}: 3450 mg/kg
 TRGS 905 (DE): K5, M5, R_F C

Chemical: *1,10-phenanthrolin* CAS No.: 66-71-7
 TSCA Inventory: listed California Proposition 65 List: not listed
 Australia NICNAS: not listed Canada CEPA 1999: DSL Yes
 Japan CSCL/PRTR: not listed, Japan PDSCL: not listed
 Japan ISHL: Article 57-2 (SDS required)
 South Korea TCCA: not listed
 LD50_{orl rat}: 132 mg/kg
 LD50_{ipr mus}: 75 mg/kg

SECTION 12: Ecological information

12.1 Toxicity

Following information is valid for pure substances.

100 mL Iron R1

Chemical: *hydrochloric acid* CAS No.: 7647-01-0
 PNEC_(fresh water): 36 µg/L
 PNEC = Predicted No Effected Concentration
 LC50_{fish/96h}: 24.6 mg/L
 EC50_{daphnia/48h}: 0.492 mg/L
 EC50_{pseudokirchneriella subcapitata/72h}: 0.78 mg/L
 Water hazard class (DE): 1 WGK No.: 0238
 Storage class (VCI): 8 B

20 g Iron R2

Chemical: *hydroxylammonium chloride* CAS No.: 5470-11-1
 Very toxic to aquatic life. Avoid contact of substance/mixture to environment.
 Environmental hazards must not be labelled with H and P phrases until 125 mL (EU 1272/2008 Annex I - 1.5.2).
 LC50_{leuciscus idus/96h}: 1-10 mg/L
 Water hazard class (DE): 3
 Storage class (VCI): 4.1 A

100 mL Iron R3

Chemical: *ammonium acetate* CAS No.: 631-61-8
 Bio Toxicity: 1/4.5/4.8
 LC50_{fish/96h}: 238 mg/L
 Water hazard class (DE): 1 WGK No.: n.n.
 Storage class (VCI): 12-13

Chemical: *acetic acid* CAS No.: 64-19-7
 Avoid contact of substance/mixture to environment.
 PNEC_(fresh water): 3.058 mg/L
 PNEC = Predicted No Effected Concentration

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 91836	NANOCOLOR Iron	Page: 11/13
Printing date: 02.06.2020	Date of issue: 16.03.2020	

LC50 _{fish/96h} :	[4d] 301-1000 mg/L
EC50 _{daphnia/48h} :	301-1000 mg/L
IC50 _{scenedesmus quadricauda/72h} :	301-1000 mg/L
Water hazard class (DE):	1 WGK No.: 0093
Dispersion coefficient _(octanol-water) :	-0,17
Storage class (VCI):	8 B

100 mL Iron R4

Chemical:	<i>ethanol</i>	CAS No.: 64-17-5
PNEC _(fresh water) :	0.96 mg/L	
PNEC = Predicted No Effect Concentration		
LC50 _{daphnia magna/48h} :	>100 mg/L	
LC50 _{pimephales promelas/96h} :	13400 - 15100 mg/L	
LC50 _{leuciscus idus/96h} :	[48h] 8140 mg/L	
LC50 _{fish/96h} :	13 g/L	
EC50 _{daphnia/48h} :	9.3-14.2 g/L	
IC50 _{scenedesmus quadricauda/72h} :	[7d] 5000 mg/L	
EC10 _{pseudomonas putida/16h} :	[EC5] 6500 mg/L	
Water hazard class (DE):	1 WGK No.: 0096	
Dispersion coefficient _(octanol-water) :	-0.31	
Storage class (VCI):	3	
Chemical:	<i>1,10-phenanthrolin</i>	CAS No.: 66-71-7
Water hazard class (DE):	2	
Storage class (VCI):	6.1 B	

- 12.2 Persistence and degradability**
not necessary
- 12.3 Bioaccumulative potential**
not necessary
- 12.4 Mobility in soil**
not necessary
- 12.5 Results of PBT and vPvB assessment**
no data available
- 12.6 Other adverse effects**
no additional data available

SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

13.1 Waste treatment methods

Normally it is possible to empty small amounts (diluted!) into drains. Empty containers of corrosive reagents prior to disposal, rinse with water.

SECTION 14: Transport information

14.1. UN number: 3316	14.2. UN proper shipping name: Chemical Kit
14.3. Class: 9	14.4. Packing group: II
<i>Road transport</i>	
Classification code: M11	Tunnel restriction code: E
Limited Quantity: acc. ADR 3.3.1/251: see LQ in Alternative declaration for transportation	
<i>Air transport</i>	
PAX: 960	max. weight PAX: 10 KG
CAO: 960	max. weight CAO: 10 KG
<i>Maritime transport</i>	
EmS: F-A, S-P	Storage category: A

Or use **Alternative declaration for transportation:**

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 91836

NANOCOLOR Iron

Page: 12/13

Printing date: 02.06.2020

Date of issue: 16.03.2020

14.1 UN number: 3077**14.2 UN proper shipping name:** Environmentally hazardous substance, solid, n.o.s. (hydroxylammonium chloride mixture)**14.3 Class:** 9 **14.4 Packing group:** III*Road transport*

Classification code: M7

Limited Quantity: 5 Kg

Excepted Quantity: E 1

Tunnel restriction code: E

Special instructions: 335 (< 10 g) and 375 (< 5 kg) nicht/not ADR

Air transport

PAX: 956

CAO: 956

max. weight PAX: 400 Kg

max. weight CAO: 400 Kg

Maritime transport

EmS: F-A, S-F

Storage category: A

14.5 Environmental hazards

none, contains only small quantities of hazardous substances

14.6 Special precautions for user

not necessary

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013

German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung - GefStoffV), revised on November 2010, according to Directive 98/24/EC

TRGS 200, German engineering rules governing the classification and labelling of hazardous substances, preparations and products, updated October 2011

MN Leaflet/User manual, also see www.mn-net.com

Look for your country-specific regulations.

15.2 Chemical safety assessment

not necessary for these small amounts ---

SECTION 16: Other information

16.1 List of H and P phrases**16.1.1 List of relevant H phrases**

H226	Flammable liquid and vapour.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.

16.1.2 List of relevant P phrases

P201	Obtain special instructions before use.
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P260sh	Do not breathe dust/vapours.
P261sh	Avoid breathing dust/vapours.
P264W	Wash with water thoroughly after handling.
P273	Avoid release to the environment.
P280sh	Wear protective gloves/eye protection.
P301+312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P302+352	IF ON SKIN: Wash with plenty of water.
P303+361+353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 91836	NANOCOLOR Iron	Page: 13/13
Printing date: 02.06.2020	Date of issue: 16.03.2020	

P310 Immediately call a POISON CENTER/doctor.
 P330 Rinse mouth.
 P390 Absorb spillage to prevent material damage.

16.2 Training advice

Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.

16.3 Recommended restriction on use

Only for professional user.
 Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)!
 Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)!
 An individual package of this product or test kit has a moderate hazardous potential.

16.4 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.
 MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.5 Sources of key data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS
 Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress
 Regulation 669/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress
 Regulation 1480/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress
 TRGS 900, German engineering rules governing limits in air at work, updated 03/2019
 SUVA .CH, Limits in air at work 2009, revised on 01.2009
 TRGS 907, German engineering rules governing listing of substances and causes of sensitizations, updated November 2011
 KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU
 2017-08 Adaption of new ethanol denaturation 2016/1867/EU

