



according to Regulation (EC) No 1907/2006

424-32 Hardness 1 Buffer

Revision date: 23.04.2018 Product code: 42432 Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

424-32 Hardness 1 Buffer

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.

5, Pacific Way

Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324

e-Mail: info-uk@hach.com

HACH LANGE Ltd.

Unit 1, Chestnut Road Western Industrial Estate

IRL-Dublin 12

Tel. +353 (0)1 4602522 e-Mail: info-ie@hach.com

1.4. Emergency telephone Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency

number: service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:
Causes skin irritation.
Causes serious eve irrit

Causes serious eye irritation.

Harmful to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

2-amino-2-methylpropanol

Signal word: Warning

Pictograms:





Safety Data Sheet

according to Regulation (EC) No 1907/2006

424-32 Hardness 1 Buffer

Revision date: 23.04.2018 Product code: 42432 Page 2 of 9

Hazard statements

H315 Causes skin irritation.
H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P501 Dispose of contents/container in accordance with local regulation.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

no data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name						
	EC No	Index No	REACH No				
	Classification according to Regulation (EC) No. 1272/2008 [CLP]						
124-68-5	2-amino-2-methylpropand	ol		50-60 %			
	204-709-8	603-070-00-6					
	Eye Irrit. 2, Skin Irrit. 2, Aquatic Chronic 3; H319 H315 H412						
7732-18-5	Water			35-45 %			
	231-791-2						
64-19-7	acetic acid %			1-10 %			
	200-580-7	607-002-00-6					
	Flam. Liq. 3, Skin Corr. 1A; H226 H314						
14402-88-1	Diaminoethane tetra-acetic acid Magnesium-disodium salt						
	238-372-3						
		•	•				

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off contaminated clothing and shoes immediately. Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air.

If symptoms persist, call a physician.

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes.





Safety Data Sheet

according to Regulation (EC) No 1907/2006

424-32 Hardness 1 Buffer

Revision date: 23.04.2018 Product code: 42432 Page 3 of 9

Take off all contaminated clothing immediately.

If skin irritation persists, call a physician.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

irritant effects

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

Unsuitable extinguishing media

No Limit

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

In the event of fire, wear self-contained breathing apparatus.

In the case of respirable dust and/or fumes, use self-contained breathing apparatus and dust impervious protective suit.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Only qualified personnel equipped with suitable protective equipment may intervene. Immediately evacuate personnel to safe areas.

Do not breathe vapours, mist or gas.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste.

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas.

Avoid contact with skin and eyes.

Do not breathe vapours/dust.

Advice on protection against fire and explosion

None known.





Safety Data Sheet

according to Regulation (EC) No 1907/2006

424-32 Hardness 1 Buffer

Revision date: 23.04.2018 Product code: 42432 Page 4 of 9

See also section 5

Further information on handling

Observe label precautions.

Avoid contact with skin, eyes and clothing.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in a dry, cool place.

Hints on joint storage

Do not store together with Oxidizing agents

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
64-19-7	Acetic acid	10	25		TWA (8 h)	EU
		15	37		STEL (15 min)	EU

Additional advice on limit values

None known.

8.2. Exposure controls

Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Wash hands before breaks and after work.

General industrial hygiene practice.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove

material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Consult your supplier if the material is to be used for special applications such as in the food industry or for hygiene, medical or surgical end-use.

Skin protection

Remove and wash contaminated clothing before re-use.

Respiratory protection

Breathing apparatus only if aerosol or dust is formed.

Recommended Filter type: ABEK-filter

Environmental exposure controls

Should not be released into the environment.





according to Regulation (EC) No 1907/2006

424-32 Hardness 1 Buffer

Revision date: 23.04.2018 Product code: 42432 Page 5 of 9

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: yellow
Odour: vinegar-like

pH-Value (at 20 °C): 10 (2 % solution)

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Sublimation point:

Softening point:

Pour point:

Pour point:

Ino data available

no data available

Flash point:

not applicable

no data available

>97,2 °C

Flammability

Solid: no data available
Gas: no data available

Explosive properties

no data available

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not applicable

not applicable

Auto-ignition temperature

Solid: no data available
Gas: no data available
Decomposition temperature: no data available

Oxidizing properties

no data available

Vapour pressure:no data availableVapour pressure:no data availableDensity (at 20 °C):1,033 g/cm³Bulk density:not applicableWater solubility:completely soluble

(at 20 °C)

Solubility in other solvents

no data available

Partition coefficient:

Viscosity / dynamic:

No data available

Viscosity / kinematic:

No data available

Flow time:

No data available

vapour density:

Evaporation rate:

0,36

(at 20 °C)

Solvent separation test: no data available





according to Regulation (EC) No 1907/2006

424-32 Hardness 1 Buffer

Revision date: 23.04.2018 Product code: 42432 Page 6 of 9

Solvent content: no data available

9.2. Other information

Solid content: no data available

no data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Hazard: Oxidizing agents

10.2. Chemical stability

The product is chemically stable.

10.3. Possibility of hazardous reactions

Reacts with the following substances: Oxidizing agents

10.4. Conditions to avoid

Extremes of temperature and direct sunlight.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

No data is available on the product itself.

CAS No	Chemical name								
	Exposure route	Dose		Species	Source	Method			
124-68-5	2-amino-2-methylpro	2-amino-2-methylpropanol							
	oral	LD50 mg/kg	2900	Rat	IUCLID				
	dermal	LD50 mg/kg	> 2000	Rabbit	IUCLID				
64-19-7	acetic acid %								
	oral	LD50 mg/kg	3310	Rat	GESTIS				

Irritation and corrosivity

Irritating to eyes and skin.

Sensitising effects

No known effect.

Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification



according to Regulation (EC) No 1907/2006

424-32 Hardness 1 Buffer

Revision date: 23.04.2018 Product code: 42432 Page 7 of 9

Specific effects in experiment on an animal

No data is available on the product itself.

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

No data is available on the product itself.

CAS No	Chemical name	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method		
124-68-5	2-amino-2-methylpropano	2-amino-2-methylpropanol							
	Acute fish toxicity	LC50	190 mg/l	96 h	Lepomis macrochirus	IUCLID			
	Acute algae toxicity	ErC50	520 mg/l		Desmodesmus subspicatus				
64-19-7	acetic acid %	acetic acid %							
	Acute crustacea toxicity	EC50	65 mg/l	48 h	Daphnia magna	Janssen et al			

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

No data is available on the product itself.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
124-68-5	2-amino-2-methylpropanol	-0,74
64-19-7	acetic acid %	-0,17

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

Do not flush into surface water or sanitary sewer system.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

In accordance with local and national regulations.

Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

Contaminated packaging

Dispose of as unused product.





according to Regulation (EC) No 1907/2006

424-32 Hardness 1 Buffer

Revision date: 23.04.2018 Product code: 42432 Page 8 of 9

SECTION 14: Transport information

Land transport (ADR/RID)

Other applicable information (land transport)

Not subject to transport regulations.

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)

Other applicable information (marine transport)

Not subject to transport regulations.

Air transport (ICAO-TI/IATA-DGR)

Other applicable information (air transport)

Not subject to transport regulations.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

no data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Water contaminating class (D): 2 - clearly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Revision: 23.04.2018

Safety datasheet sections which have been updated: 8, 11, 16

Revision: 23.04.2015

Safety datasheet sections which have been updated: 2

Revision: 25.02.2015

Safety datasheet sections which have been updated: 2, 10

Revision: 06.11.2013

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H226 Flammable liquid and vapour.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.





according to Regulation (EC) No 1907/2006

424-32 Hardness 1 Buffer

Revision date: 23.04.2018 Product code: 42432 Page 9 of 9

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)





according to Regulation (EC) No 1907/2006

425-32 Hardness 2 Solution

Revision date: 23.04.2018 Product code: 42532 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

425-32 Hardness 2 Solution

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.
5, Pacific Way

Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324

e-Mail: info-uk@hach.com

HACH LANGE Ltd.

Unit 1, Chestnut Road Western Industrial Estate

IRL-Dublin 12

Tel. +353 (0)1 4602522 e-Mail: info-ie@hach.com

1.4. Emergency telephone Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency

number: service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Substance or mixture corrosive to metals: Met. Corr. 1

Flammable liquid: Flam. Liq. 3 Skin corrosion/irritation: Skin Corr. 1

Serious eye damage/eye irritation: Eye Dam. 1 Respiratory or skin sensitisation: Skin Sens. 1

Carcinogenicity: Carc. 2

Specific target organ toxicity - repeated exposure: STOT RE 2

Hazard Statements: May be corrosive to metals. Flammable liquid and vapour.

Causes severe skin burns and eye damage.

Causes serious eye damage.
May cause an allergic skin reaction.
Suspected of causing cancer.

May cause damage to organs through prolonged or repeated exposure.

2.2. Label elements

Regulation (EC) No. 1272/2008





according to Regulation (EC) No 1907/2006

425-32 Hardness 2 Solution

Revision date: 23.04.2018 Product code: 42532 Page 2 of 11

Hazard components for labelling

hydroxylammonium chloride; hydroxylamine hydrochloride

propan-2-ol; isopropyl alcohol; isopropanol

Signal word: Danger

Pictograms:









Hazard statements

H226	Flammable liquid and vapour.
H290	May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction. H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P243 Take action to prevent static discharges.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

or shower.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P310 Immediately call a POISON CENTER/doctor.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



according to Regulation (EC) No 1907/2006

425-32 Hardness 2 Solution

Revision date: 23.04.2018 Product code: 42532 Page 3 of 11

Hazardous components

CAS No	Chemical name						
	EC No	Index No	REACH No				
	Classification according to Re						
57-55-6	1,2-Propanediol			90-100 %			
	200-338-0						
5470-11-1	hydroxylammonium chloride; hydroxylamine hydrochloride						
	226-798-2	612-123-00-2					
	Met. Corr. 1, Carc. 2, Acute Tox. 4, Acute Tox. 4, STOT RE 2, Eye Irrit. 2, Skin Irrit. 2, Skin Sens. 1, Aquatic Acute 1; H290 H351 H312 H302 H373 ** H319 H315 H317 H400						
67-63-0	propan-2-ol; isopropyl alcohol	; isopropanol		< 5 %			
	200-661-7	603-117-00-0					
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336						
3147-14-6	Calmagite						
	221-563-0						
	Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H315 H319 H335						

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately. Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air. Consult a physician for severe cases.

After contact with skin

Wash off with soap and water. If skin irritation persists, call a physician.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Show this safety data sheet to the doctor in attendance.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Show this safety data sheet to the doctor in attendance.

Never give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion. May produce an allergic reaction. Can be absorbed through skin.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water, Dry powder, Carbon dioxide (CO2), Alcohol-resistant foam

Unsuitable extinguishing media

No Limit



Safety Data Sheet

HACH LANGE GmbH

according to Regulation (EC) No 1907/2006

425-32 Hardness 2 Solution

Revision date: 23.04.2018 Product code: 42532 Page 4 of 11

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

Carbon monoxide, Carbon dioxide (CO2), Acid chlorides

5.3. Advice for firefighters

In the case of respirable dust and/or fumes, use self-contained breathing apparatus and dust impervious protective suit.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Only qualified personnel equipped with suitable protective equipment may intervene. Immediately evacuate personnel to safe areas.

Do not breathe vapours, mist or gas.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local/national regulations (see section 13).

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes. Use only in well-ventilated areas. Do not breathe vapours or spray mist.

Advice on protection against fire and explosion

None known.

See also section 5 Observe label precautions.

Further information on handling

Observe label precautions.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep away from open flames, hot surfaces and sources of ignition.

Hints on joint storage

Incompatible with oxidizing agents.

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters





according to Regulation (EC) No 1907/2006

425-32 Hardness 2 Solution

Revision date: 23.04.2018 Product code: 42532 Page 5 of 11

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL
57-55-6	Propane-1,2-diol, particulates	_	10		TWA (8 h)	WEL

Additional advice on limit values

None known.

8.2. Exposure controls

Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Wash hands before breaks and after work.

General industrial hygiene practice.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact:

Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0.20 mm, Breakthrough time: > 30 min

material. Hittle rubber, Layer trickness 0,20 mm, breaktinough time. > 30 mm

Consult your supplier if the material is to be used for special applications such as in the food industry or for hygiene, medical or surgical end-use.

Skin protection

Avoid contact with skin, eyes and clothing.

Respiratory protection

Provide adequate ventilation.

Avoid breathing dust or vapour.

Breathing apparatus needed only when aerosol or mist is formed.

Recommended Filter type: ABEK-filter

Environmental exposure controls

Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid Colour: dark red

Odour: pleasant, like fruit

pH-Value (at 20 °C): 1,09

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Sublimation point:

Softening point:

Pour point:

not applicable
not applicable
not applicable
not applicable
not applicable





according to Regulation (EC) No 1907/2006

425-32 Hardness 2 Solution

Revision date: 23.04.2018 Product code: 42532 Page 6 of 11

no data available

Flash point: 25,7 °C

Flammability

Solid: no data available
Gas: no data available

Explosive properties

not applicable

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

no data available

no data available

Auto-ignition temperature

Solid: no data available
Gas: no data available
Decomposition temperature: no data available

Oxidizing properties

no data available

Vapour pressure:no data availableDensity (at 20 °C):1,01 g/cm³Bulk density:not applicableWater solubility:soluble

(at 20 °C)

Solubility in other solvents

no data available

Partition coefficient: no data available no data available Viscosity / dynamic: Viscosity / kinematic: no data available no data available Flow time: no data available Vapour density: no data available Evaporation rate: Solvent separation test: no data available Solvent content: no data available

9.2. Other information

Solid content: no data available

May be corrosive to metals. Aluminium 0,001 in/yr Mild steel: 0,288 in/yr

SECTION 10: Stability and reactivity

10.1. Reactivity

May be corrosive to metals.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Reacts with the following substances: Oxidizing agents



according to Regulation (EC) No 1907/2006

425-32 Hardness 2 Solution

Revision date: 23.04.2018 Product code: 42532 Page 7 of 11

10.4. Conditions to avoid

Heat, flames and sparks. To avoid thermal decomposition, do not overheat.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Carbon monoxide, Carbon dioxide (CO2), Acid chlorides

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No toxicology information is available.

Acute toxicity

No data is available on the product itself.

CAS No	Chemical name								
	Exposure route	Dose		Species	Source	Method			
57-55-6	1,2-Propanediol	1,2-Propanediol							
	oral	LD50 mg/kg	20000	rat	Toxicology and Appli				
	dermal	LD50 mg/kg	20800	rabbit	Raw Material Data Ha				
5470-11-1	hydroxylammonium chloride; hydroxylamine hydrochloride								
	oral	LD50 mg/kg	141	rat					
	dermal	ATE mg/kg	1100						
67-63-0	propan-2-ol; isopropyl ale	cohol; isoprop	oanol						
	oral	LD50 mg/kg	5045	rat	RTECS				
	dermal	LD50 mg/kg	12800	rabbit					
	inhalation (4 h) vapour	LC50	46,5 mg/l	rat					

Irritation and corrosivity

Causes skin and eye burns.

Sensitising effects

May cause allergic skin reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

H351 - Suspected of causing cancer.

STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

H373 - May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

No toxicology information is available.

Additional information on tests

None known.



according to Regulation (EC) No 1907/2006

425-32 Hardness 2 Solution

Revision date: 23.04.2018 Product code: 42532 Page 8 of 11

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice

SECTION 12: Ecological information

12.1. Toxicity

No data is available on the product itself.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
57-55-6	1,2-Propanediol						
	Acute fish toxicity	LC50 mg/l	51600	96 h	Oncorhynchus mykiss (rainbow trout)	OECD 203	
	Acute crustacea toxicity	EC50 mg/l	34400	48 h	Daphnia magna (Water flea)	Information taken from reference works and the literature.	
5470-11-1	hydroxylammonium chloride; hydroxylamine hydrochloride						
	Acute fish toxicity	LC50 mg/l	1-10	96 h	Leuciscus idus (Golden orfe)		
67-63-0	propan-2-ol; isopropyl alc	ohol; isopro	panol				
	Acute fish toxicity	LC50 mg/l	1400	96 h	Lepomis macrochirus (Bluegill sunfish)		
	Acute algae toxicity	ErC50 mg/l	> 1000	72 h	Pseudokirchneriella subcapitata (green algae)	IUCLID	
	Acute crustacea toxicity	EC50 mg/l	13299	48 h	Daphnia magna (Water flea)	UICLID	

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

No data is available on the product itself.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
57-55-6	1,2-Propanediol	-0,92

12.4. Mobility in soil

No data is available on the product itself.

12.5. Results of PBT and vPvB assessment

No data is available on the product itself.

12.6. Other adverse effects

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

In accordance with local and national regulations.

Waste disposal number of waste from residues/unused products



according to Regulation (EC) No 1907/2006

425-32 Hardness 2 Solution

Revision date: 23.04.2018 Product code: 42532 Page 9 of 11

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals: laboratory chemicals, consisting of or containing hazardous substances.

including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: UN 2924

14.2. UN proper shipping name: FLAMMABLE LIQUID, CORROSIVE, N.O.S. (<10% propan-2-ol; isopropyl

alcohol; isopropanol, hydroxylammonium chloride; hydroxylamine

hydrochloride)

14.3. Transport hazard class(es):314.4. Packing group:III

Hazard label: 3+8



Classification code: FC
Special Provisions: 274
Limited quantity: 5 L
Excepted quantity: E1
Transport category: 3
Hazard No: 38
Tunnel restriction code: D/E

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)

14.1. UN number: UN 2924

14.2. UN proper shipping name: FLAMMABLE LIQUID, CORROSIVE, N.O.S.(10%

Isopropanol-/hydroxylamine hydrochloride solution)

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3+8



Marine pollutant: -Special Provisions: 223, 274
Limited quantity: 5 L



Be Right[™]

Safety Data Sheet

according to Regulation (EC) No 1907/2006

425-32 Hardness 2 Solution

Revision date: 23.04.2018 Product code: 42532 Page 10 of 11

Excepted quantity: E1
EmS: F-E, S-C

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 2924

14.2. UN proper shipping name: FLAMMABLE LIQUID, CORROSIVE, N.O.S.(10%)

Isopropanol-/hydroxylamine hydrochloride solution)

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3+8



Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Excepted quantity:

A3 A803

1 L

Y342

Excepted quantity:

E1

IATA-packing instructions - Passenger: 354
IATA-max. quantity - Passenger: 5 L
IATA-packing instructions - Cargo: 365
IATA-max. quantity - Cargo: 60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: yes



Danger releasing substance: hydroxylammonium chloride; hydroxylamine hydrochloride

14.6. Special precautions for user

no data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

Other applicable information

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit, Hazard Class: 9, UN Number3316, Package group II, EMS Code: F-A, S-P These transport data apply to the entire pack

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water contaminating class (D): 2 - clearly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes



according to Regulation (EC) No 1907/2006

425-32 Hardness 2 Solution

Revision date: 23.04.2018 Product code: 42532 Page 11 of 11

Revision: 23.04.2018

Safety datasheet sections which have been updated: 8, 11, 15, 16

Revision: 16.03.2017

Safety datasheet sections which have been updated: 2, 4, 11

Revision: 27.05.2015

Safety datasheet sections which have been updated: 2, 4, 11

Revision: 06.11.2013

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Flam. Liq. 3; H226	On basis of test data
Skin Corr. 1; H314	On basis of test data
Eye Dam. 1; H318	On basis of test data
Skin Sens. 1; H317	Calculation method
Carc. 2; H351	Calculation method
STOT RE 2; H373	Calculation method

Relevant H and EUH statements (number and full text)

H22	25	Highly flammable liquid and vapour.
H22	26	Flammable liquid and vapour.
H29	90	May be corrosive to metals.
H30)2	Harmful if swallowed.
H3′	12	Harmful in contact with skin.
H3′	14	Causes severe skin burns and eye damage.
H3′	15	Causes skin irritation.
H3′	17	May cause an allergic skin reaction.
H3′	19	Causes serious eye irritation.
H33	35	May cause respiratory irritation.
H33	36	May cause drowsiness or dizziness.
H35	51	Suspected of causing cancer.
H37	73	May cause damage to organs through prolonged or repeated exposure.
H4(00	Very toxic to aquatic life.

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)



Safety Data Sheet

HACH LANGE GmbH

according to Regulation (EC) No 1907/2006

426-32 Hardness 3 Solution

Revision date: 23.04.2018 Product code: 42632 Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

426-32 Hardness 3 Solution

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.

5, Pacific Way

Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324

e-Mail: info-uk@hach.com

HACH LANGE Ltd.

Unit 1, Chestnut Road Western Industrial Estate

IRL-Dublin 12

Tel. +353 (0)1 4602522 e-Mail: info-ie@hach.com

1.4. Emergency telephone Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency

number: service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

2.2. Label elements

Additional advice on labelling

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



according to Regulation (EC) No 1907/2006

426-32 Hardness 3 Solution

Revision date: 23.04.2018 Product code: 42632 Page 2 of 8

Hazardous components

CAS No	Chemical name							
	EC No	Index No	REACH No					
	Classification according to Regula	Classification according to Regulation (EC) No. 1272/2008 [CLP]						
7732-18-5	Water							
	231-791-2							
57-55-6	1,2-Propanediol							
	200-338-0							
-	hydrochloric acid %							
	231-595-7	017-002-01-X						
	Skin Corr. 1B, STOT SE 3; H314 H335							

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately.

After inhalation

Move to fresh air.

If symptoms persist, call a physician.

After contact with skin

Wash off immediately with plenty of water.

In the case of skin irritation or allergic reactions see a physician.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

After ingestion

Clean mouth with water and drink afterwards plenty of water.

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

No known effect.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local





according to Regulation (EC) No 1907/2006

426-32 Hardness 3 Solution

Revision date: 23.04.2018 Product code: 42632 Page 3 of 8

regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas.

Advice on protection against fire and explosion

See also section 5

Further information on handling

Avoid contact with skin, eyes and clothing.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in a dry, cool place.

Hints on joint storage

None known.

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7647-01-0	Hydrogen chloride (gas and aerosol mists)	1	2		TWA (8 h)	WEL
		5	8		STEL (15 min)	WEL
57-55-6	Propane-1,2-diol, particulates	-	10		TWA (8 h)	WEL

Additional advice on limit values

None known.

8.2. Exposure controls

Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Wash hands before breaks and after work.





Safety Data Sheet

according to Regulation (EC) No 1907/2006

426-32 Hardness 3 Solution

Revision date: 23.04.2018 Product code: 42632 Page 4 of 8

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Skin protection

Remove and wash contaminated clothing before re-use.

Respiratory protection

Breathing apparatus only if aerosol or dust is formed.

Recommended Filter type: ABEK-filter

Environmental exposure controls

Should not be released into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid

Colour: colourless, clear Odour: odourless

pH-Value (at 20 °C): 5

Changes in the physical state

Melting point:not applicableInitial boiling point and boiling range:> 100 °CSublimation point:not applicableSoftening point:not applicablePour point:not applicable:no data availableFlash point:not applicableSustaining combustion:No data available

Flammability

Solid: not applicable
Gas: not applicable

Explosive properties

not applicable

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not applicable

not applicable

Auto-ignition temperature

Solid: not applicable
Gas: not applicable

Decomposition temperature: not applicable

Oxidizing properties

not applicable

Vapour pressure:

Vapour pressure:

no data available

no data available

Density (at 20 °C):

1,026 g/cm³



Safety Data Sheet

according to Regulation (EC) No 1907/2006

426-32 Hardness 3 Solution

Revision date: 23.04.2018 Product code: 42632 Page 5 of 8

Bulk density: not applicable Water solubility: soluble

(at 20 °C)

Solubility in other solvents

soluble

Partition coefficient: no data available Viscosity / dynamic: no data available Viscosity / kinematic: no data available Flow time: no data available Vapour density: no data available Evaporation rate: no data available Solvent separation test: no data available Solvent content: no data available

9.2. Other information

Solid content: not applicable

no data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

No hazardous decomposition products are known.

Further information

None known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

No data is available on the product itself.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

426-32 Hardness 3 Solution

Revision date: 23.04.2018 Product code: 42632 Page 6 of 8

CAS No	Chemical name								
	Exposure route	Dose		Species	Source	Method			
57-55-6	1,2-Propanediol								
	oral	LD50 mg/kg	20000	rat	Toxicology and Appli				
	dermal	LD50 mg/kg	20800	rabbit	Raw Material Data Ha				
-	hydrochloric acid %								
	dermal	LD50 mg/kg	>5010						

Irritation and corrosivity

No known effect.

Sensitising effects

No known effect.

Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

No data is available on the product itself.

Additional information on tests

no data available

Practical experience

Observations relevant to classification

no data available

Other observations

no data available

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

No data is available on the product itself.

Do not flush into surface water or sanitary sewer system.



according to Regulation (EC) No 1907/2006

426-32 Hardness 3 Solution

Revision date: 23.04.2018 Product code: 42632 Page 7 of 8

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method		
57-55-6	1,2-Propanediol								
	Acute fish toxicity	LC50 mg/l	51600	l .	Oncorhynchus mykiss (rainbow trout)	OECD 203			
	Acute crustacea toxicity	EC50 mg/l	34400	l .	Daphnia magna (Water flea)	Information taken from reference works and the literature.			
-	hydrochloric acid %								
	Acute fish toxicity	LC50	862 mg/l	96 h	Leuciscus idus				

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

No data is available on the product itself.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
57-55-6	1,2-Propanediol	-0,92

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

No known effect.

Further information

no data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

In accordance with local and national regulations.

Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information



Safety Data Sheet

HACH LANGE GmbH

according to Regulation (EC) No 1907/2006

426-32 Hardness 3 Solution

Revision date: 23.04.2018 Product code: 42632 Page 8 of 8

Land transport (ADR/RID)

Other applicable information (land transport)

Not subject to transport regulations.

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)

Other applicable information (marine transport)

Not subject to transport regulations.

Air transport (ICAO-TI/IATA-DGR)

Other applicable information (air transport)

Not subject to transport regulations.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

no data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

Other applicable information

no data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Revision: 23.04.2018

Safety datasheet sections which have been updated: 4, 8, 11

Revision: 22.04.2015

Safety datasheet sections which have been updated: 2

Relevant H and EUH statements (number and full text)

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)