

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931208	VISOCOLOR ECO Ammonium 3, refill pack	Page: 1/12
Printing date: 12.05.2021	Date of issue: 13.01.2021	

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

REF 931208
 Product name VISOCOLOR ECO Ammonium 3, refill pack

REACH Registration number(s): see SECTION 3.1/3.2 or
 A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

1 x 30 mL NH₄ -1
 1 x 2,5 g NH₄ -2
 1 x 10 mL NH₄ -3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses
 Product for analytical use.
 Exposure Scenario Classification according REACH, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0
 The exposure scenario is integrated into sections 1-16.

Uses advised against
 not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:
 MACHEREY-NAGEL GmbH & Co. KG
 Valenciener Str. 11, 52355 Düren, GERMANY
 Tel.: +49 2421 969 0

E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service.
 DE: Gemeinsames Giftinformationszentrum (GGIZ) 99089 Erfurt tel. +49 361 730 730

You find our current versions of SDS (22 languages) in Internet: <http://www.mn-net.com/SDS>

SECTION 2: Hazard identification

2.0 Classification of the complete product



GHS02 GHS05

Signal word DANGER

Hazard identification	Hazard classes/categories
H226	Flam. Liq. 3
H290	Met. Corr. 1
H314	Skin Corr. 1A
H412	Aquatic Chronic 3

2.1 Classification of the substance or mixture

30 mL NH₄ -1



GHS05

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931208	VISOCOLOR ECO Ammonium 3, refill pack	Page: 2/12
Printing date: 12.05.2021	Date of issue: 13.01.2021	

Signal word	DANGER
Hazard identification	Hazard classes/categories
H290 H314	Met. Corr. 1 Skin Corr. 1A
2,5 g NH₄ -2	
Signal word	Do not need labelling as hazardous
No hazard class	-

10 mL NH₄ -3



GHS02 GHS05

Signal word	DANGER
Hazard identification	Hazard classes/categories
H226 H314 H412	Flam. Liq. 3 Skin Corr. 1B Aquatic Chronic 3

2.2 Label elements

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identifier(s) (EU 1272/2008 Annex I - 1.5.1.2).

Harmful chemicals/mixtures with signal word: **WARNING** and highly flammable chemicals/mixtures must not be labelled with H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2).

Metal corrosive solutions **do not have to** be labelled with GHS symbol, signal word, H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2.1.3).

30 mL NH₄ -1



GHS05

Signal word: DANGER

H314

Causes severe skin burns and eye damage.

P260sh, P280sh, P303+361+353, P305+351+338, P310

Do not breathe dust/vapours. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

2,5 g NH₄ -2

Do not need labelling as hazardous

Signal word: -

10 mL NH₄ -3



GHS02 GHS05

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931208

VISOCOLOR ECO Ammonium 3, refill pack

Page: 3/12

Printing date: 12.05.2021

Date of issue: 13.01.2021

Signal word: DANGER

H314, H412

Causes severe skin burns and eye damage. Harmful to aquatic life with long lasting effects.

P260sh, P280sh, P303+361+353, P305+351+338, P310

Do not breathe dust/vapours. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

2.3 Other hazards

Possible hazards from physicochemical properties

Generally in the case of pH values are less than 2 or higher than 11.5 then it is corrosive. Flammable properties. H290 "May be corrosive to metals." has only relevance for higher concentrations and larger amounts. The labelling GHS05 would be creating an "OVERLABELLING" (see GHS Directive 1272/2008/EC Annex I, chapter 1.5.2.1.3., until 125 mL no labelling necessary). ---

Information pertaining to particular risks to human and possible symptoms

Causes varying degrees of acid burns on the skin, to the eyes and to the mucous membranes and wounds which do not heal quickly depending on the concentration, temperature and the exposure time. Vapours especially which steam from hot liquids and mist can have a severe irritant effect upon the eyes and the respiratory organs.

-

Information pertaining to particular risks to the environment

Harmful to aquatic life with long lasting effects. Avoid contact of substance/mixture to environment.

PBT: not applicable

vPvB: not applicable

Other hazards

SECTION 3: Composition/information on ingredients

3.1 Substances or 3.2 Mixtures

30 mL NH₄-1

Chemical: sodium hydroxide solution

CAS No.: 1310-73-2

Classification: H290, Met. Corr. 1, H314, Skin Corr. 1B

Formula: NaOH·H₂O

Pseudonym: soda lye

TSCA Inventory: listed

REACH Reg. No.: 01-2119457892-27-xxxx

EC No.: 215-185-5

Indice No.: 011-002-00-6

RTECS: WB4900000

KE No.: KE-31487

Concentration: 5 - <10 %

acc. CLP (GHS): H290, Met. Corr. 1, H314, Skin Corr. 1B

Chemical: tri-sodium citrate

CAS No.: 6132-04-3

Classification: No criteria for classification or naming of chemical not required.

Formula: C₆H₅Na₃O₇·2H₂O

TSCA Inventory: listed (CAS 68-04-2)

REACH Reg. No.: 01-2119457027-40-xxxx

EC No.: 200-675-3

RTECS: GE8300000

KE No.: KE-20843

Concentration: 10 - <20 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

2,5 g NH₄-2

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931208

VISOCOLOR ECO Ammonium 3, refill pack

Page: 4/12

Printing date: 12.05.2021

Date of issue: 13.01.2021

Chemical: *dichloroisocyanuric acid, Na salt* CAS No.: 2893-78-9
 Classification: H272, Ox. Liq. 2, H302, Acute Tox. 4 oral, H319, Eye Irrit. 2, H335, STOT SE 3, H410, Aquatic
 Chronic 1, EUH031, 031 not defined
 Formula: $C_3Cl_2N_3NaO_3$
 Pseudonym: troclosene sodium, sodium 3,5-dichloro-2,4,6-trioxo-1,3,5-triazinan-1-ide
 TSCA Inventory: listed
 REACH Reg. No.: 01-2119489371-33-xxxx
 EC No.: 220-767-7 Indice No.: 613-030-01-7
 RTECS: XZ1900000 MFCD: 00006036
 KE No.: KE-10215, >25% Toxic 2014-1-688
 Concentration: 3 - <10 %
 acc. CLP (GHS): The criteria for classification are not fulfilled.

Chemical: *sodium chloride* CAS No.: 7647-14-5
 Classification: No criteria for classification or naming of chemical not required.
 Formula: NaCl
 Pseudonym: salt
 TSCA Inventory: listed
 REACH Reg. No.: exempt, Annex V
 EC No.: 231-598-3
 RTECS: VZ4725000
 KE No.: KE-31387
 Concentration: 80 - <100 %
 acc. CLP (GHS): The criteria for classification are not fulfilled.

10 mL NH₄-3

Chemical: *sodium nitroprusside* CAS No.: 13755-38-9
 Classification: H301, Acute Tox. 3 oral
 Formula: $Na_2[Fe(CN)_5NO]_2 \cdot 2H_2O$
 Pseudonym: disodium pentacyanonitrosylferrate
 TSCA Inventory: listed (CAS 14402-89-2)
 EC No.: 238-373-9
 RTECS: LJ89250000
 KE No.: not listed
 Concentration: 1 - <5 %
 acc. CLP (GHS): The criteria for classification are not fulfilled.

Chemical: *ethanol* CAS No.: 64-17-5
 (denatured with 1%IPA/1%MEK, acc.2016/1867/EU)
 Classification: H225, Flam. Liq. 2
 Formula: C_2H_6O ; C_2H_5OH
 Pseudonym: ethyl alcohol, methylated spirit
 TSCA Inventory: listed
 REACH Reg. No.: 01-2119457610-43-xxxx
 EC No.: 200-578-6 Indice No.: 603-002-00-5
 RTECS: KQ6300000 MFCD: 00003568
 KE No.: KE-13217
 Concentration: 35 - <55 %
 acc. CLP (GHS): H226, Flam. Liq. 3

Chemical: *thymol* CAS No.: 89-83-8
 Classification: H302, Acute Tox. 4 oral, H314, Skin Corr. 1B, H411, Aquatic Chronic 2
 Formula: $C_{10}H_{14}O$
 Pseudonym: 5-methyl-2-(1-methylethyl)-phenol
 TSCA Inventory: listed
 REACH Reg. No.: 01-2119511177-46-xxxx
 EC No.: 201-944-8 Indice No.: 604-032-00-1
 RTECS: XP2275000 MFCD: 00002309
 KE No.: KE-24420
 Concentration: 5 - <10 %
 acc. CLP (GHS): H314, Skin Corr. 1B, H412, Aquatic Chronic 3

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

List of H and P phrases: see section 16.1

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931208

VISOCOLOR ECO Ammonium 3, refill pack

Page: 5/12

Printing date: 12.05.2021

Date of issue: 13.01.2021

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice. Remove contaminated clothing. Show product package, packing insert and this material safety data sheet to the doctor.

4.1.1 After SKIN Contact

Remove contaminated clothing immediately. Rinse the affected skin or mucous membrane thoroughly for min. 15 minutes under running water. (If possible) use soap. Avoid neutralisation. Then apply a loose bandage.

4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open for min. 10 minutes with eye washing bottle, eye douche or running water (protect intact eye). Before (if possible) apply eye drops Proxymetacaine 0.5%, if the opening the eyelid convulsion is painful. Further treatment to be carried out by an eye specialist.

4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. If vomiting and if insensible place patient in recovery position and keep airways free. ---

4.1.4 After ORAL Intake

After oral intake lots of water with activated charcoal supplement should be drunk after it has been ingested. Do not induce vomiting under any circumstances. Do not make any efforts to neutralise it. Contact medical advice for possible consequences. ---

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

CORROSIVE DAMAGE: After SKIN CONTACT rinse with water for a long time. Efforts to neutralise the substance can frequently make matters worse. Apply glucocorticosteroides following inflammatory reactions. After EYE CONTACT rinse immediately with plenty of water for a long time. Eyelid convulsion measures. Name the corrosive chemical. Further treatment must be carried out by an eye specialist. After INTAKE administer aluminium oxide drug suspensions. Administer a prophylaxis to counter pulmonary oedema following the INGESTION of corrosive aerosols. In the event of RESPIRATORY DISTRESSES ensure that the patient inhales oxygen. ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.2 Special hazards arising from the substance or mixture

WARNING: Flammable (GHS regulation). May form explosive vapour-air mixtures. Formation of hazardous and caustic vapour-air mixtures possible. ---

5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic. Spray any vapours released with water. Retent fire water. Use only acid-resistant safety equipment.

For great amount - if necessary - protective breathing apparatus which is independent of the ambient air (isolated equipment), and sealed protective clothing is necessary in the event of a large-scale formation of toxic substances.

5.4 Additional information

Danger for environment **only in the event of a large-scale leakage** or formation of hazardous substances. ---

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Wear suitable protective gloves (see 8.2.2). Wear eye protection, respectively face protection. Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.

6.2 Environmental precautions

not necessary, contains only small amounts of these substances

6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent. And dispose in accordance to local regulations for the disposal of hazardous chemicals. Clean any contaminated equipment and floors with plenty of water. Collect small amounts of leaked liquid and flush with water into drains.

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931208	VISOCOLOR ECO Ammonium 3, refill pack	Page: 6/12
Printing date: 12.05.2021	Date of issue: 13.01.2021	

6.4 Reference to other sections

see information in section 5.4 ---

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

7.2 Conditions for safe storage, including any incompatibilities

The original product package of MACHEREY-NAGEL allows a safe storage.

Storage class (VCI): 3
Water hazard class (DE): 3

7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage. Use inbreakable container for transport of glass bottles.

7.3 Specific end use(s)

Product for analytical use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

30 mL NH₄ -1

Chemical: *sodium hydroxide solution* CAS No.: 1310-73-2

DNEL: [inh] 1 mg/m³
DNEL = Derived No-Effect Level (for workers)

TRGS 900 (DE): 2 mg/m³
E/e respirable

Short-term exposure factor: (=1=, Y)
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 2 e mg/m³

NIOSH: 2 mg/m³
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 2 mg/m³

Chemical: *tri-sodium citrate* CAS No.: 6132-04-3

2,5 g NH₄ -2

Chemical: *dichloroisocyanuric acid, Na salt* CAS No.: 2893-78-9

NIOSH: not listed
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

Chemical: *sodium chloride* CAS No.: 7647-14-5

10 mL NH₄ -3

Chemical: *sodium nitroprusside* CAS No.: 13755-38-9

Chemical: *ethanol* CAS No.: 64-17-5

DNEL: [derm] 343 mg/kg; [inh] 950 mg/m³
DNEL = Derived No-Effect Level (for workers)

PNEC_(fresh water): 0.96 mg/L
PNEC = Predicted No Effect Concentration

TRGS 900 (DE): 200 mL/m³ / 380 mg/m³
E/e respirable

Short-term exposure factor: 4 (II), Y
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 500 ppm / 960 mg/m³

NIOSH: [TWA] 1000 ppm / 1900 mg/m³
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 1000 ppm / 1900 mg/m³

Chemical: *thymol* CAS No.: 89-83-8

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931208

VISOCOLOR ECO Ammonium 3, refill pack

Page: 7/12

Printing date: 12.05.2021

Date of issue: 13.01.2021

8.2 Exposure controls

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

8.2.1 Respiratory protection

No additional recommendations.

8.2.2 Hand protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

8.2.3 Eye protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection or face protection.

8.2.4 Skin protection

Recommended to avoid clothing damage, and to avoid contamination with these hazards.

8.2.5 Personal hygiene

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

30 mL NH₄ -1

Appearance: liquid
pH:

Colour: colourless
11,5-12,5

Odor: odorless

2,5 g NH₄ -2

Appearance: powder (solid)
pH:

Colour: colourless
5-7

Odor: chloric

10 mL NH₄ -3

Appearance: liquid
pH:
Flash point:
Specific gravity:

Colour: rose
6-8
23 °C
0,9 g/cm³

Odor: organic

9.2 Other information

Data for the other parameters of the mixtures are not available, because no registration and no chemical safety report is required.

Relevant Properties of Substance Group

SECTION 10: Stability and reactivity

10.1 Reactivity

no further data available.

10.2 Chemical stability

No known instability.

10.3 Possibility of hazardous reactions

Can react violently with organic material. No further data available.

10.4 Conditions to avoid

Not necessary. ---

10.5 Incompatible materials

Avoid contact with strong acids or alkalines.

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931208

VISOCOLOR ECO Ammonium 3, refill pack

Page: 8/12

Printing date: 12.05.2021

Date of issue: 13.01.2021

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

30 mL NH₄ -1

Chemical:	<i>sodium hydroxide solution</i>	CAS No.:	1310-73-2
TSCA Inventory:	listed	California Proposition 65 List:	not listed
Exposure Routes:	inhalation, ingestion, skin and/or eye contact		
Target Organs:	Eyes, skin, respiratory system		
Symptoms:	irritation eyes, skin, mucous membrane; pneumonitis; eye, skin burns; temporary loss of hair		
Australia NICNAS:	not listed	Canada CEPA 1999:	DSL Yes
Japan CSCL/PRTR:	not listed, Japan PDSCL: not listed		
Japan ISHL:	listed ≥1,0%/≥1,0%, Article 57-2 (SDS required)		
South Korea TCCA:	not listed		
Korea Exist.Chem.Inventory:	KE-31487		
LD50 _{orl rat} :	[40%] 1250 / [<25%] >2000 mg/kg		
LD50 _{drm rbt} :	not applicable		
LD50 _{orl mus} :	40 mg/kg		

Chemical:	<i>tri-sodium citrate</i>	CAS No.:	6132-04-3
TSCA Inventory:	listed (CAS 68-04-2)		
Korea Exist.Chem.Inventory:	KE-20843		
LD50 _{orl rat} :	>8000 mg/kg		

2,5 g NH₄ -2

Chemical:	<i>dichloroisocyanuric acid, Na salt</i>	CAS No.:	2893-78-9
TSCA Inventory:	listed	California Proposition 65 List:	not listed
Australia NICNAS:	not listed	Canada CEPA 1999:	DSL Yes
Japan CSCL/PRTR:	not listed, Japan PDSCL: not listed		
Japan ISHL:	not listed		
South Korea TCCA:	not listed		
Korea Exist.Chem.Inventory:	KE-10215, >25% Toxic 2014-1-688		
LD50 _{orl rat} :	550-1600 mg/kg		
LC _{LoWorl hmn} :	3570 mg/kg		
LD50 _{drm rbt} :	>5000 mg/kg		

Chemical:	<i>sodium chloride</i>	CAS No.:	7647-14-5
TSCA Inventory:	listed		
Korea Exist.Chem.Inventory:	KE-31387		
LD50 _{orl rat} :	3000 mg/kg		
LD50 _{drm rbt} :	10 g/kg		

10 mL NH₄ -3

Chemical:	<i>sodium nitroprusside</i>	CAS No.:	13755-38-9
TSCA Inventory:	listed (CAS 14402-89-2)		
Korea Exist.Chem.Inventory:	not listed		
LD50 _{orl rat} :	99 mg/kg		
LC _{LoWorl rat} :	20 mg/kg		

Chemical:	<i>ethanol</i>	CAS No.:	64-17-5
TSCA Inventory:	listed	California Proposition 65 List:	not listed
ACGIH:	1000 ppm		
Exposure Routes:	inhalation, ingestion, skin and/or eye contact		
Target Organs:	Eyes, skin, respiratory system, central nervous system, liver, blood, reproductive system		
Symptoms:	irritation eyes, skin, nose; headache, drowsiness, lassitude (weakness, exhaustion), narcosis; cough; liver damage; anemia; reproductive, teratogenic		
Australia NICNAS:	not listed	Canada CEPA 1999:	DSL yes
Japan CSCL/PRTR:	not listed, Japan PDSCL: not listed		
Japan ISHL:	listed ≥0,1%/≥0,1%, Article 57-2 (SDS required)		
South Korea TCCA:	not listed		
Korea Exist.Chem.Inventory:	KE-13217		
LD50 _{orl rat} :	6200 mg/kg		

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international:

CH:

FR:

US:

Tel.: +49 24 21 969-0

Tel.: +41 62 388 55 00

Tel.: +33 388 68 22 68

Tel.: +1 484 821 0984

Fax: +49 24 21 969-199

Fax: +41 62 388 55 05

Fax: +33 388 51 76 88

Fax: +1 484 821 1272

E-mail: info@mn-net.com

E-mail: sales-ch@mn-net.com

E-mail: sales-fr@mn-net.com

E-mail: sales-us@mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931208

VISOCOLOR ECO Ammonium 3, refill pack

Page: 9/12

Printing date: 12.05.2021

Date of issue: 13.01.2021

LC₅₀_{ihl} gpg : 21.9 g/m³
 LC₅₀_{ihl} mouse : 1400 mg/kg
 LC₅₀_{ihl} rat : [4h] 39 g/m³
 LC₅₀_{ihl} rat : [10h] 20 g/m³
 LD₅₀_{drm} rbt : 20 000 mg/kg
 LD₅₀_{oral} mouse : 3450 mg/kg

TRGS 905 (DE): K5, M5, Rf C

Chemical: *thymol*
 TSCA Inventory: listed
 Korea Exist.Chem.Inventory: KE-24420
 LD₅₀_{orl} rat : 980 mg/kg
 LD₅₀_{drm} rat : > 2000 mg/kg

CAS No.: 89-83-8

SECTION 12: Ecological information

12.1 Toxicity

Following information is valid for pure substances.

30 mL NH₄ -1

Chemical: *sodium hydroxide solution*
 Avoid contact of substance/mixture to environment.
 LC₅₀_{leuciscus idus/96h} : 35-189 mg/L
 LC₅₀_{fish/96h} : 45.4 mg/L
 EC₅₀_{daphnia/48h} : >100 mg/L
 Water hazard class (DE): 1 WGK No.: 142
 Storage class (VCI): 8 B

CAS No.: 1310-73-2

Chemical: *tri-sodium citrate*
 LC₅₀_{fish/96h} : 18-32 g/L
 EC₅₀_{daphnia/48h} : 5.6-10 g/L
 EC₅₀_{chlorella vulgaris/5d} : >18-32 g/L
 EC₁₀_{pseudomonas putita/16h} : EC₅₀_{ps. fluorescens/8h} : >1.8-3.2 g/L
 Water hazard class (DE): 1
 Storage class (VCI): 12-13

CAS No.: 6132-04-3

2,5 g NH₄ -2

Chemical: *dichloroisocyanuric acid, Na salt*
 Water hazard class (DE): 3
 Storage class (VCI): 13

CAS No.: 2893-78-9

Chemical: *sodium chloride*
 Water hazard class (DE): 1
 Storage class (VCI): 12-13

CAS No.: 7647-14-5

10 mL NH₄ -3

Chemical: *sodium nitroprusside*
 Water hazard class (DE): 3
 Storage class (VCI): 6.1 B

CAS No.: 13755-38-9

Chemical: *ethanol*
 PNEC (fresh water) : 0.96 mg/L
 PNEC = Predicted No Effect Concentration
 LC₅₀_{daphnia magna/48h} : >100 mg/L
 LC₅₀_{pimephales promelas/96h} : 13400 - 15100 mg/L
 LC₅₀_{leuciscus idus/96h} : [48h] 8140 mg/L
 LC₅₀_{fish/96h} : 13 g/L
 EC₅₀_{daphnia/48h} : 9.3-14.2 g/L
 IC₅₀_{scenedesmus quadricauda/72h} : [7d] 5000 mg/L
 EC₁₀_{pseudomonas putita/16h} : [EC₅] 6500 mg/L
 Water hazard class (DE): 1 WGK No.: 0096
 Dispersion coefficient (octanol-water) : -0.31
 Storage class (VCI): 3

CAS No.: 64-17-5

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931208

VISOCOLOR ECO Ammonium 3, refill pack

Page: 10/12

Printing date: 12.05.2021

Date of issue: 13.01.2021

Chemical: *thymol* CAS No.: 89-83-8
 Harmful to aquatic life with long lasting effects. Avoid contact of substance/mixture to environment.
 Environmental hazards must not be labelled with P phrases until 125 mL (EU 1272/2008 Annex I - 1.5.2).
 LC50_{pimephales promelas/96h}: 3.2 mg/L
 EC50_{daphnia/48h}: 3.2 mg/L
 Water hazard class (DE): 2 WGK No.: 1220
 Storage class (VCI): 8 A

12.2 Persistence and degradability

not necessary

12.3 Bioaccumulative potential

not necessary

12.4 Mobility in soil

not necessary

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no additional data available

SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

13.1 Waste treatment methods

Normally it is possible to empty small amounts (diluted!) into drains. Empty containers of corrosive reagents prior to disposal, rinse with water.

SECTION 14: Transport information

14.1. UN number: 3316 **14.2. UN proper shipping name: Chemical Kit**

14.3. Class: 9 **14.4. Packing group: II**

Road transport

Classification code: M11 Tunnel restriction code: E

Limited Quantity: acc. ADR 3.3.1/251: see LQ in Alternative declaration for transportation

Air transport

PAX: 960 max. weight PAX: 10 KG

CAO: 960 max. weight CAO: 10 KG

Maritime transport

EmS: F-A, S-P Storage category: A

Or use **Alternative declaration for transportation:**

UN No.: (see below) UN 1993 class 3 III, **Excepted Quantities** (≤ 30 mL/ $\Sigma \leq 1$ L) = ADR/ IATA E1

class 8 II, **Excepted Quantities** (≤ 30 mL/ $\Sigma \leq 500$ mL) = ADR/ IATA E2

or

14.1 UN number: 1824 **14.2 UN proper shipping name: Sodium hydroxide solution**

14.3 Class: 8 **14.4 Packing group: II**

Road transport

Classification code: C5 Tunnel restriction code: E

Limited Quantity: 1 L

Excepted Quantity: E 2

Air transport

PAX: 851 max. weight PAX: 1 L

CAO: 855 max. weight CAO: 30 L

Maritime transport

EmS: F-A, S-B Storage category: A

14.1 UN number: 1993 **14.2 UN proper shipping name: Flammable liquid, n.o.s. (ethanol mixture)**

14.3 Class: 3 **14.4 Packing group: III**

Road transport

Classification code: F1 Tunnel restriction code: E

Limited Quantity: 5 L Special instructions: 640E

Excepted Quantity: E 1

Air transport

PAX: 355 max. weight PAX: 60 L

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international:

CH:

FR:

US:

Tel.: +49 24 21 969-0

Tel.: +41 62 388 55 00

Tel.: +33 388 68 22 68

Tel.: +1 484 821 0984

Fax: +49 24 21 969-199

Fax: +41 62 388 55 05

Fax: +33 388 51 76 88

Fax: +1 484 821 1272

E-mail: info@mn-net.com

E-mail: sales-ch@mn-net.com

E-mail: sales-fr@mn-net.com

E-mail: sales-us@mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931208

VISOCOLOR ECO Ammonium 3, refill pack

Page: 11/12

Printing date: 12.05.2021

Date of issue: 13.01.2021

CAO: 366 max. weight CAO: 220 L
Maritime transport
 EmS: F-E, S-E Storage category: A

14.5 Environmental hazards

none, contains only small quantities of hazardous substances, contains only small amounts of these substances

14.6 Special precautions for user

not necessary

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013
 German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung - GefStoffV), revised on November 2010, according to Directive 98/24/EC
 TRGS 200, German engineering rules governing the classification and labelling of hazardous substances, preparations and products, updated October 2011
 MN Leaflet/User manual, also see www.mn-net.com
 Look for your country-specific regulations.

15.2 Chemical safety assessment

not necessary for these small amounts ---

SECTION 16: Other information

16.1 List of H and P phrases

16.1.1 List of relevant H phrases

H226 Flammable liquid and vapour.
 H290 May be corrosive to metals.
 H314 Causes severe skin burns and eye damage.
 H412 Harmful to aquatic life with long lasting effects.

16.1.2 List of relevant P phrases

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
 P260sh Do not breathe dust/vapours.
 P273 Avoid release to the environment.
 P280sh Wear protective gloves/eye protection.
 P303+361+353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
 P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER/doctor.
 P390 Absorb spillage to prevent material damage.

16.2 Training advice

Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.

16.3 Recommended restriction on use

Only for professional user.

Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)!

Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)!

An individual package of this product or test kit has a moderate hazardous potential.

16.4 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international:

CH:

FR:

US:

Tel.: +49 24 21 969-0

Tel.: +41 62 388 55 00

Tel.: +33 388 68 22 68

Tel.: +1 484 821 0984

Fax: +49 24 21 969-199

Fax: +41 62 388 55 05

Fax: +33 388 51 76 88

Fax: +1 484 821 1272

E-mail: info@mn-net.com

E-mail: sales-ch@mn-net.com

E-mail: sales-fr@mn-net.com

E-mail: sales-us@mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931208

VISOCOLOR ECO Ammonium 3, refill pack

Page: 12/12

Printing date: 12.05.2021

Date of issue: 13.01.2021

16.5 Sources of key data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS
Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress
Regulation 669/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress
Regulation 1480/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress
TRGS 900, German engineering rules governing limits in air at work, updated 03/2019
SUVA .CH, Limits in air at work 2009, revised on 01.2009
KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU
2017-08 Adaption of new ethanol denaturation 2016/1867/EU