

according to Regulation (EC) No 1907/2006

# 26175-01 Potassium Persulfate

Revision date: 06.03.2017

Product code: 2617501

Page 1 of 8

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

26175-01 Potassium Persulfate	
CAS No:	7727-21-1
Index No:	016-061-00-1
EC No:	231-781-8

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/mixture

Water analysis

#### 1.3. Details of the supplier of the safety data sheet

Company name:	HACH LANGE GmbH
Street:	Willstätterstr. 11
Place:	D-40549 Düsseldorf
Telephone:	+49 (0)211 5288-383
e-mail:	SDS@hach.com
Internet:	www.de.hach.com
Responsible Department:	HACH LANGE Ltd.
	5, Pacific Way
	Salford Manchester M50 1DL - United Kingdom
	Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
	e-Mail: info-uk@hach.com
	HACH LANGE Ltd.
	Unit 1, Chestnut Road Western Industrial Estate
	IRL-Dublin 12
	Tel. +353 (0)1 4602522
	e-Mail: info-ie@hach.com
1.4. Emergency telephone	Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency
number:	service -

#### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

#### Regulation (EC) No. 1272/2008

Hazard categories: Oxidising solid: Ox. Sol. 3 Acute toxicity: Acute Tox. 4 Serious eye damage/eye irritation: Eye Irrit. 2 Specific target organ toxicity - single exposure: STOT SE 3 Skin corrosion/irritation: Skin Irrit. 2 Respiratory or skin sensitisation: Resp. Sens. 1 Respiratory or skin sensitisation: Skin Sens. 1 Hazard Statements: May intensify fire; oxidiser. Harmful if swallowed. Causes serious eye irritation. May cause respiratory irritation. Causes skin irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled . May cause an allergic skin reaction.

# 2.2. Label elements



Page 2 of 8

according to Regulation (EC) No 1907/2006

Product code: 2617501

# 26175-01 Potassium Persulfate

Revision date: 06.03.2017

# Regulation (EC) No. 1272/2008

### Hazard components for labelling

dipotassium peroxodisulphate; potassium persulphate

Signal word: Pictograms: Danger



#### **Hazard statements**

H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H317	May cause an allergic skin reaction.
H335	May cause respiratory irritation.

## Precautionary statements

ooddiionary olalonnon	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P342+P311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P302+P352	IF ON SKIN: Wash with plenty of water.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P301+P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

## Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

# 2.3. Other hazards

None known.

# **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

# Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
7727-21-1 dipotassium peroxodisulphate; po		ate; potassium persulphate		100 %
	231-781-8	016-061-00-1		
Ox. Sol. 3, Acute Tox. 4, Eye Irrit. 2, STOT SE 3, Skin Irrit. 2, Resp. Sens. 1, Skin Sens. 1; H272 H302 H319 H335 H315 H334 H317				

Full text of H and EUH statements: see section 16.

### **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

### **General information**

Take off all contaminated clothing immediately.



according to Regulation (EC) No 1907/2006

# 26175-01 Potassium Persulfate

Revision date: 06.03.2017

Product code: 2617501

Page 3 of 8

# After inhalation

Move to fresh air.

# After contact with skin

Wash off immediately with plenty of water. If symptoms persist, call a physician. Show this safety data sheet to the doctor in attendance.

#### After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### After ingestion

Clean mouth with water and drink afterwards plenty of water. Call a physician immediately. Show this safety data sheet to the doctor in attendance. Do NOT induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

Allergic reactions, sensitising effects, irritant effects

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

## Suitable extinguishing media

Dry powder, Carbon dioxide (CO2)

## Unsuitable extinguishing media

Water, Foam

#### 5.2. Special hazards arising from the substance or mixture

#### Oxidising

Keep away from combustible material. Fire may liberate hazardous vapours. The following may develop in event of fire: sulfur oxides.

## 5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

#### Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid contact with skin, eyes and clothing.

## 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

## 6.3. Methods and material for containment and cleaning up

## Use mechanical handling equipment.

## 6.4. Reference to other sections

13. Disposal considerations

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Use only in well-ventilated areas. Avoid contact with skin, eyes and clothing.

## Advice on protection against fire and explosion

Strong oxidizing agents

### 7.2. Conditions for safe storage, including any incompatibilities



according to Regulation (EC) No 1907/2006

## 26175-01 Potassium Persulfate

Revision date: 06.03.2017

Product code: 2617501

Page 4 of 8

## Requirements for storage rooms and vessels

Keep container tightly closed in a dry and well-ventilated place.

# Hints on joint storage

Keep away from combustible material.

## 7.3. Specific end use(s)

Laboratory chemicals

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

# Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7727-21-1	(OLD) Dipotassium peroxodisulphate (measured as [S208])	-	1		TWA (8 h)	OES

### Additional advice on limit values

None known.

#### 8.2. Exposure controls

## Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

#### Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Wash hands before breaks and after work.

## Eye/face protection

Safety glasses with side-shields

#### Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

#### **Respiratory protection**

Breathing apparatus only if aerosol or dust is formed. Recommended Filter type: ABEK-filter

#### **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

1	T. Information on basic physical and cher			
	Physical state:	solid		
	Colour:	white		
	Odour:	odourless		
				Test method
	pH-Value (at 20 °C):		4,1 (5 % solution)	
	Changes in the physical state			
	Melting point:		100 °C	Decomposition temperature
	Initial boiling point and boiling range:		not applicable	
	Sublimation point:		not applicable	
	Softening point:		not applicable	
	Pour point:		not applicable	



according to Regulation (EC) No 1907/2006

	26175-01 Potassium Persulfate	
Revision date: 06.03.2017	Product code: 2617501	Page 5 of 8
Flash point:	not applicable	
Flammability Solid:	not applicable	
Gas:	not applicable	
Explosive properties not applicable		
Lower explosion limits:	not applicable	
Upper explosion limits:	not applicable	
Ignition temperature:	not applicable	
Auto-ignition temperature Solid: Gas:	no data available no data available	
Decomposition temperature:	approx. 100 °C	
Oxidizing properties Oxidising		
Vapour pressure:	not applicable	
Density (at 20 °C): Bulk density:	2,48 g/cm³ approx. 1150 kg/m³	
Water solubility: (at 20 °C)	52 g/L	
Solubility in other solvents no data available		
Partition coefficient:	no data available	
Viscosity / dynamic:	not applicable	
Viscosity / kinematic:	not applicable	
Flow time:	not applicable	
Vapour density:	not applicable	
Evaporation rate:	not applicable	
Solvent separation test:	not applicable	
Solvent content:	not applicable	
9.2. Other information		
Solid content:	no data available	

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

Reactivity Hazard: Oxidizing agents

# 10.2. Chemical stability

Stable under recommended storage conditions.

# 10.3. Possibility of hazardous reactions

Reacts with the following substances: Water, Metals, Heavy metals, Strong bases, Reducing agents, Acids

# 10.4. Conditions to avoid

No dangerous reaction known under conditions of normal use. To avoid thermal decomposition, do not overheat.

# 10.5. Incompatible materials

Strong bases, Acids, Metals, Reducing agents, Combustible material



according to Regulation (EC) No 1907/2006

# 26175-01 Potassium Persulfate

Revision date: 06.03.2017

Product code: 2617501

Page 6 of 8

## 10.6. Hazardous decomposition products

Sulphur oxides, nitrogen oxides (NOx)

# SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

#### Toxicocinetics, metabolism and distribution

No toxicology information is available.

#### Acute toxicity

No data is available on the product itself.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7727-21-1	dipotassium peroxodisulphate; potassium persulphate				
	oral	LD50 802 mg/kg	Rat	GESTIS	

#### Irritation and corrosivity

The product causes irritation of eyes, skin and mucous membranes.

#### Sensitising effects

May cause sensitisation by skin contact.

May cause sensitisation by inhalation.

#### STOT-single exposure

H335 - May cause respiratory irritation.

## STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### Aspiration hazard

No aspiration toxicity classification

#### Specific effects in experiment on an animal

No toxicology information is available.

## Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Acute fish toxicity = Poecilia reticulato LC50: 100 mg/l/96h Toxicity to daphnia = Daphnia magna EC50: 357 mg/l/24h Toxicity to bacteria = Pseudomonas putida EC50: 36 mg/l

#### CAS No Chemical name

	Aquatic toxicity	Dose	[h]   [d] Species	Source	Method
7727-21-1	dipotassium peroxodisulphate; potassium persulphate				
	Acute fish toxicity	LC50 100 mg/l	96 h Poecilia reticulata	Hommel	

#### 12.2. Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

## 12.3. Bioaccumulative potential

No data is available on the product itself.

## 12.4. Mobility in soil

no data available



according to Regulation (EC) No 1907/2006

# 26175-01 Potassium Persulfate

Revision date: 06.03.2017

Product code: 2617501

Page 7 of 8

# 12.5. Results of PBT and vPvB assessment

no data available

## 12.6. Other adverse effects

No known effect.

## Further information

Do not flush into surface water or sanitary sewer system.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Advice on disposal

In accordance with local and national regulations.

#### Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

## Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

# **SECTION 14: Transport information**

Land transport (ADR/RID)	
14.1. UN number:	UN 1492
14.2. UN proper shipping name:	Potassium persulphate
	5.1
14.3. Transport hazard class(es):	5.1 III
14.4. Packing group:	111
Inland waterways transport (ADN)	
Other applicable information (inland water Not tested	rways transport)
Marine transport (IMDG)	
<u>14.1. UN number:</u>	UN 1492
14.2. UN proper shipping name:	Potassium persulphate
14.3. Transport hazard class(es):	5.1
14.4. Packing group:	111
Marine pollutant:	
EmS:	F-A,S-Q
Air transport (ICAO-TI/IATA-DGR)	
<u>14.1. UN number:</u>	UN 1492
14.2. UN proper shipping name:	Potassium persulphate
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
14.5. Environmental hazards	
ENVIRONMENTALLY HAZARDOUS:	no
14.6. Special precautions for user	
no data available	



according to Regulation (EC) No 1907/2006

26175-01 Potassium Persulfate

Revision date: 06.03.2017

Product code: 2617501

Page 8 of 8

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

## Other applicable information

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit, Hazard Class: 9, UN Number3316, Package group II, EMS Code: F-A, S-P These transport data apply to the entire pack

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## EU regulatory information

## Additional information

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

#### National regulatory information

Employment restrictions:	Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.
Water contaminating class (D):	1 - slightly water contaminating

## 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

# **SECTION 16: Other information**

#### Changes

Revision: 6.03.2017 Safety datasheet sections which have been updated: 2 Revision: 13.12.2016 Safety datasheet sections which have been updated: 2, 4, 8, 11

#### Relevant H and EUH statements (number and full text)

H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.

## **Further Information**

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.