

according to Regulation (EC) No 1907/2006

1043-99 Chloride 2 Indicator

Revision date: 24.04.2019

Product code: 104399

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

1043-99 Chloride 2 Indicator

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Compa Street:	ny name:	HACH LANGE GmbH Willstätterstr. 11
Place:		D-40549 Düsseldorf
Telepho	one:	+49 (0)211 5288-383
e-mail:		SDS@hach.com
Interne	t:	www.de.hach.com
Respor	nsible Department:	HACH LANGE Ltd.
		5, Pacific Way
		Salford Manchester M50 1DL - United Kingdom
		Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
		e-Mail: info-uk@hach.com
		HACH LANGE Ltd.
		Unit 1, Chestnut Road Western Industrial Estate
		IRL-Dublin 12
		Tel. +353 (0)1 4602522
		e-Mail: info-ie@hach.com
<u>1.4. Emerg</u> number:	gency telephone	Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Acute toxicity: Acute Tox. 4 Skin corrosion/irritation: Skin Irrit. 2 Serious eye damage/eye irritation: Eye Irrit. 2 Respiratory or skin sensitisation: Skin Sens. 1 Germ cell mutagenicity: Muta. 1B Carcinogenicity: Carc. 1B Specific target organ toxicity - single exposure: STOT SE 3 Hazardous to the aquatic environment: Aquatic Acute 1 Hazardous to the aquatic environment: Aquatic Chronic 1 Hazard Statements: Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. May cause genetic defects. May cause cancer by inhalation. May cause respiratory irritation. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

2.2. Label elements



according to Regulation (EC) No 1907/2006

Be Right	1043-99 Chloride 2 Indicator	
evision date: 24.04.2019	Product code: 104399	Page 2 of
CVISION GAIC. 24.04.2013		1 490 2 01
Regulation (EC) No. 1272	2/2008	
Hazard components for potassium chromate		
Signal word:	Danger	
Pictograms:		
Hazard statements	• • •	
H302	Harmful if swallowed.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H335	May cause respiratory irritation.	
H340	May cause genetic defects.	
H350i	May cause cancer by inhalation.	
H410	Very toxic to aquatic life with long lasting effects.	
Precautionary statemer	nts	
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P337+P313	If eye irritation persists: Get medical advice/attention.	
P302+P352	IF ON SKIN: Wash with plenty of water.	
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.	
P301+P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.	
P308+P313	IF exposed or concerned: Get medical advice/attention.	
P391	Collect spillage.	
Special labelling of cer	tain mixtures	
	Restricted to professional users.	
Additional advice on la	helling	

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	GHS Classification	·			
144-55-8	Sodium hydrogen carbonate				
	205-633-8				
7789-00-6	potassium chromate			45-55 %	
	232-140-5	024-006-00-8			
	Carc. 1B, Muta. 1B, Acute Tox. 3, Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, STOT SE 3, Aquatic Acute 1, Aquatic Chronic 1; H350i H340 H301 H315 H319 H317 H335 H400 H410				

Full text of H and EUH statements: see section 16.



according to Regulation (EC) No 1907/2006

1043-99 Chloride 2 Indicator

Revision date: 24.04.2019

Product code: 104399

Page 3 of 9

Further Information

This product contains substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57). potassium chromate

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately.

Consult a physician. Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air.

Consult a physician. Show this safety data sheet to the doctor in attendance.

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing and shoes immediately. Call a physician immediately. Show this safety data sheet to the doctor in attendance.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Show this safety data sheet to the doctor in attendance.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Consult a physician. Show this safety data sheet to the doctor in attendance.

4.2. Most important symptoms and effects, both acute and delayed

irritant effects

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Use mechanical handling equipment. Treat recovered material as described in the section "Disposal considerations".



according to Regulation (EC) No 1907/2006

1043-99 Chloride 2 Indicator

Revision date: 24.04.2019

Product code: 104399

Page 4 of 9

6.4. Reference to other sections

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas. Do not breathe vapours/dust.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep tightly closed in a dry, cool and well-ventilated place. Protect against light. Accessible only for authorized persons.

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
-	Chromium (VI) compounds (as Cr)	-	0.05		TWA (8 h)	WEL

Biological Monitoring Guidance Values (EH40)

CAS No	Substance	Parameter	Value	Test material	Sampling time
	Chromium VI	chromium (creatinine)	10 µmol/mol	urine	Post shift

Additional advice on limit values

None known.

8.2. Exposure controls

Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Wash hands before breaks and after work.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0.40 mm, Breakthrough time: > 30 min

Skin protection

Remove and wash contaminated clothing before re-use.

Respiratory protection

Breathing apparatus only if aerosol or dust is formed.



according to Regulation (EC) No 1907/2006

1043-99 Chloride 2 Indicator

Revision date: 24.04.2019

Product code: 104399

Page 5 of 9

Recommended Filter type: ABEK-filter

Environmental exposure controls

Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour:	solid, powder light yellow	
Odour:	odourless	
pH-Value (at 20 °C):		8,2 (5 % solution)
Changes in the physical state		
Melting point:		not applicable
Sublimation point:		not applicable
Softening point:		not applicable
Pour point:		not applicable
Decomposition temperature:		100 °C
Flash point:		not applicable
Flammability Solid:		not applicable
Gas:		not applicable
Explosive properties not applicable		
Lower explosion limits:		not applicable
Upper explosion limits:		not applicable
Ignition temperature:		not applicable
Auto-ignition temperature		
Solid:		not applicable
Gas:		not applicable
Decomposition temperature:		no data available
Oxidizing properties no data available		
Vapour pressure:		no data available
Vapour pressure:		no data available
Density (at 20 °C):		2,25 g/cm ³
Bulk density:		not applicable
Water solubility: (at 20 °C)		completely soluble
Solubility in other solvents no data available		
Partition coefficient:		no data available
Viscosity / dynamic:		no data available
Viscosity / kinematic:		no data available
Flow time:		no data available
Vapour density:		no data available
Evaporation rate:		no data available



according to Regulation (EC) No 1907/2006

	1043-99 Chloride 2 Indicator	
Revision date: 24.04.2019	Product code: 104399	Page 6 of 9
Solvent separation test:	no data available	
Solvent content:	no data available	
9.2. Other information		
Solid content:	not applicable	
SECTION 10: Stability and reactivity		
10.1. Reactivity		
Corrosive to metals		
10.2. Chemical stability		
Stable under recommended storag	e conditions.	

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat.

10.5. Incompatible materials

Organic materials,

10.6. Hazardous decomposition products

Chromium oxides

Further information

very reactive

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Harmful if swallowed.

No data is available on the product itself. Information given is based on data on the components and the toxicology of similar products.

ATEmix calculated

ATE (oral) 360,0 mg/kg

CAS No	Chemical name					
	Exposure route	Dose	Species	Source	Method	
144-55-8	Sodium hydrogen carbon	ate				
		LD50 4220 mg/kg	rat			
7789-00-6	potassium chromate					
		LD50 180 mg/kg	mouse			

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

Sensitising effects

May cause an allergic skin reaction. (potassium chromate)

Carcinogenic/mutagenic/toxic effects for reproduction

May cause genetic defects. (potassium chromate)

May cause cancer by inhalation. (potassium chromate)

Reproductive toxicity: Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

1043-99 Chloride 2 Indicator

Revision date: 24.04.2019

Product code: 104399

Page 7 of 9

STOT-single exposure

May cause respiratory irritation. (potassium chromate)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No toxicology information is available.

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

.....

May cause long-term adverse effects in the aquatic environment.

Do not flush into surface water or sanitary sewer system.

CAS NO									
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method		
144-55-8	Sodium hydrogen carbon	ate							
	Acute fish toxicity	LC50 mg/l	7550	96 h					
	Acute crustacea toxicity	EC50 mg/l	2350	48 h					
7789-00-6	potassium chromate								
	Acute fish toxicity	LC50 mg/l	45,6	96 h	Pimephales promelas				
	Acute crustacea toxicity	EC50 mg/l	0,18	48 h	Daphnia pulex				

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

no data available

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment no data available

12.6. Other adverse effects

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

In accordance with local and national regulations.

Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste



according to Regulation (EC) No 1907/2006

1043-99 Chloride 2 Indicator

Revision date: 24.04.2019

Product code: 104399

Page 8 of 9

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

SECTION 14: Transport information

Land transport (ADR/RID)	
<u>14.1. UN number:</u>	UN 3288
14.2. UN proper shipping name:	Toxic solid, inorganic, n.o.s.
14.3. Transport hazard class(es):	6.1
14.4. Packing group:	III
Inland waterways transport (ADN)	
Other applicable information (inland wat Not tested	erways transport)
Marine transport (IMDG)	
<u>14.1. UN number:</u>	UN 3288
14.2. UN proper shipping name:	Toxic solid, inorganic, n.o.s. (Potassium chromate mixture)
14.3. Transport hazard class(es):	6.1
14.4. Packing group:	III
Marine pollutant:	
EmS:	F-A,S-A
Air transport (ICAO-TI/IATA-DGR)	
<u>14.1. UN number:</u>	UN 3288
14.2. UN proper shipping name:	Toxic solid, inorganic, n.o.s. (Potassium chromate mixture)
14.3. Transport hazard class(es):	6.1
14.4. Packing group:	III
14.5. Environmental hazards	
ENVIRONMENTALLY HAZARDOUS:	yes

14.6. Special precautions for user

Use personal protective equipment.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

Other applicable information

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit, Hazard Class: 9, UN Number3316, Package group II, EMS Code: F-A, S-P

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Authorisations (REACH, annex XIV): potassium chromate



according to Regulation (EC) No 1907/2006

	1043-99 Chloride 2 Indicator	
Revision date: 24.04.2019	Product code: 104399	Page 9 of 9
Restrictions on use (REACH, annex XVII): Entry 28: potassium chromate		
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.	
Water contaminating class (D): Additional information professional use	3 - highly water contaminating	
15.2. Chemical safety assessment Chemical safety assessments for subst	ances in this mixture were not carried out.	
SECTION 16: Other information		
a		

Changes

Revision: 24.04.2019 Safety datasheet sections which have been updated: 11, 15 Revision: 4.09.2017 Safety datasheet sections which have been updated: 2, 4 Revision: 08.06.2016 Safety datasheet sections which have been updated: 2, 3, 8, 9, 11 Revision: 11.04.2016 Safety datasheet sections which have been updated: 3 Revision: 26.05.2015 Safety datasheet sections which have been updated: 2, 11

Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H340	May cause genetic defects.
H350i	May cause cancer by inhalation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)



according to Regulation (EC) No 1907/2006

2349832 Silver Nitrate Titrant 0,0493 N

Revision date: 18.01.2017

Product code: 2349832

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

2349832 Silver Nitrate Titrant 0,0493 N

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Willstätterstr. 11
D-40549 Düsseldorf
+49 (0)211 5288-383
SDS@hach.com
www.de.hach.com
HACH LANGE Ltd.
5, Pacific Way
Salford Manchester M50 1DL - United Kingdom
Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
e-Mail: info-uk@hach.com
HACH LANGE Ltd.
Unit 1, Chestnut Road Western Industrial Estate
IRL-Dublin 12
Tel. +353 (0)1 4602522
e-Mail: info-ie@hach.com
Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Hazardous to the aquatic environment: Aquatic Acute 1 Hazardous to the aquatic environment: Aquatic Chronic 1 Hazard Statements: Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling silver nitrate

Signal word:

Pictograms:



Warning

Hazard statements

H410

Very toxic to aquatic life with long lasting effects.



according to Regulation (EC) No 1907/2006

2349832 Silver Nitrate Titrant 0,0493 N

Revision date: 18.01.2017

Product code: 2349832

Page 2 of 9

Precautionary statements

P273Avoid release to the environment.P391Collect spillage.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification according	to Regulation (EC) No. 1272/2008	5 [CLP]		
7732-18-5	Water			> 95 %	
	231-791-2				
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol				
	200-661-7	603-117-00-0			
	Flam. Liq. 2, Eye Irrit. 2				
7761-88-8	silver nitrate			<1 %	
	231-853-9	047-001-00-2			
	Ox. Sol. 2, Acute Tox. 4, Skin Corr. 1B, STOT SE 3, STOT RE 1, Aquatic Acute 1 (M-Factor = 100), Aquatic Chronic 1 (M-Factor = 100); H272 H302 H314 H335 H372 H400 H410				

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off contaminated clothing and shoes immediately. Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air.

If symptoms persist, call a physician.

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.

After contact with eyes

In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Obtain medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Silver in the form of a finely divided dust may cause discoloration in contact with skin, and argyrosis in case of inhalation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.



according to Regulation (EC) No 1907/2006

2349832 Silver Nitrate Titrant 0,0493 N

Revision date: 18.01.2017

Product code: 2349832

Page 3 of 9

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water Dry powder Carbon dioxide (CO2)

Unsuitable extinguishing media

None known.

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing. In the case of respirable dust and/or fumes, use self-contained breathing apparatus and dust impervious protective suit.

Additional information

Prevent fire extinguishing water from contaminating surface water or the ground water system. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas. Wash thoroughly after handling.

Advice on protection against fire and explosion

None known. See also section 5

Further information on handling

Observe label precautions. Avoid contact with skin, eyes and clothing. Avoid contact with eyes.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a dry and well-ventilated place. Keep away from direct sunlight.

Hints on joint storage

None known.



according to Regulation (EC) No 1907/2006

2349832 Silver Nitrate Titrant 0,0493 N

Revision date: 18.01.2017

Product code: 2349832

Page 4 of 9

Further information on storage conditions

no data available

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL
-	Silver (soluble compounds as Ag)	-	0.01		TWA (8 h)	WEL

Additional advice on limit values

None known.

8.2. Exposure controls

Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Wash hands before breaks and at the end of workday.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Skin protection

Avoid contact with skin, eyes and clothing.

Respiratory protection

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

Environmental exposure controls

Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

s. r. information on basic physic	ai ana chemical properties		
Physical state:	liquid		
Colour:	colourless		
Odour:	alcohol-like		
pH-Value (at 20 °C):		3,5	
Changes in the physical state	•		
Melting point:		not applicable	



according to Regulation (EC) No 1907/2006

be right	2349832 Silver Nitrate Titrant 0,0493 N	
Revision date: 18.01.2017	Product code: 2349832	Page 5 of 9
Initial boiling point and boiling range:	no data available	
Sublimation point:	not applicable	
Softening point:	not applicable	
Pour point:	no data available	
:	no data available	
Flash point:	>94,4 °C	
Flammability		
Solid:	not applicable	
Gas:	not applicable	
Explosive properties no data available		
Lower explosion limits:	no data available	
Upper explosion limits:	no data available	
Ignition temperature:	no data available	
Auto-ignition temperature		
Solid:	not applicable	
Gas:	not applicable	
Decomposition temperature:	no data available	
Oxidizing properties no data available		
Vapour pressure:	no data available	
Vapour pressure:	no data available	
Density (at 20 °C):	1 g/cm³	
Bulk density:	no data available	
Water solubility: (at 20 °C)	soluble	
Solubility in other solvents no data available		
Partition coefficient:	no data available	
Viscosity / dynamic:	no data available	
Viscosity / kinematic:	no data available	
Flow time:	no data available	
Vapour density:	no data available	
Evaporation rate:	no data available	
Solvent separation test:	no data available	
Solvent content:	no data available	
9.2. Other information		
Solid content:	no data available	
no data available		

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Stable under recommended storage conditions.



according to Regulation (EC) No 1907/2006

2349832 Silver Nitrate Titrant 0,0493 N

Revision date: 18.01.2017

Product code: 2349832

Page 6 of 9

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Extremes of temperature and direct sunlight.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Decomposition products: Carbon dioxide (CO2) Carbon monoxide

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No toxicology information is available.

Acute toxicity

No data is available on the product itself. Health injuries are not known or expected under normal use.

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol					
	oral	LD50 mg/kg	5045	rat	RTECS	
	dermal	LD50 mg/kg	12800	rabbit		
	inhalation (4 h) vapour	LC50	46,5 mg/l	rat		
7761-88-8	silver nitrate					
	oral	LD50 mg/kg	1173	rat	RTECS	

Irritation and corrosivity

No known effect.

Sensitising effects

No sensitisation responses were observed.

Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

No toxicology information is available.

Additional information on tests

None known.

Practical experience

Observations relevant to classification

None known.

Other observations

None known.



according to Regulation (EC) No 1907/2006

2349832 Silver Nitrate Titrant 0,0493 N

Revision date: 18.01.2017

Product code: 2349832

Page 7 of 9

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

No information on ecology is available.

Do not flush into surface water or sanitary sewer system.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol						
	Acute fish toxicity	LC50 mg/l	1400		Lepomis macrochirus (Bluegill sunfish)		
	Acute algae toxicity	ErC50 mg/l	> 1000		Pseudokirchneriella subcapitata (green algae)	IUCLID	
	Acute crustacea toxicity	EC50 mg/l	13299		Daphnia magna (Water flea)	UICLID	
7761-88-8	silver nitrate						
	Acute fish toxicity	LC50 mg/l	0,006	96 h	Oncorhynchus mykiss (rainbow trout)		
	Acute crustacea toxicity	EC50 mg/l	0,00156		Daphnia magna (Water flea)		

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

no data available

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

In accordance with local and national regulations.

Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of contaminated packaging



according to Regulation (EC) No 1907/2006

2349832 Silver Nitrate Titrant 0,0493 N

Revision date: 18.01.2017

Product code: 2349832

Page 8 of 9

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

SECTION 14: Transport information

Land transport (ADR/RID)

Other applicable information (land transport) Not subject to transport regulations.

Inland waterways transport (ADN)

Other applicable information (inland waterways transport) Not tested

Marine transport (IMDG)

Other applicable information (marine transport) Not subject to transport regulations.

Air transport (ICAO-TI/IATA-DGR)

Other applicable information (air transport) Not subject to transport regulations.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: yes



14.6. Special precautions for user

not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Water contaminating class (D):

3 - highly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Revision: 18.01.2017 Safety datasheet sections which have been updated: 2, 4, 8, 9, 10, 11, 12 Revision: 20.05.2015 Safety datasheet sections which have been updated: 2, 4, 11, 14 Revision: 10.01.2013

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.



according to Regulation (EC) No 1907/2006

2349832 Silver Nitrate Titrant 0,0493 N

Revision date: 18.01.2017	Product code: 2349832	Page 9 of 9
H314	Causes severe skin burns and eye damage.	
H319	Causes serious eye irritation.	
H335	May cause respiratory irritation.	
H336	May cause drowsiness or dizziness.	
H372	Causes damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
Further Information		
	ised on present level of our knowledge. It does not, however, give assurances of product lishes no contract legal rights.	

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)